




2005-2007 Diabetes prevalence by borough or census area, AK BRFSS Anchorage & vicinity and Fairbanks & vicinity regions




There were no significant differences between borough or census area-specific diabetes rates in this chart. The Bethel census area in the rural region had a statistically significantly lower diabetes rate (2%) than the Municipality of Anchorage, the Matanuska-Susitna Borough and the Southeast Fairbanks census area.

2005-2007 Diabetes prevalence by borough or census area, AK BRFSS Gulf Coast region




There were no significant differences between borough or census area-specific diabetes rates in this chart. The Bethel census area in the rural region had a statistically significantly lower diabetes rate (2%) than the Kenai Peninsula Borough.

2005-2007 Diabetes prevalence by borough or census area, AK BRFSS Southeast region



There were no significant differences between borough or census area-specific diabetes rates in this chart. The Bethel census area in the rural region had a statistically significantly lower diabetes rate (2%) than the Ketchikan Gateway Borough.

2005-2007 Diabetes prevalence by borough or census area, AK BRFSS Rural region



There were no statistically significant differences between the borough or census area-specific diabetes rates in this chart. The Bethel census area had a significantly lower diabetes rate than the Municipality of Anchorage (6%), the Matanuska-Susitna Borough (7%), the Kenai Peninsula Borough (6%) and the Ketchikan Gateway Borough (6%).