

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Physical activity	29.7	20.6 - 40.8	27	35.1	26.4 - 45.1	31	23.5	19.3 - 28.4	124	26.1	22.5 - 30.1	182
b. Nutrition	29.7	20.6 - 40.8	27	35.1	26.4 - 45.1	31	23.5	19.4 - 28.1	124	26.1	22.6 - 29.9	182
c. Tobacco-use prevention	32.3	24.1 - 41.7	27	38.6	29.7 - 48.3	31	23.4	19.1 - 28.4	124	26.9	23.3 - 30.9	182
d. Asthma	21.5	14.7 - 30.5	27	16.0	9.6 - 25.5	31	12.4	9.3 - 16.3	124	14.1	11.4 - 17.4	182
e. Injury and violence prevention	28.7	20.1 - 39.3	27	28.3	21.1 - 36.8	31	18.7	14.8 - 23.4	124	21.5	18.2 - 25.3	182

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Health education	19.0	11.2 - 30.2	27	13.5	7.8 - 22.2	30	17.1	13.7 - 21.2	118	16.8	13.9 - 20.2	175
b. Physical education and physical activity	22.6	13.9 - 34.4	27	10.3	5.5 - 18.5	30	21.0	17.2 - 25.4	116	19.5	16.4 - 23.1	173
c. Nutrition services and foods and beverages available at school	15.4	8.6 - 26.0	27	17.4	10.6 - 27.1	30	20.6	16.7 - 25.1	117	19.4	16.2 - 23.0	174
d. Health services	19.0	12.5 - 27.7	27	10.3	5.5 - 18.4	30	12.3	9.2 - 16.4	116	12.9	10.3 - 16.1	173
e. Mental health and social services	26.2	17.9 - 36.6	27	19.9	13.8 - 27.7	30	15.8	12.1 - 20.3	117	17.8	14.7 - 21.4	174
f. Healthy and safe school environment	53.2	41.4 - 64.7	26	52.5	40.4 - 64.2	30	34.2	29.7 - 39.0	118	39.6	35.5 - 43.8	174
g. Family and community involvement	51.3	40.4 - 62.1	27	62.0	52.5 - 70.8	30	49.3	44.5 - 54.1	118	51.6	47.6 - 55.5	175
h. Faculty and staff health promotion	19.0	11.2 - 30.2	27	26.2	17.6 - 37.1	30	13.0	9.8 - 17.2	118	15.9	12.9 - 19.5	175

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
85.6	75.9 - 91.9	27	78.4	67.1 - 86.6	28	36.8	31.5 - 42.4	106	50.5	46.2 - 54.9	161

\*Among schools that engaged in an improvement planning process during the past year.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
72.3	66.6 - 77.3	28	83.6	76.6 - 88.8	31	54.7	49.5 - 59.8	124	61.5	57.6 - 65.3	183

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
54.0	43.9 - 63.7	28	53.9	46.5 - 61.2	31	23.5	19.6 - 27.8	126	32.2	28.9 - 35.7	185

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. School administrators	93.1	81.7 - 97.6	14	94.3	83.7 - 98.2	17	90.2	82.3 - 94.8	29	91.9	87.1 - 95.0	60
b. Health education teachers	93.1	80.5 - 97.8	14	82.9	69.0 - 91.4	17	83.0	73.5 - 89.6	29	85.1	78.9 - 89.7	60
c. Physical education teachers	93.1	80.5 - 97.8	14	82.9	69.0 - 91.4	17	76.7	66.7 - 84.4	29	81.8	75.2 - 86.9	60
d. Other classroom teachers	77.5	61.8 - 87.9	14	71.5	61.3 - 79.9	17	68.7	59.0 - 77.0	29	71.3	64.9 - 76.9	60
e. Mental health or social services staff (e.g., school counselors)	86.3	72.7 - 93.7	14	59.5	44.3 - 73.0	17	52.6	42.0 - 63.0	29	61.4	53.9 - 68.4	60
f. Nutrition or food service staff	31.6	18.9 - 47.7	13	19.6	10.7 - 33.3	17	45.5	34.9 - 56.6	29	35.9	29.0 - 43.4	59
g. Health services staff (e.g., school nurse)	68.6	57.3 - 78.1	14	46.8	33.6 - 60.5	17	24.1	16.3 - 34.1	29	39.3	32.8 - 46.2	60
h. Maintenance and transportation staff	24.2	12.2 - 42.3	13	12.7	5.9 - 25.0	17	14.3	8.5 - 23.0	28	15.8	11.1 - 22.0	58
i. Technology staff	31.6	17.8 - 49.5	13	24.0	13.7 - 38.6	17	18.0	11.2 - 27.6	29	22.3	16.5 - 29.3	59
j. Library/media center staff	36.3	20.7 - 55.3	14	24.0	13.7 - 38.6	17	10.6	5.6 - 19.1	29	19.4	14.1 - 26.3	60
k. Student body	63.7	47.3 - 77.5	14	47.5	35.4 - 59.8	17	38.4	28.0 - 50.0	29	46.1	38.6 - 53.6	60
l. Parents or families of students	65.7	51.9 - 77.3	14	48.1	34.7 - 61.7	17	65.5	54.6 - 75.0	29	61.0	53.8 - 67.8	60

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
m. Community members	63.2	50.4 - 74.3	13	35.4	25.0 - 47.4	17	61.9	51.0 - 71.7	29	55.1	48.3 - 61.7	59
n. Local health departments, agencies, or organizations	45.1	30.4 - 60.7	14	36.7	23.9 - 51.7	17	35.3	25.2 - 46.9	29	37.7	30.4 - 45.6	60
o. Faith-based organizations	8.0	2.5 - 22.6	12	0.0	†	17	7.4	3.4 - 15.5	29	5.5	2.9 - 10.3	58
p. Businesses	22.1	11.3 - 38.6	13	19.6	10.7 - 33.3	17	21.7	13.9 - 32.4	29	21.2	15.5 - 28.3	59
q. Local government agencies	43.1	26.3 - 61.7	14	12.7	5.9 - 25.0	17	21.2	13.7 - 31.5	29	23.5	17.6 - 30.7	60

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	65.7	48.9 - 79.3	14	37.4	26.4 - 49.8	17	51.6	40.9 - 62.2	29	50.8	43.6 - 58.0	60
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	58.8	44.0 - 72.2	14	69.8	57.5 - 79.8	16	52.1	40.7 - 63.3	29	58.0	50.4 - 65.3	59
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	63.7	47.3 - 77.5	14	60.1	44.2 - 74.2	17	79.6	69.7 - 86.8	29	71.2	63.7 - 77.6	60
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	84.3	67.5 - 93.3	14	77.2	62.0 - 87.6	17	68.8	57.6 - 78.2	29	74.2	66.6 - 80.6	60
e. Reviewed health-related curricula or instructional materials	77.5	60.6 - 88.5	14	77.2	62.0 - 87.6	17	58.7	47.2 - 69.4	29	67.5	59.5 - 74.5	60

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations



# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Attendance of students with HIV infection	74.9	63.6 - 83.6	27	43.7	34.9 - 52.9	31	40.4	35.5 - 45.6	124	45.4	41.3 - 49.5	182
b. Procedures to protect HIV-infected students and staff from discrimination	73.8	62.1 - 83.0	27	57.0	47.4 - 66.2	31	48.6	43.3 - 53.9	124	53.1	48.8 - 57.4	182
c. Maintaining confidentiality of HIV-infected students and staff	73.8	62.1 - 83.0	27	60.1	49.7 - 69.6	31	55.5	50.9 - 60.1	124	58.6	54.7 - 62.4	182
d. Worksite safety (i.e., universal precautions for all school staff)	77.4	66.2 - 85.8	27	81.6	71.9 - 88.4	31	63.9	59.3 - 68.3	124	68.4	64.6 - 72.0	182
e. Confidential counseling for HIV-infected students	66.7	54.0 - 77.3	27	44.4	34.9 - 54.3	31	34.8	30.1 - 39.9	124	40.4	36.4 - 44.6	182
f. Communication of the policy to students, school staff, and parents	70.3	58.0 - 80.2	27	44.4	34.9 - 54.3	31	42.4	37.5 - 47.6	124	46.3	42.1 - 50.5	182
g. Adequate training about HIV infection for school staff	81.0	70.3 - 88.5	27	62.5	53.6 - 70.6	31	52.3	47.1 - 57.4	123	57.6	53.5 - 61.6	181
h. Procedures for implementing the policy	76.6	64.9 - 85.3	26	46.8	37.6 - 56.2	31	48.2	43.5 - 53.0	123	51.5	47.6 - 55.4	180

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	30.1	20.8 - 41.2	27	28.0	19.5 - 38.6	30	19.8	16.5 - 23.5	126	22.3	19.3 - 25.7	183
b. Youth who participate in drop-out prevention, alternative education, or GED programs	33.7	23.6 - 45.4	27	20.9	13.7 - 30.7	30	19.0	15.6 - 23.0	124	21.2	18.1 - 24.6	181

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-level club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
58.5	48.8 - 67.5	27	17.1	10.2 - 27.3	28	12.8	9.9 - 16.3	119	19.5	16.8 - 22.6	174

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	66.8	56.0 - 76.1	28	35.8	26.8 - 46.0	31	21.0	17.1 - 25.5	126	29.3	25.8 - 33.0	185
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	93.1	85.4 - 96.9	28	90.8	83.1 - 95.2	31	62.0	57.4 - 66.5	125	70.6	67.0 - 73.9	184
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	64.4	54.1 - 73.4	28	53.9	42.9 - 64.5	30	35.3	30.3 - 40.6	125	41.9	37.7 - 46.3	183
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	70.3	60.1 - 78.8	28	40.6	30.5 - 51.6	31	38.6	33.7 - 43.7	125	43.0	39.0 - 47.2	184
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	63.4	52.0 - 73.4	28	39.6	30.2 - 49.8	31	35.5	30.6 - 40.7	125	39.8	35.7 - 44.0	184

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.5	90.0 - 98.9	28	84.0	74.5 - 90.4	31	83.7	79.6 - 87.1	127	85.4	82.2 - 88.1	186

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	70.3	55.9 - 81.5	20	71.1	65.8 - 75.9	110	71.0	66.1 - 75.5	130
b. Seventh grade	§	§	§	77.5	66.8 - 85.5	31	73.0	68.3 - 77.3	117	73.9	69.6 - 77.7	148
c. Eighth grade	§	§	§	77.5	66.8 - 85.5	31	75.4	70.6 - 79.6	116	75.8	71.5 - 79.6	147
d. Ninth grade	82.7	72.4 - 89.7	28	-	-	5	70.3	65.5 - 74.7	111	70.2	65.9 - 74.1	144
e. Tenth grade	72.3	62.0 - 80.7	28	§	§	§	60.7	55.5 - 65.6	108	62.7	58.1 - 67.1	136
f. Eleventh grade	43.6	31.6 - 56.3	28	§	§	§	59.2	53.6 - 64.6	106	56.4	51.3 - 61.4	134
g. Twelfth grade	43.6	31.6 - 56.3	28	§	§	§	57.3	51.8 - 62.6	108	54.9	49.9 - 59.8	136

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
66.8	56.9 - 75.4	28	86.3	77.1 - 92.2	31	34.7	29.8 - 39.9	122	47.1	43.2 - 51.1	181

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which those who teach physical education are provided with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Goals, objectives, and expected outcomes for physical education	87.6	77.5 - 93.6	28	82.2	74.9 - 87.8	31	56.2	50.5 - 61.7	126	64.3	60.0 - 68.4	185
b. A chart describing the annual scope and sequence of instruction for physical education	72.8	62.1 - 81.4	27	65.8	57.7 - 73.1	31	36.0	31.1 - 41.2	126	45.3	41.3 - 49.3	184
c. Plans for how to assess student performance in physical education	73.8	63.4 - 82.0	28	68.3	59.1 - 76.2	30	40.8	35.8 - 46.0	126	49.3	45.2 - 53.4	184
d. A written physical education curriculum	84.2	76.2 - 89.8	28	63.6	54.8 - 71.6	29	45.3	40.1 - 50.7	126	53.1	49.0 - 57.2	183



# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
14.9	8.4 - 25.0	28	60.7	51.7 - 69.1	31	68.6	64.2 - 72.7	127	60.4	56.9 - 63.9	186

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.7	68.6 - 81.7	28	90.4	82.4 - 95.0	31	73.9	69.2 - 78.0	127	76.7	73.1 - 79.9	186

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.1	83.4 - 96.4	28	89.1	81.8 - 93.6	30	85.4	81.9 - 88.4	126	86.8	84.0 - 89.2	184

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.5	90.0 - 98.9	28	93.0	85.4 - 96.8	30	61.2	56.1 - 66.1	122	70.8	67.0 - 74.4	180

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.1	85.4 - 96.9	28	100.0	†	31	98.3	96.3 - 99.2	128	97.9	96.3 - 98.8	187

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	88.6	79.3 - 94.1	28	93.2	85.6 - 96.9	31	95.9	93.4 - 97.5	127	94.6	92.3 - 96.2	186
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	88.6	79.3 - 94.1	28	93.2	85.6 - 96.9	31	95.2	92.5 - 96.9	127	94.0	91.7 - 95.7	186
c. Cigars	88.6	79.3 - 94.1	28	93.2	85.6 - 96.9	31	91.2	88.2 - 93.5	127	91.2	88.6 - 93.2	186
d. Pipes	88.6	79.3 - 94.1	28	93.2	85.6 - 96.9	31	91.2	88.2 - 93.5	127	91.2	88.6 - 93.2	186

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	85.1	75.2 - 91.6	28	93.2	85.6 - 96.9	31	88.6	85.3 - 91.3	126	88.9	86.1 - 91.2	185
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	85.1	75.2 - 91.6	28	93.2	85.6 - 96.9	31	87.2	83.6 - 90.1	126	87.8	84.9 - 90.3	185
c. Cigars	85.1	75.2 - 91.6	28	93.2	85.6 - 96.9	31	86.2	82.7 - 89.0	126	87.1	84.3 - 89.5	185
d. Pipes	85.1	75.2 - 91.6	28	93.2	85.6 - 96.9	31	86.2	82.7 - 89.0	126	87.1	84.3 - 89.5	185

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	85.1	75.2 - 91.6	28	90.1	81.8 - 94.8	31	88.6	85.3 - 91.3	126	88.4	85.6 - 90.8	185
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	85.1	75.2 - 91.6	28	90.1	81.8 - 94.8	31	85.6	81.8 - 88.7	126	86.2	83.1 - 88.9	185
c. Cigars	85.1	75.2 - 91.6	28	90.1	81.8 - 94.8	31	86.2	82.7 - 89.0	126	86.6	83.7 - 89.1	185
d. Pipes	85.1	75.2 - 91.6	28	90.1	81.8 - 94.8	31	86.2	82.7 - 89.0	126	86.6	83.7 - 89.1	185



# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	93.1	85.4 - 96.9	28	96.9	91.1 - 99.0	31	97.5	95.3 - 98.7	126	96.8	95.1 - 98.0	185
b. During non-school hours	79.2	70.6 - 85.8	28	96.9	91.1 - 99.0	31	85.2	80.9 - 88.6	124	86.2	83.0 - 88.9	183

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	89.6	81.0 - 94.6	28	96.8	90.8 - 99.0	30	85.9	82.4 - 88.8	125	88.0	85.3 - 90.4	183
b. During non-school hours	72.3	64.1 - 79.2	28	76.4	66.8 - 83.9	30	63.8	58.8 - 68.5	123	66.8	62.9 - 70.6	181

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	89.6	81.0 - 94.6	28	93.7	86.6 - 97.1	30	84.3	80.6 - 87.5	125	86.4	83.5 - 88.9	183
b. During non-school hours	72.3	64.1 - 79.2	28	76.4	66.8 - 83.9	30	63.3	58.4 - 67.9	124	66.5	62.6 - 70.2	182

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. In school buildings	93.1	85.4 - 96.9	28	100.0	†	31	96.8	94.5 - 98.1	126	96.8	95.0 - 98.0	185
b. Outside on school grounds, including parking lots and playing fields	93.1	85.4 - 96.9	28	96.9	91.1 - 99.0	31	95.2	92.6 - 97.0	126	95.2	93.1 - 96.7	185
c. On school buses or other vehicles used to transport students	93.1	85.4 - 96.9	28	100.0	†	31	95.9	93.3 - 97.5	123	96.2	94.2 - 97.5	182
d. At off-campus, school-sponsored events	93.1	85.4 - 96.9	28	96.9	91.1 - 99.0	31	95.1	92.4 - 96.9	123	95.1	93.0 - 96.6	182

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. In school buildings	93.1	85.4 - 96.9	28	100.0	†	31	93.6	90.6 - 95.7	126	94.5	92.3 - 96.1	185
b. Outside on school grounds, including parking lots and playing fields	93.1	85.4 - 96.9	28	96.9	91.1 - 99.0	31	84.5	80.2 - 88.0	125	87.6	84.4 - 90.2	184
c. On school buses or other vehicles used to transport students	93.1	85.4 - 96.9	28	100.0	†	31	91.0	88.0 - 93.4	124	92.7	90.4 - 94.5	183
d. At off-campus, school-sponsored events	89.2	80.3 - 94.4	27	96.9	91.1 - 99.0	31	77.9	73.5 - 81.7	122	82.4	79.1 - 85.3	180

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. In school buildings	89.6	81.0 - 94.6	28	100.0	†	31	93.5	90.5 - 95.6	124	94.0	91.7 - 95.7	183
b. Outside on school grounds, including parking lots and playing fields	89.6	81.0 - 94.6	28	93.9	87.0 - 97.2	31	81.4	76.7 - 85.2	124	84.4	80.9 - 87.4	183
c. On school buses or other vehicles used to transport students	86.1	76.7 - 92.1	28	100.0	†	31	89.7	86.4 - 92.4	120	90.9	88.3 - 93.0	179
d. At off-campus, school-sponsored events	66.7	55.5 - 76.2	27	81.6	71.8 - 88.5	31	56.7	52.0 - 61.2	120	62.0	58.1 - 65.7	178

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Students	100.0	†	26	100.0	†	31	92.9	89.8 - 95.1	124	94.9	92.7 - 96.5	181
b. Faculty and staff	100.0	†	26	100.0	†	31	87.2	83.3 - 90.3	124	90.8	88.0 - 93.1	181
c. Visitors	81.4	70.9 - 88.7	26	87.0	78.1 - 92.7	31	71.6	66.6 - 76.1	119	75.4	71.4 - 78.9	176

\*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	26	100.0	†	31	95.3	92.7 - 97.0	124	96.6	94.7 - 97.8	181

\*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations



# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. No single individual is responsible	40.7	33.2 - 48.6	24	26.0	17.1 - 37.5	26	35.1	30.2 - 40.3	122	34.5	30.5 - 38.7	172
b. Principal	39.0	29.7 - 49.1	24	43.9	34.7 - 53.5	26	56.3	51.1 - 61.3	122	52.5	48.3 - 56.6	172
c. Assistant principal	20.3	13.9 - 28.7	24	30.1	22.6 - 38.7	26	4.8	3.3 - 7.0	122	10.2	8.4 - 12.3	172
d. Other school administrator	0.0	†	24	0.0	†	26	1.5	0.7 - 3.3	122	1.1	0.5 - 2.5	172
e. Other school faculty or staff member	0.0	†	24	0.0	†	26	2.3	1.2 - 4.3	122	1.7	0.9 - 3.2	172

\*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Zero tolerance	93.1	85.4 - 96.9	28	84.6	77.8 - 89.7	31	78.6	74.0 - 82.5	126	81.4	77.9 - 84.5	185
b. Effect or severity of the violation	76.6	66.6 - 84.3	26	72.9	61.5 - 81.9	29	63.9	59.2 - 68.4	122	66.9	62.9 - 70.6	177
c. Grade level of student	23.4	14.7 - 35.1	26	28.2	20.8 - 37.1	29	48.4	43.9 - 53.0	123	42.2	38.6 - 46.0	178
d. Repeat offender status	100.0	†	26	90.1	81.8 - 94.9	29	86.4	82.6 - 89.5	125	88.7	85.7 - 91.1	180

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval		N	95% Confidence Interval		N	95% Confidence Interval		N	95% Confidence Interval		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	0.0	†	28	0.0	†	31	0.7	0.2 - 2.2	125	0.5	0.2 - 1.6	184
b. Referred to a school counselor	10.4	5.4 - 19.0	28	6.7	3.0 - 14.3	30	29.7	25.2 - 34.6	121	23.6	20.2 - 27.3	179
c. Referred to a school administrator	0.0	†	28	0.0	†	31	0.0	†	123	0.0	†	182
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	18.3	12.1 - 26.8	28	6.1	2.8 - 13.0	31	27.0	22.5 - 32.0	124	22.6	19.2 - 26.4	183
e. Required to participate in an assistance, education, or cessation program	33.3	26.4 - 41.1	27	29.2	19.7 - 41.0	30	48.6	43.4 - 53.8	124	43.7	39.5 - 47.9	181
f. Referred to legal authorities	11.2	5.9 - 20.0	26	12.3	7.0 - 20.7	31	30.5	26.0 - 35.5	123	25.2	21.8 - 29.1	180
g. Placed in detention	35.6	24.3 - 48.8	28	35.1	26.4 - 45.0	31	30.7	26.1 - 35.6	122	32.0	28.1 - 36.2	181
h. Not allowed to participate in extra-curricular activities or interscholastic sports	7.2	6.9 - 7.5	27	12.3	7.0 - 20.7	31	10.4	7.7 - 14.0	122	10.3	8.1 - 13.0	180
i. Given in-school suspension	17.9	10.7 - 28.5	27	15.4	9.2 - 24.4	31	20.3	16.2 - 25.1	121	19.2	15.8 - 23.0	179
j. Suspended from school	11.4	5.9 - 21.0	28	6.8	3.1 - 14.4	31	16.8	13.7 - 20.4	120	14.5	11.9 - 17.4	179
k. Expelled from school	77.4	67.8 - 84.8	27	75.3	64.8 - 83.5	30	78.3	73.9 - 82.1	124	77.7	74.1 - 81.0	181
l. Reassigned to an alternative school	85.6	79.1 - 90.4	27	82.9	74.2 - 89.1	31	88.3	84.9 - 91.0	124	87.1	84.3 - 89.4	182

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	0.0	†	28	0.0	†	31	0.9	0.3 - 2.8	125	0.7	0.2 - 2.0	184
b. Referred to a school counselor	32.2	21.8 - 44.7	28	20.6	13.1 - 30.7	30	17.6	14.0 - 22.0	121	20.0	16.7 - 23.8	179
c. Referred to a school administrator	0.0	†	28	0.0	†	31	0.8	0.3 - 2.3	123	0.5	0.2 - 1.6	182
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	6.9	3.1 - 14.6	28	9.9	5.2 - 18.1	31	20.0	16.5 - 24.0	124	16.7	13.9 - 19.8	183
e. Required to participate in an assistance, education, or cessation program	22.6	16.8 - 29.7	27	20.1	13.4 - 28.9	30	20.8	17.1 - 25.0	124	20.9	17.9 - 24.2	181
f. Referred to legal authorities	3.7	1.2 - 10.8	26	13.3	8.3 - 20.8	31	25.2	21.3 - 29.6	123	20.7	17.6 - 24.0	180
g. Placed in detention	10.4	5.4 - 19.0	28	6.5	2.9 - 13.7	31	7.1	4.9 - 10.1	122	7.4	5.5 - 9.9	181
h. Not allowed to participate in extra-curricular activities or interscholastic sports	3.6	1.2 - 10.4	27	9.2	4.8 - 16.9	31	3.2	1.8 - 5.5	122	4.2	2.8 - 6.2	180
i. Given in-school suspension	17.9	10.7 - 28.5	27	6.1	2.8 - 13.0	31	11.4	8.8 - 14.5	121	11.4	9.2 - 14.1	179
j. Suspended from school	17.3	10.4 - 27.5	28	6.1	2.8 - 13.0	31	9.0	6.5 - 12.4	120	9.7	7.5 - 12.4	179
k. Expelled from school	19.0	12.5 - 27.7	27	14.1	7.9 - 23.7	30	14.3	11.1 - 18.2	124	14.9	12.1 - 18.1	181
l. Reassigned to an alternative school	14.4	9.6 - 20.9	27	9.9	5.2 - 18.2	31	6.9	4.8 - 9.8	124	8.3	6.4 - 10.7	182

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	0.0	†	28	0.0	†	31	0.8	0.3 - 2.4	125	0.6	0.2 - 1.7	184
b. Referred to a school counselor	27.7	19.4 - 37.9	28	22.3	16.8 - 29.0	30	28.9	24.4 - 34.0	121	27.8	24.2 - 31.7	179
c. Referred to a school administrator	0.0	†	28	0.0	†	31	4.1	2.5 - 6.7	123	2.9	1.8 - 4.8	182
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	56.4	45.4 - 66.9	28	39.3	30.1 - 49.2	31	29.4	25.1 - 34.1	124	34.5	30.7 - 38.4	183
e. Required to participate in an assistance, education, or cessation program	28.7	20.4 - 38.7	27	40.8	31.0 - 51.5	30	18.1	14.6 - 22.4	124	23.0	19.7 - 26.6	181
f. Referred to legal authorities	45.7	37.1 - 54.7	26	33.4	25.3 - 42.7	31	27.6	23.3 - 32.5	123	30.8	27.2 - 34.7	180
g. Placed in detention	31.2	22.1 - 42.0	28	25.9	18.0 - 35.8	31	34.5	29.4 - 40.1	122	32.7	28.6 - 37.1	181
h. Not allowed to participate in extra-curricular activities or interscholastic sports	14.4	8.1 - 24.1	27	25.2	17.7 - 34.7	31	22.5	18.6 - 26.9	122	21.9	18.7 - 25.5	180
i. Given in-school suspension	51.3	40.6 - 61.8	27	55.3	44.4 - 65.7	31	50.9	45.9 - 55.9	121	51.7	47.5 - 55.9	179
j. Suspended from school	42.6	34.9 - 50.6	28	45.0	34.5 - 56.0	31	46.1	41.2 - 51.1	120	45.5	41.5 - 49.6	179
k. Expelled from school	3.6	1.2 - 10.4	27	7.0	3.2 - 14.9	30	3.5	2.0 - 6.0	124	4.0	2.6 - 6.1	181
l. Reassigned to an alternative school	0.0	†	27	3.8	1.2 - 10.8	31	1.7	0.8 - 3.6	124	1.8	1.0 - 3.4	182

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	100.0	†	28	100.0	†	31	97.5	95.3 - 98.7	125	98.2	96.7 - 99.1	184
b. Referred to a school counselor	29.7	21.2 - 39.9	28	50.4	41.4 - 59.3	30	23.8	19.7 - 28.3	121	28.6	25.2 - 32.4	179
c. Referred to a school administrator	100.0	†	28	100.0	†	31	95.1	92.4 - 96.9	123	96.5	94.6 - 97.8	182
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	18.3	10.9 - 29.1	28	44.7	36.5 - 53.2	31	23.7	19.6 - 28.3	124	26.3	22.8 - 30.0	183
e. Required to participate in an assistance, education, or cessation program	15.4	8.6 - 26.0	27	9.9	5.1 - 18.1	30	12.5	9.7 - 16.1	124	12.5	10.0 - 15.5	181
f. Referred to legal authorities	39.4	30.1 - 49.4	26	41.0	30.9 - 51.8	31	16.6	13.3 - 20.5	123	23.3	20.2 - 26.7	180
g. Placed in detention	22.8	14.2 - 34.4	28	32.4	24.1 - 42.1	31	27.8	23.7 - 32.2	122	27.8	24.4 - 31.6	181
h. Not allowed to participate in extra-curricular activities or interscholastic sports	74.9	67.4 - 81.1	27	53.3	45.4 - 60.9	31	63.9	58.6 - 68.8	122	63.6	59.6 - 67.5	180
i. Given in-school suspension	12.8	9.2 - 17.5	27	23.2	16.4 - 31.8	31	17.4	14.0 - 21.4	121	17.7	15.0 - 20.9	179
j. Suspended from school	28.7	18.9 - 41.0	28	42.0	31.4 - 53.4	31	28.1	24.1 - 32.5	120	30.4	26.7 - 34.3	179
k. Expelled from school	0.0	†	27	3.5	1.2 - 10.2	30	4.0	2.4 - 6.4	124	3.4	2.2 - 5.3	181
l. Reassigned to an alternative school	0.0	†	27	3.4	1.1 - 9.9	31	3.1	1.8 - 5.4	124	2.8	1.7 - 4.5	182

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.4	89.6 - 98.8	27	90.1	81.8 - 94.8	31	84.2	80.0 - 87.7	127	86.7	83.4 - 89.4	185

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Faculty and staff	21.5	14.9 - 30.1	27	16.7	11.1 - 24.5	31	9.7	7.0 - 13.2	127	12.2	9.9 - 15.1	185
b. Students	50.3	42.9 - 57.6	27	29.9	21.1 - 40.6	30	24.6	20.4 - 29.3	126	28.7	25.1 - 32.5	183



# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Faculty and staff	29.7	20.9 - 40.4	27	30.0	23.5 - 37.5	31	21.4	17.4 - 25.9	127	23.8	20.5 - 27.4	185
b. Students	39.5	31.4 - 48.1	27	39.3	30.9 - 48.3	31	35.7	31.6 - 40.0	125	36.7	33.3 - 40.3	183

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Foods or beverages are not offered at school celebrations	3.6	1.2 - 10.4	27	0.0	†	31	0.7	0.2 - 2.2	127	1.0	0.5 - 2.1	185
b. Never	0.0	†	27	3.1	1.0 - 8.9	31	3.1	1.8 - 5.4	127	2.7	1.7 - 4.4	185
c. Rarely	10.8	5.6 - 19.7	27	3.1	1.0 - 8.9	31	13.7	10.6 - 17.4	127	11.7	9.3 - 14.5	185
d. Sometimes	43.1	32.9 - 53.9	27	54.3	43.6 - 64.6	31	48.6	43.9 - 53.3	127	48.8	44.8 - 52.8	185
e. Always or almost always	42.6	33.9 - 51.7	27	39.6	30.6 - 49.4	31	33.9	29.6 - 38.5	127	35.9	32.2 - 39.7	185

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
87.2	82.7 - 90.7	27	76.1	65.9 - 84.0	31	31.0	27.4 - 34.8	127	45.0	42.0 - 48.1	185

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	10.8	5.6 - 19.7	27	6.1	2.8 - 13.0	31	18.6	15.2 - 22.7	127	15.7	13.0 - 18.9	185
b. Other kinds of candy	14.4	8.1 - 24.1	27	12.6	7.2 - 21.3	31	20.2	16.6 - 24.5	127	18.3	15.3 - 21.7	185
c. Salty snacks that are not low in fat (e.g., regular potato chips)	19.0	11.6 - 29.5	27	28.7	19.4 - 40.2	31	26.7	23.0 - 30.7	127	26.0	22.8 - 29.6	185
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	19.0	11.6 - 29.5	27	10.6	5.5 - 19.4	30	18.4	15.2 - 22.2	127	17.3	14.6 - 20.5	184
e. Ice cream or frozen yogurt that is not low in fat	3.6	1.2 - 10.4	27	3.4	1.1 - 9.9	31	5.0	3.2 - 7.9	127	4.6	3.1 - 6.8	185
f. 2% or whole milk (plain or flavored)	28.7	19.2 - 40.5	27	18.4	11.6 - 28.1	31	1.7	0.8 - 3.7	127	7.7	5.8 - 10.1	185
g. Water ices or frozen slushes that do not contain juice	19.0	11.6 - 29.5	27	19.8	12.4 - 30.2	31	12.5	10.1 - 15.3	127	14.4	12.1 - 17.2	185
h. Soda pop or fruit drinks that are not 100% juice	28.7	21.5 - 37.3	27	15.7	9.4 - 25.0	31	21.2	17.8 - 25.1	127	21.3	18.4 - 24.5	185
i. Sports drinks (e.g., Gatorade)	69.2	58.6 - 78.1	27	53.6	43.9 - 63.0	31	28.5	25.0 - 32.3	127	37.5	34.3 - 40.8	185
j. Foods or beverages containing caffeine	37.2	28.8 - 46.5	26	16.0	10.7 - 23.3	31	17.2	14.0 - 21.0	127	19.5	16.7 - 22.6	184
k. Fruits (not fruit juice)	39.5	30.1 - 49.7	27	27.6	19.7 - 37.3	31	4.2	2.6 - 6.8	127	12.3	10.0 - 14.9	185
l. Non-fried vegetables (not vegetable juice)	28.7	20.4 - 38.7	27	15.4	9.2 - 24.4	31	3.3	1.9 - 5.6	127	8.3	6.5 - 10.7	185

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	7.2	6.9 - 7.5	27	9.6	5.0 - 17.6	31	5.7	3.8 - 8.6	123	6.5	4.8 - 8.7	181
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	36.9	26.1 - 49.3	27	42.7	34.2 - 51.6	31	33.5	28.9 - 38.4	122	35.4	31.5 - 39.4	180
c. Provided information to students or families on the nutrition and caloric content of foods available	40.5	29.5 - 52.6	27	45.7	36.5 - 55.3	31	31.3	26.9 - 36.1	122	34.8	31.0 - 38.8	180
d. Conducted taste tests to determine food preferences for nutritious items	3.6	1.2 - 10.4	27	9.9	5.2 - 18.1	31	10.6	7.9 - 14.0	120	9.5	7.4 - 12.2	178
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	33.3	24.6 - 43.3	27	16.7	11.1 - 24.4	31	21.6	18.0 - 25.8	122	22.3	19.3 - 25.7	180
f. Served locally or regionally grown foods in the cafeteria or classrooms	59.5	46.7 - 71.1	27	43.0	34.5 - 51.9	31	43.6	38.8 - 48.5	122	45.6	41.5 - 49.7	180
g. Planted a school food or vegetable garden	22.6	14.1 - 34.1	27	31.3	23.5 - 40.4	30	17.5	14.4 - 21.2	117	20.4	17.5 - 23.6	174
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	69.2	60.6 - 76.7	27	39.6	28.0 - 52.4	31	32.1	27.5 - 37.1	121	38.1	34.1 - 42.3	179

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	39.5	30.1 - 49.7	27	22.9	15.7 - 32.0	31	26.1	22.0 - 30.8	122	27.3	23.9 - 31.1	180
j. Offered a self-serve salad bar to students	27.2	17.5 - 39.7	27	29.0	20.5 - 39.3	31	12.8	9.8 - 16.5	122	17.2	14.3 - 20.6	180
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	23.6	14.7 - 35.6	27	23.5	15.2 - 34.6	31	3.3	1.9 - 5.7	121	9.2	7.0 - 11.9	179

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
7.2	3.2 - 15.1	27	0.0	†	30	0.0	†	122	0.9	0.4 - 2.0	179

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In the school building	60.9	51.6 - 69.5	28	81.2	71.3 - 88.3	31	55.7	50.9 - 60.4	126	60.3	56.4 - 64.1	185
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	53.0	44.5 - 61.3	28	71.3	63.0 - 78.4	31	52.8	47.8 - 57.7	125	55.7	51.7 - 59.6	184
c. On school buses or other vehicles used to transport students	61.7	50.6 - 71.7	26	73.6	64.0 - 81.4	30	49.5	44.4 - 54.6	124	54.7	50.5 - 58.9	180
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	64.4	54.1 - 73.4	28	70.4	61.8 - 77.8	30	50.7	45.6 - 55.9	125	55.5	51.4 - 59.6	183



# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Yes, in all locations	81.7	70.9 - 89.1	28	58.7	47.8 - 68.8	31	81.6	77.6 - 85.0	125	78.0	74.5 - 81.2	184
b. Yes, in certain locations	18.3	10.9 - 29.1	28	41.3	31.2 - 52.2	31	17.7	14.3 - 21.6	125	21.4	18.3 - 24.9	184
c. No	0.0	†	28	0.0	†	31	0.7	0.2 - 2.2	125	0.5	0.2 - 1.6	184

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

---

39. Percentage of schools that offer a free source of drinking water in the cafeteria during meal times.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.6	81.0 - 94.6	28	84.2	77.2 - 89.3	30	92.9	89.9 - 95.1	126	91.2	88.7 - 93.2	184

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
58.9	55.0 - 62.7	28	49.1	44.4 - 53.9	31	4.2	2.6 - 6.8	127	18.2	16.5 - 20.0	186

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. This school has no students with known asthma	8.2	3.7 - 17.3	27	0.0	†	30	41.9	37.2 - 46.7	127	31.3	27.9 - 35.0	184
b. All students with known asthma have an asthma action plan on file	61.0	51.6 - 69.7	27	58.8	51.2 - 66.0	30	19.7	16.0 - 24.1	127	30.8	27.6 - 34.3	184
c. Most students with known asthma have an asthma action plan on file	14.4	8.3 - 23.7	27	13.4	7.6 - 22.6	30	6.7	4.7 - 9.6	127	8.7	6.7 - 11.3	184
d. Some students with known asthma have an asthma action plan on file	0.0	†	27	16.9	10.1 - 26.9	30	11.1	8.3 - 14.8	127	10.6	8.2 - 13.6	184
e. No students with known asthma have an asthma action plan on file	16.4	10.9 - 24.0	27	10.9	5.6 - 20.1	30	20.6	16.6 - 25.2	127	18.6	15.4 - 22.2	184

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that use each of the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. This school does not identify students with poorly controlled asthma	27.1	18.5 - 38.0	26	27.5	20.0 - 36.4	30	69.8	64.7 - 74.5	117	57.5	53.6 - 61.4	173
b. Frequent absences from school	29.8	22.7 - 38.0	26	32.7	25.6 - 40.8	30	12.1	9.2 - 15.8	117	17.7	15.1 - 20.7	173
c. Frequent visits to the school health office due to asthma	55.9	48.2 - 63.2	26	58.8	50.0 - 67.1	30	11.7	8.8 - 15.4	117	24.9	22.1 - 28.0	173
d. Frequent asthma symptoms at school	64.4	53.6 - 73.8	26	36.3	27.2 - 46.5	30	20.3	16.2 - 25.2	117	28.6	24.9 - 32.6	173
e. Frequent non-participation in physical education class due to asthma	48.4	38.0 - 58.9	26	32.7	23.4 - 43.7	30	15.8	12.1 - 20.3	117	22.7	19.3 - 26.5	173
f. Students sent home early due to asthma	56.9	47.9 - 65.5	26	22.9	15.0 - 33.4	30	14.2	10.8 - 18.5	117	21.1	18.0 - 24.6	173
g. Calls from school to 911, or other local emergency numbers, due to asthma	37.2	29.9 - 45.2	26	15.8	10.7 - 22.8	30	2.6	1.4 - 4.9	117	9.2	7.5 - 11.2	173

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Providing referrals to primary health care clinicians or child health insurance programs	63.0	51.8 - 73.0	25	66.7	57.4 - 74.8	30	44.3	38.9 - 49.8	110	50.5	46.1 - 54.8	165
b. Ensuring an appropriate written asthma action plan is obtained	73.5	64.0 - 81.2	25	71.6	62.1 - 79.5	30	35.8	31.1 - 40.9	108	46.9	43.0 - 50.8	163
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	75.7	63.6 - 84.8	25	86.6	77.4 - 92.5	30	35.7	30.8 - 41.0	105	50.0	45.9 - 54.0	160
d. Offering asthma education for students with asthma	58.0	47.4 - 67.9	25	61.3	53.9 - 68.2	29	20.8	16.4 - 25.9	107	32.4	28.8 - 36.3	161
e. Minimizing asthma triggers in the school environment	75.7	65.8 - 83.4	25	83.5	79.3 - 87.0	29	39.4	34.2 - 44.8	107	51.5	47.5 - 55.5	161
f. Addressing social and emotional issues related to asthma	50.3	41.1 - 59.4	25	49.2	39.3 - 59.2	28	17.0	13.1 - 21.7	107	26.6	23.1 - 30.4	160
g. Providing additional psychosocial counseling or support services as needed	54.1	43.6 - 64.3	25	47.6	35.8 - 59.6	29	21.3	17.3 - 26.0	107	30.1	26.3 - 34.1	161
h. Ensuring access to safe, enjoyable physical education and activity opportunities	78.5	68.4 - 85.9	25	89.4	80.6 - 94.5	31	53.9	48.8 - 58.9	108	63.3	59.4 - 67.1	164
i. Ensuring access to preventive medications before physical activity	61.9	52.0 - 70.8	25	89.4	80.6 - 94.5	31	45.7	41.1 - 50.5	108	55.5	51.8 - 59.1	164

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. More than once per year	3.6	1.2 - 10.4	27	0.0	†	31	0.0	†	124	0.5	0.2 - 1.4	182
b. Once per year	22.6	14.2 - 33.8	27	15.7	9.4 - 25.0	31	10.1	7.6 - 13.4	124	12.6	10.2 - 15.5	182
c. Less than once per year	3.6	1.2 - 10.4	27	13.3	7.5 - 22.5	31	8.3	5.8 - 11.7	124	8.5	6.4 - 11.2	182
d. No such requirement	70.3	59.7 - 79.0	27	71.0	61.5 - 78.9	31	81.6	77.2 - 85.3	124	78.5	74.8 - 81.7	182

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
72.8	63.0 - 80.8	27	67.6	55.5 - 77.7	31	28.6	24.4 - 33.2	125	40.3	36.6 - 44.2	183



# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Students	83.8	71.7 - 91.4	20	95.2	86.2 - 98.5	20	62.4	52.9 - 71.1	34	75.9	69.9 - 81.0	74
b. Parents and families	83.0	70.2 - 90.9	19	90.5	80.4 - 95.7	20	53.7	43.8 - 63.3	34	69.9	63.5 - 75.6	73

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.  
N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. No single individual is responsible	25.9	17.7 - 36.3	19	16.3	8.8 - 28.2	19	30.3	21.6 - 40.7	32	25.7	20.2 - 32.0	70
b. Principal	27.4	17.1 - 40.8	19	16.9	9.3 - 28.7	19	49.9	39.6 - 60.2	32	36.1	29.9 - 42.8	70
c. Assistant principal	0.0	†	19	0.0	†	19	0.0	†	32	0.0	†	70
d. School nurse	46.7	35.9 - 57.7	19	66.8	53.8 - 77.7	19	19.8	13.2 - 28.5	32	38.2	32.8 - 43.9	70
e. Other school faculty or staff member	0.0	†	19	0.0	†	19	0.0	†	32	0.0	†	70

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. HIV counseling and testing	19.7	11.7 - 31.2	26	3.1	1.0 - 8.9	31	1.6	0.7 - 3.5	126	4.1	2.7 - 6.0	183
b. STD testing and treatment	15.4	8.6 - 25.9	27	0.0	†	31	1.6	0.7 - 3.5	126	3.1	2.0 - 4.9	184
c. Pregnancy testing	7.2	3.2 - 15.1	27	0.0	†	31	1.6	0.7 - 3.5	126	2.1	1.2 - 3.6	184
d. Provision of condoms	10.8	5.6 - 19.7	27	0.0	†	30	4.1	2.5 - 6.7	126	4.3	2.9 - 6.4	183
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	7.2	3.2 - 15.1	27	0.0	†	31	0.8	0.3 - 2.4	126	1.5	0.8 - 2.8	184
f. Prenatal care	10.8	5.6 - 19.7	27	0.0	†	31	2.4	1.3 - 4.6	126	3.1	2.0 - 4.9	184
g. Human papillomavirus (HPV) vaccine administration	3.6	1.2 - 10.4	27	3.8	1.2 - 10.8	31	1.6	0.7 - 3.3	126	2.2	1.2 - 3.7	184

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. HIV counseling and testing	67.7	56.3 - 77.3	27	46.4	37.6 - 55.5	31	38.3	33.7 - 43.1	124	43.3	39.4 - 47.3	182
b. STD testing and treatment	71.3	60.7 - 79.9	27	49.5	40.0 - 59.0	31	40.1	35.6 - 44.7	124	45.5	41.8 - 49.4	182
c. Pregnancy testing	74.9	65.1 - 82.7	27	49.2	38.4 - 59.9	31	42.0	37.5 - 46.6	124	47.3	43.5 - 51.2	182
d. Provision of condoms	60.5	48.1 - 71.7	27	24.8	18.2 - 32.9	30	35.2	31.1 - 39.5	123	36.9	33.3 - 40.5	180
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	60.5	48.1 - 71.7	27	28.0	20.6 - 36.8	30	34.8	30.8 - 39.0	124	37.1	33.5 - 40.7	181
f. Prenatal care	66.1	54.9 - 75.8	26	36.5	27.1 - 47.2	28	38.5	34.5 - 42.8	124	41.7	38.1 - 45.4	178
g. Human papillomavirus (HPV) vaccine administration	62.4	50.6 - 72.8	26	39.5	29.8 - 50.1	29	36.5	32.2 - 40.9	124	40.1	36.4 - 44.0	179

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
7.2	3.2 - 15.1	27	6.8	3.1 - 14.4	31	6.5	4.4 - 9.6	126	6.6	4.8 - 9.1	184

# ALASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which community members helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
26.2	17.9 - 36.6	27	13.3	7.5 - 22.5	31	9.0	6.4 - 12.5	126	11.8	9.4 - 14.8	184