

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity	44.0	39.1 - 49.0	25	32.1	27.9 - 36.7	28	23.5	21.8 - 25.4	136	27.6	26.0 - 29.3	189
b. Nutrition	48.0	43.0 - 53.0	25	32.1	27.9 - 36.7	28	22.7	21.0 - 24.6	136	27.5	25.9 - 29.2	189
c. Tobacco-use prevention	56.0	51.0 - 60.9	25	28.6	24.5 - 33.0	28	22.0	20.3 - 23.9	136	27.5	25.9 - 29.2	189
d. Asthma	24.0	20.0 - 28.5	25	14.8	11.7 - 18.6	27	10.3	9.1 - 11.7	136	12.8	11.7 - 14.1	188
e. Injury and violence prevention	48.0	43.0 - 53.0	25	35.7	31.3 - 40.4	28	17.0	15.5 - 18.7	136	24.1	22.6 - 25.7	189
f. HIV, STD, and teen pregnancy prevention	48.0	43.0 - 53.0	25	11.5	8.7 - 15.1	26	14.7	13.2 - 16.3	136	18.6	17.2 - 20.0	187

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Health education	20.8	17.0 - 25.3	24	7.4	5.2 - 10.4	27	16.4	14.8 - 18.0	135	15.5	14.2 - 16.9	186
b. Physical education	20.8	17.0 - 25.3	24	7.4	5.2 - 10.4	27	15.6	14.1 - 17.2	135	15.0	13.7 - 16.3	186
c. Physical activity	20.8	17.0 - 25.3	24	7.4	5.2 - 10.4	27	14.1	12.7 - 15.7	135	13.9	12.7 - 15.2	186
d. School meal programs	16.7	13.2 - 20.8	24	3.7	2.3 - 6.0	27	12.8	11.4 - 14.3	134	11.8	10.7 - 13.0	185
e. Foods and beverages available at school outside the school meal programs	20.8	17.0 - 25.3	24	11.1	8.4 - 14.5	27	13.4	12.0 - 15.0	134	14.0	12.8 - 15.3	185
f. Health services	25.0	20.8 - 29.7	24	7.4	5.2 - 10.4	27	9.7	8.5 - 11.1	134	11.3	10.2 - 12.5	185
g. Mental health and social services	25.0	20.8 - 29.7	24	7.4	5.2 - 10.4	27	13.6	12.2 - 15.2	132	14.1	12.8 - 15.4	183
h. Healthy and safe school environment	41.7	36.7 - 46.8	24	40.7	36.1 - 45.6	27	39.9	37.8 - 42.1	134	40.3	38.5 - 42.1	185
i. Family and community involvement	58.3	53.2 - 63.3	24	48.1	43.4 - 53.0	27	44.5	42.3 - 46.6	134	46.8	45.0 - 48.7	185
j. Faculty and staff health promotion	20.8	17.0 - 25.3	24	7.4	5.2 - 10.4	27	10.4	9.2 - 11.8	133	11.3	10.2 - 12.5	184

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
80.0	75.7 - 83.7	25	60.0	55.0 - 64.8	25	50.0	47.6 - 52.3	114	56.1	54.2 - 58.1	164

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
74.1	69.6 - 78.1	27	72.4	68.1 - 76.4	29	55.2	53.1 - 57.3	137	60.7	58.9 - 62.4	193

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
44.4	39.7 - 49.3	27	41.4	36.9 - 46.0	29	29.9	28.0 - 31.9	140	33.8	32.1 - 35.5	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	100.0	†	12	100.0	†	12	90.1	87.4 - 92.2	40	93.9	92.3 - 95.3	64
b. Health education teachers	75.0	68.2 - 80.7	12	75.0	68.2 - 80.7	12	60.4	56.4 - 64.3	38	66.3	63.2 - 69.2	62
c. Physical education teachers	91.7	86.7 - 94.9	12	58.3	51.1 - 65.3	12	55.3	51.2 - 59.3	38	62.8	59.7 - 65.9	62
d. Other classroom teachers	75.0	68.2 - 80.7	12	58.3	51.1 - 65.3	12	80.9	77.5 - 84.0	37	74.9	72.0 - 77.6	61
e. Mental health or social services staff (e.g., school counselors)	91.7	86.7 - 94.9	12	66.7	59.5 - 73.1	12	61.3	57.3 - 65.1	39	68.0	65.0 - 70.9	63
f. Nutrition or food service staff	41.7	34.7 - 48.9	12	25.0	19.3 - 31.8	12	39.5	35.6 - 43.6	38	36.8	33.8 - 40.0	62
g. Health services staff (e.g., school nurse)	83.3	77.2 - 88.1	12	66.7	59.5 - 73.1	12	29.5	25.9 - 33.4	37	47.9	44.7 - 51.2	61
h. Maintenance and transportation staff	16.7	11.9 - 22.8	12	8.3	5.1 - 13.3	12	23.6	20.4 - 27.3	38	19.0	16.7 - 21.7	62
i. Technology staff	16.7	11.9 - 22.8	12	0.0	†	12	18.9	15.8 - 22.3	37	14.3	12.3 - 16.7	61
j. Library/media center staff	16.7	11.9 - 22.8	12	33.3	26.9 - 40.5	12	29.5	25.9 - 33.4	37	27.9	25.1 - 30.9	61
k. Student body	58.3	51.1 - 65.3	12	33.3	26.9 - 40.5	12	42.1	38.1 - 46.1	38	43.3	40.1 - 46.4	62
l. Parents or families of students	58.3	51.1 - 65.3	12	66.7	59.5 - 73.1	12	65.1	61.2 - 68.7	40	64.2	61.1 - 67.1	64

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	66.7	59.5 - 73.1	12	66.7	59.5 - 73.1	12	70.0	66.2 - 73.5	40	68.7	65.7 - 71.5	64
n. Local health departments, agencies, or organizations	45.5	38.1 - 53.0	11	50.0	42.8 - 57.2	12	52.5	48.5 - 56.5	40	50.8	47.6 - 53.9	63
o. Faith-based organizations	8.3	5.1 - 13.3	12	8.3	5.1 - 13.3	12	13.4	10.8 - 16.5	37	11.3	9.5 - 13.5	61
p. Businesses	16.7	11.9 - 22.8	12	16.7	11.9 - 22.8	12	18.9	15.8 - 22.3	37	18.0	15.6 - 20.6	61
q. Local government agencies	41.7	34.7 - 48.9	12	25.0	19.3 - 31.8	12	29.9	26.3 - 33.9	37	31.1	28.2 - 34.2	61

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identified student health needs based on a review of relevant data	50.0	42.8 - 57.2	12	45.5	38.1 - 53.0	11	45.0	41.1 - 49.0	40	46.0	42.9 - 49.2	63
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	66.7	59.5 - 73.1	12	63.6	56.1 - 70.6	11	40.4	36.6 - 44.3	40	49.8	46.6 - 52.9	63
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	45.5	38.1 - 53.0	11	72.7	65.5 - 78.9	11	49.7	45.8 - 53.7	40	53.5	50.3 - 56.7	62
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	66.7	59.5 - 73.1	12	81.8	75.2 - 86.9	11	74.8	71.2 - 78.1	40	74.6	71.8 - 77.3	63
e. Reviewed health-related curricula or instructional materials	66.7	59.5 - 73.1	12	63.6	56.1 - 70.6	11	47.8	43.9 - 51.8	40	54.4	51.2 - 57.5	63
f. Assessed the availability of physical activity opportunities for students	58.3	51.1 - 65.3	12	81.8	75.2 - 86.9	11	67.9	64.1 - 71.5	40	68.8	65.8 - 71.7	63

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
57.7	52.8 - 62.5	26	41.4	36.9 - 46.0	29	26.8	24.9 - 28.7	138	33.3	31.6 - 35.0	193

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	88.9	85.5 - 91.6	27	86.2	82.7 - 89.1	29	78.3	76.5 - 79.9	141	81.0	79.5 - 82.3	197
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	70.4	65.8 - 74.6	27	65.5	61.0 - 69.8	29	52.6	50.5 - 54.7	141	57.1	55.3 - 58.9	197

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Attendance of students with HIV infection	73.1	68.5 - 77.2	26	41.4	36.9 - 46.0	29	44.7	42.5 - 46.8	137	47.9	46.1 - 49.7	192
b. Procedures to protect HIV-infected students and staff from discrimination	84.6	80.7 - 87.8	26	51.7	47.1 - 56.4	29	46.2	44.1 - 48.3	137	52.2	50.4 - 54.0	192
c. Maintaining confidentiality of HIV-infected students and staff	84.6	80.7 - 87.8	26	65.5	61.0 - 69.8	29	54.1	52.0 - 56.3	137	60.1	58.3 - 61.8	192

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
63.0	58.2 - 67.5	27	18.5	15.1 - 22.6	27	11.3	10.0 - 12.8	133	19.8	18.4 - 21.3	187

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	84.6	80.7 - 87.8	26	55.2	50.5 - 59.7	29	27.0	25.1 - 28.9	138	39.2	37.5 - 41.0	193
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	27	78.6	74.4 - 82.2	28	70.6	68.6 - 72.5	138	75.9	74.3 - 77.4	193
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	66.7	62.0 - 71.1	27	51.7	47.1 - 56.4	29	39.2	37.1 - 41.3	138	45.0	43.2 - 46.8	194
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	59.3	54.4 - 63.9	27	31.0	26.9 - 35.5	29	33.5	31.5 - 35.6	137	36.6	34.9 - 38.4	193
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	53.8	48.9 - 58.7	26	31.0	26.9 - 35.5	29	28.7	26.8 - 30.7	136	32.4	30.8 - 34.2	191

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.6	89.6 - 94.8	27	89.7	86.5 - 92.2	29	80.4	78.7 - 82.1	138	83.6	82.2 - 84.9	194

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.6	89.6 - 94.8	27	86.2	82.7 - 89.1	29	73.6	71.7 - 75.4	139	78.2	76.7 - 79.7	195

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.3	94.0 - 97.7	27	86.2	82.7 - 89.1	29	69.4	67.4 - 71.3	139	75.8	74.3 - 77.3	195

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval		N	95% Confidence Interval		N	95% Confidence Interval		N	95% Confidence Interval		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Sixth grade	§	§	§	84.2	79.5 - 88.0	19	82.5	80.7 - 84.2	122	82.8	81.1 - 84.3	141
b. Seventh grade	§	§	§	88.9	85.5 - 91.6	27	84.5	82.9 - 86.0	137	85.3	83.8 - 86.6	164
c. Eighth grade	§	§	§	88.9	85.5 - 91.6	27	85.5	83.9 - 87.0	132	86.1	84.7 - 87.5	159
d. Ninth grade	92.6	89.6 - 94.8	27	-	-	0	86.9	85.4 - 88.4	131	87.9	86.5 - 89.1	158
e. Tenth grade	61.5	56.7 - 66.2	26	§	§	§	76.0	74.0 - 77.9	127	73.6	71.7 - 75.3	153
f. Eleventh grade	34.6	30.1 - 39.4	26	§	§	§	69.1	67.0 - 71.1	128	63.3	61.3 - 65.2	154
g. Twelfth grade	34.6	30.1 - 39.4	26	§	§	§	67.4	65.2 - 69.5	124	61.7	59.7 - 63.7	150

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
73.1	68.5 - 77.2	26	71.4	67.0 - 75.5	28	23.5	21.7 - 25.4	133	38.2	36.4 - 40.0	187

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Goals, objectives, and expected outcomes for physical education	85.2	81.4 - 88.3	27	93.1	90.3 - 95.1	29	67.0	64.9 - 68.9	137	73.8	72.2 - 75.3	193
b. A chart describing the annual scope and sequence of instruction for physical education	74.1	69.6 - 78.1	27	75.9	71.7 - 79.6	29	43.7	41.6 - 45.8	137	53.2	51.4 - 55.0	193
c. Plans for how to assess student performance in physical education	70.4	65.8 - 74.6	27	82.8	79.0 - 86.0	29	49.4	47.3 - 51.5	137	57.8	56.0 - 59.6	193
d. A written physical education curriculum	85.2	81.4 - 88.3	27	86.2	82.7 - 89.1	29	55.3	53.2 - 57.5	137	64.6	62.8 - 66.3	193
e. Resources for fitness testing	88.9	85.5 - 91.6	27	89.7	86.5 - 92.2	29	47.6	45.5 - 49.8	137	60.3	58.5 - 62.0	193
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	70.4	65.8 - 74.6	27	58.6	54.0 - 63.1	29	30.2	28.2 - 32.2	138	40.3	38.6 - 42.1	194

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
14.8	11.7 - 18.6	27	51.7	47.1 - 56.4	29	77.8	76.0 - 79.5	140	65.1	63.3 - 66.8	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.4	65.8 - 74.6	27	93.1	90.3 - 95.1	29	75.1	73.3 - 76.9	140	77.4	75.9 - 78.9	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.6	89.6 - 94.8	27	89.7	86.5 - 92.2	29	79.0	77.2 - 80.6	139	82.6	81.2 - 83.9	195

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.4	65.8 - 74.6	27	55.2	50.5 - 59.7	29	45.3	43.2 - 47.4	140	50.3	48.5 - 52.1	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
59.3	54.4 - 63.9	27	62.1	57.5 - 66.5	29	51.3	49.1 - 53.4	139	54.1	52.3 - 55.9	195

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
81.5	77.4 - 84.9	27	79.3	75.3 - 82.8	29	68.6	66.6 - 70.6	140	72.1	70.5 - 73.7	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	27	100.0	†	29	98.6	98.0 - 99.0	140	99.0	98.6 - 99.3	196

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	100.0	†	27	100.0	†	29	97.0	96.2 - 97.7	134	97.9	97.3 - 98.4	190
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	100.0	†	27	100.0	†	29	95.5	94.5 - 96.3	134	96.9	96.2 - 97.5	190
c. Cigars	100.0	†	27	100.0	†	29	91.7	90.4 - 92.8	134	94.2	93.3 - 95.0	190
d. Pipes	100.0	†	27	100.0	†	29	91.7	90.4 - 92.8	134	94.2	93.3 - 95.0	190

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	100.0	†	27	100.0	†	29	90.1	88.7 - 91.3	132	93.2	92.2 - 94.0	188
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	100.0	†	27	100.0	†	29	89.4	88.0 - 90.7	132	92.7	91.7 - 93.6	188
c. Cigars	100.0	†	27	100.0	†	29	87.0	85.5 - 88.4	132	91.1	90.0 - 92.0	188
d. Pipes	100.0	†	27	100.0	†	29	87.0	85.5 - 88.4	132	91.1	90.0 - 92.0	188

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Cigarettes	100.0	†	27	100.0	†	29	90.9	89.5 - 92.0	132	93.7	92.8 - 94.5	188
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	100.0	†	27	100.0	†	29	87.1	85.6 - 88.5	132	91.1	90.1 - 92.1	188
c. Cigars	100.0	†	27	100.0	†	29	87.0	85.5 - 88.4	132	91.1	90.0 - 92.0	188
d. Pipes	100.0	†	27	100.0	†	29	87.0	85.5 - 88.4	132	91.1	90.0 - 92.0	188

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	27	100.0	†	29	97.0	96.2 - 97.7	134	97.9	97.3 - 98.4	190
b. During non-school hours	88.9	85.5 - 91.6	27	82.8	79.0 - 86.0	29	86.6	85.0 - 88.0	132	86.2	84.9 - 87.4	188

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.3	94.0 - 97.7	27	96.6	94.4 - 97.9	29	80.4	78.7 - 82.1	132	85.4	84.1 - 86.7	188
b. During non-school hours	81.5	77.4 - 84.9	27	82.8	79.0 - 86.0	29	60.8	58.6 - 62.9	130	67.5	65.8 - 69.2	186

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.3	94.0 - 97.7	27	96.6	94.4 - 97.9	29	77.5	75.7 - 79.3	133	83.4	82.0 - 84.7	189
b. During non-school hours	81.5	77.4 - 84.9	27	82.8	79.0 - 86.0	29	60.4	58.2 - 62.5	129	67.3	65.5 - 69.0	185

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	26	100.0	†	29	98.5	97.9 - 98.9	134	99.0	98.5 - 99.3	189
b. Outside on school grounds, including parking lots and playing fields	100.0	†	26	96.6	94.4 - 97.9	29	97.8	97.0 - 98.3	133	97.9	97.3 - 98.3	188
c. On school buses or other vehicles used to transport students	100.0	†	26	100.0	†	29	92.5	91.2 - 93.5	132	94.8	93.9 - 95.5	187
d. At off-campus, school-sponsored events	100.0	†	26	100.0	†	29	94.0	92.9 - 95.0	133	95.9	95.1 - 96.5	188

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. In school buildings	100.0	†	26	100.0	†	29	97.7	97.0 - 98.3	132	98.4	97.9 - 98.8	187
b. Outside on school grounds, including parking lots and playing fields	100.0	†	26	93.1	90.3 - 95.1	29	88.5	87.1 - 89.9	131	90.9	89.8 - 91.9	186
c. On school buses or other vehicles used to transport students	100.0	†	26	100.0	†	29	90.7	89.3 - 91.9	129	93.6	92.6 - 94.4	184
d. At off-campus, school-sponsored events	96.2	93.7 - 97.7	26	100.0	†	29	79.9	78.1 - 81.6	130	85.6	84.3 - 86.9	185

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. In school buildings	100.0	†	26	100.0	†	29	96.9	96.1 - 97.6	130	97.9	97.3 - 98.3	185
b. Outside on school grounds, including parking lots and playing fields	100.0	†	26	89.7	86.5 - 92.2	29	85.1	83.5 - 86.6	129	88.0	86.7 - 89.1	184
c. On school buses or other vehicles used to transport students	100.0	†	26	100.0	†	29	89.6	88.2 - 90.9	126	92.9	91.9 - 93.8	181
d. At off-campus, school-sponsored events	80.8	76.6 - 84.4	26	85.7	82.1 - 88.7	28	70.2	68.1 - 72.2	128	74.3	72.6 - 75.9	182

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
69.2	64.5 - 73.6	26	64.3	59.6 - 68.7	28	43.2	41.0 - 45.4	129	50.4	48.5 - 52.2	183

*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.2	93.7 - 97.7	26	86.2	82.7 - 89.1	29	80.3	78.5 - 81.9	137	83.4	82.0 - 84.7	192

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	29.6	25.4 - 34.2	27	20.7	17.2 - 24.7	29	14.0	12.6 - 15.5	141	17.2	15.9 - 18.5	197
b. Students	44.4	39.7 - 49.3	27	27.6	23.6 - 31.9	29	16.4	14.9 - 18.0	141	22.0	20.5 - 23.5	197

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	48.1	43.4 - 53.0	27	32.1	27.9 - 36.7	28	33.5	31.5 - 35.5	141	35.2	33.5 - 37.0	196
b. Students	59.3	54.4 - 63.9	27	28.6	24.5 - 33.0	28	40.0	37.9 - 42.1	141	40.8	39.0 - 42.6	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	0.0	†	27	6.9	4.9 - 9.7	29	1.5	1.0 - 2.1	141	2.2	1.7 - 2.8	197
b. Never	0.0	†	27	0.0	†	29	2.2	1.6 - 2.9	141	1.5	1.1 - 2.0	197
c. Rarely	7.4	5.2 - 10.4	27	10.3	7.8 - 13.5	29	12.9	11.5 - 14.4	141	11.7	10.6 - 12.9	197
d. Sometimes	55.6	50.7 - 60.3	27	48.3	43.6 - 52.9	29	48.9	46.8 - 51.0	141	49.7	47.9 - 51.5	197
e. Always or almost always	37.0	32.5 - 41.8	27	34.5	30.2 - 39.0	29	34.6	32.6 - 36.6	141	34.9	33.2 - 36.6	197

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.6	89.6 - 94.8	27	64.3	59.6 - 68.7	28	38.5	36.5 - 40.6	141	49.9	48.1 - 51.7	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	14.8	11.7 - 18.6	27	7.1	5.1 - 10.0	28	20.3	18.6 - 22.0	139	17.4	16.1 - 18.8	194
b. Other kinds of candy	25.9	21.9 - 30.4	27	7.1	5.1 - 10.0	28	24.6	22.8 - 26.5	139	22.0	20.6 - 23.5	194
c. Salty snacks that are not low in fat (e.g., regular potato chips)	40.7	36.1 - 45.6	27	17.9	14.5 - 21.8	28	24.6	22.8 - 26.5	139	25.7	24.2 - 27.3	194
d. Low sodium or “no added salt” pretzels, crackers, or chips	74.1	69.6 - 78.1	27	39.3	34.8 - 44.0	28	21.9	20.2 - 23.7	141	31.7	30.1 - 33.4	196
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	26.9	22.8 - 31.5	26	10.7	8.1 - 14.0	28	12.4	11.1 - 13.9	139	14.1	12.9 - 15.4	193
f. Ice cream or frozen yogurt that is not low in fat	7.4	5.2 - 10.4	27	7.1	5.1 - 10.0	28	3.0	2.3 - 3.8	139	4.3	3.6 - 5.1	194
g. 2% or whole milk (plain or flavored)	33.3	28.9 - 38.0	27	21.4	17.8 - 25.6	28	2.9	2.3 - 3.7	141	9.9	8.9 - 11.1	196
h. Nonfat or 1% (low-fat) milk (plain)	44.4	39.7 - 49.3	27	17.9	14.5 - 21.8	28	2.9	2.3 - 3.7	141	10.9	9.8 - 12.1	196
i. Water ices or frozen slushes that do not contain juice	18.5	15.1 - 22.6	27	7.1	5.1 - 10.0	28	10.3	9.1 - 11.7	139	10.9	9.8 - 12.1	194
j. Soda pop or fruit drinks that are not 100% juice	48.1	43.4 - 53.0	27	21.4	17.8 - 25.6	28	22.7	21.0 - 24.5	141	25.9	24.4 - 27.5	196
k. Sports drinks (e.g., Gatorade)	74.1	69.6 - 78.1	27	50.0	45.3 - 54.7	28	31.4	29.5 - 33.4	141	40.1	38.4 - 41.9	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
l. Energy drinks (e.g., Red Bull, Monster)	7.4	5.2 - 10.4	27	3.6	2.2 - 5.8	28	0.7	0.4 - 1.1	141	2.0	1.6 - 2.6	196
m. Bottled water	92.6	89.6 - 94.8	27	64.3	59.6 - 68.7	28	30.6	28.7 - 32.6	141	44.3	42.5 - 46.1	196
n. 100% fruit or vegetable juice	73.1	68.5 - 77.2	26	50.0	45.3 - 54.7	28	23.8	22.0 - 25.7	139	34.5	32.8 - 36.2	193
o. Foods or beverages containing caffeine	46.2	41.3 - 51.1	26	3.6	2.2 - 5.8	28	14.5	13.0 - 16.0	141	16.9	15.6 - 18.2	195
p. Fruits (not fruit juice)	44.4	39.7 - 49.3	27	14.3	11.3 - 17.9	28	4.4	3.6 - 5.4	139	11.4	10.3 - 12.6	194
q. Non-fried vegetables (not vegetable juice)	30.8	26.4 - 35.5	26	7.1	5.1 - 10.0	28	2.2	1.6 - 2.9	139	6.7	5.9 - 7.7	193

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	7.4	5.2 - 10.4	27	3.4	2.1 - 5.6	29	6.4	5.5 - 7.6	138	6.1	5.3 - 7.0	194
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	44.4	39.7 - 49.3	27	27.6	23.6 - 31.9	29	31.2	29.2 - 33.2	137	32.4	30.7 - 34.1	193
c. Provided information to students or families on the nutrition and caloric content of foods available	40.7	36.1 - 45.6	27	55.2	50.5 - 59.7	29	31.2	29.3 - 33.2	137	36.5	34.8 - 38.3	193
d. Conducted taste tests to determine food preferences for nutritious items	25.9	21.9 - 30.4	27	13.8	10.9 - 17.3	29	9.4	8.2 - 10.7	135	12.4	11.3 - 13.7	191
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	22.2	18.5 - 26.5	27	13.8	10.9 - 17.3	29	21.0	19.3 - 22.8	136	20.0	18.6 - 21.5	192
f. Served locally or regionally grown foods in the cafeteria or classrooms	59.3	54.4 - 63.9	27	41.4	36.9 - 46.0	29	67.5	65.5 - 69.5	137	62.1	60.3 - 63.8	193
g. Planted a school food or vegetable garden	18.5	15.1 - 22.6	27	24.1	20.4 - 28.3	29	20.3	18.7 - 22.1	137	20.7	19.3 - 22.2	193
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	81.5	77.4 - 84.9	27	65.5	61.0 - 69.8	29	37.3	35.2 - 39.4	137	48.0	46.2 - 49.8	193

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
i. Used attractive displays for fruits and vegetables in the cafeteria	59.3	54.4 - 63.9	27	44.8	40.3 - 49.5	29	28.4	26.5 - 30.3	137	35.3	33.6 - 37.1	193
j. Offered a self-serve salad bar to students	55.6	50.7 - 60.3	27	41.4	36.9 - 46.0	29	20.2	18.5 - 22.0	136	28.6	27.0 - 30.3	192
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	25.9	21.9 - 30.4	27	10.3	7.8 - 13.5	29	13.1	11.7 - 14.6	137	14.4	13.2 - 15.7	193
l. Encouraged students to drink plain water	70.4	65.8 - 74.6	27	86.2	82.7 - 89.1	29	78.0	76.2 - 79.7	137	78.3	76.8 - 79.8	193
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	14.8	11.7 - 18.6	27	13.8	10.9 - 17.3	29	22.4	20.6 - 24.2	138	19.9	18.5 - 21.4	194
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	18.5	15.1 - 22.6	27	17.2	14.0 - 21.0	29	13.8	12.4 - 15.4	137	15.0	13.8 - 16.4	193

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In the school building	77.8	73.5 - 81.5	27	72.4	68.1 - 76.4	29	58.9	56.8 - 61.0	139	63.7	61.9 - 65.4	195
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	59.3	54.4 - 63.9	27	65.5	61.0 - 69.8	29	58.1	56.0 - 60.2	139	59.5	57.7 - 61.3	195
c. On school buses or other vehicles used to transport students	66.7	62.0 - 71.1	27	82.8	79.0 - 86.0	29	57.6	55.4 - 59.7	137	63.0	61.2 - 64.7	193
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	59.3	54.4 - 63.9	27	72.4	68.1 - 76.4	29	57.9	55.8 - 60.0	138	60.5	58.7 - 62.2	194
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	63.0	58.2 - 67.5	27	72.4	68.1 - 76.4	29	55.7	53.5 - 57.8	138	59.4	57.6 - 61.2	194

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Yes, in all locations	77.8	73.5 - 81.5	27	58.6	54.0 - 63.1	29	84.6	83.0 - 86.1	138	79.4	77.9 - 80.8	194
b. Yes, in certain locations	22.2	18.5 - 26.5	27	37.9	33.5 - 42.5	29	11.7	10.4 - 13.2	138	17.5	16.1 - 18.9	194
c. No	0.0	†	27	3.4	2.1 - 5.6	29	3.7	3.0 - 4.6	138	3.2	2.6 - 3.9	194

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	27	96.6	94.4 - 97.9	29	96.3	95.4 - 97.0	138	96.8	96.1 - 97.4	194

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Cafeteria during breakfast	92.3	89.2 - 94.6	26	91.7	88.4 - 94.1	24	94.8	93.7 - 95.8	120	93.9	92.9 - 94.8	170
b. Cafeteria during lunch	92.6	89.6 - 94.8	27	92.9	90.0 - 94.9	28	95.0	93.9 - 95.9	125	94.3	93.3 - 95.1	180
c. Gymnasium or other indoor physical activity facilities	100.0	†	27	93.1	90.3 - 95.1	29	90.7	89.4 - 91.9	131	92.4	91.4 - 93.4	187
d. Outdoor physical activity facilities and sports fields	52.0	47.0 - 57.0	25	40.7	36.1 - 45.6	27	55.5	52.6 - 58.2	79	51.5	49.3 - 53.7	131
e. Hallways throughout the school	100.0	†	26	100.0	†	29	93.8	92.7 - 94.8	132	95.7	94.9 - 96.4	187

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
61.5	56.7 - 66.2	26	55.2	50.5 - 59.7	29	2.2	1.6 - 2.9	137	18.9	17.5 - 20.4	192

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.0	†	27	0.0	†	29	1.4	1.0 - 2.0	140	1.0	0.7 - 1.4	196
b. HIV treatment	3.7	2.3 - 6.0	27	0.0	†	29	1.4	1.0 - 2.0	140	1.5	1.1 - 2.0	196
c. STD testing	3.7	2.3 - 6.0	27	0.0	†	29	1.4	1.0 - 2.0	140	1.5	1.1 - 2.0	196
d. STD treatment	3.7	2.3 - 6.0	27	0.0	†	29	1.4	1.0 - 2.0	140	1.5	1.1 - 2.0	196
e. Pregnancy testing	3.7	2.3 - 6.0	27	0.0	†	29	1.4	1.0 - 2.0	140	1.5	1.1 - 2.0	196
f. Provision of condoms	18.5	15.1 - 22.6	27	0.0	†	29	1.4	1.0 - 2.0	140	3.5	2.9 - 4.2	196
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	3.7	2.3 - 6.0	27	0.0	†	29	1.4	1.0 - 2.0	140	1.5	1.1 - 2.0	196
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	27	0.0	†	29	1.4	1.0 - 2.0	140	1.0	0.7 - 1.4	196
i. Prenatal care	0.0	†	27	0.0	†	29	1.4	1.0 - 2.0	140	1.0	0.7 - 1.4	196
j. Human papillomavirus (HPV) vaccine administration	0.0	†	27	0.0	†	29	2.8	2.2 - 3.6	140	1.9	1.5 - 2.5	196

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	77.8	73.5 - 81.5	27	25.0	21.1 - 29.3	28	32.4	30.4 - 34.4	139	37.4	35.6 - 39.1	194
b. HIV treatment	77.8	73.5 - 81.5	27	27.6	23.6 - 31.9	29	32.4	30.4 - 34.4	139	37.7	36.0 - 39.5	195
c. STD testing	77.8	73.5 - 81.5	27	27.6	23.6 - 31.9	29	32.4	30.4 - 34.4	139	37.7	36.0 - 39.5	195
d. STD treatment	77.8	73.5 - 81.5	27	27.6	23.6 - 31.9	29	32.4	30.4 - 34.4	139	37.7	36.0 - 39.5	195
e. Pregnancy testing	77.8	73.5 - 81.5	27	34.5	30.2 - 39.0	29	32.4	30.4 - 34.4	139	38.9	37.1 - 40.6	195
f. Provision of condoms	70.4	65.8 - 74.6	27	27.6	23.6 - 31.9	29	29.1	27.3 - 31.1	140	34.4	32.8 - 36.2	196
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	70.4	65.8 - 74.6	27	27.6	23.6 - 31.9	29	28.4	26.5 - 30.4	140	33.9	32.3 - 35.6	196
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	70.4	65.8 - 74.6	27	24.1	20.4 - 28.3	29	29.1	27.3 - 31.1	140	33.9	32.2 - 35.6	196
i. Prenatal care	74.1	69.6 - 78.1	27	31.0	26.9 - 35.5	29	30.6	28.7 - 32.6	140	36.5	34.8 - 38.3	196
j. Human papillomavirus (HPV) vaccine administration	74.1	69.6 - 78.1	27	31.0	26.9 - 35.5	29	30.6	28.7 - 32.6	140	36.5	34.8 - 38.3	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
65.4	60.6 - 69.9	26	51.7	47.1 - 56.4	29	41.1	39.0 - 43.3	134	46.2	44.4 - 48.0	189

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Asthma	100.0	†	27	100.0	†	29	69.6	67.6 - 71.5	141	78.6	77.1 - 80.0	197
b. Food allergies	100.0	†	27	100.0	†	29	70.2	68.3 - 72.1	141	79.1	77.6 - 80.5	197
c. Diabetes	100.0	†	27	100.0	†	29	58.0	55.9 - 60.0	141	70.4	68.8 - 72.0	197
d. Epilepsy or seizure disorder	100.0	†	27	96.6	94.4 - 97.9	29	65.0	62.9 - 67.0	140	74.9	73.3 - 76.4	196
e. Obesity	51.9	47.0 - 56.6	27	55.2	50.5 - 59.7	29	25.8	24.0 - 27.7	141	34.1	32.4 - 35.8	197
f. Hypertension/high blood pressure	81.5	77.4 - 84.9	27	72.4	68.1 - 76.4	29	40.9	38.8 - 43.0	141	51.5	49.7 - 53.2	197

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	70.4	65.8 - 74.6	27	58.6	54.0 - 63.1	29	42.5	40.4 - 44.6	141	48.9	47.1 - 50.6	197
b. Food allergies	70.4	65.8 - 74.6	27	55.2	50.5 - 59.7	29	41.1	39.0 - 43.2	141	47.3	45.5 - 49.1	197
c. Diabetes	74.1	69.6 - 78.1	27	62.1	57.5 - 66.5	29	39.6	37.6 - 41.7	141	47.9	46.1 - 49.7	197
d. Epilepsy or seizure disorder	74.1	69.6 - 78.1	27	58.6	54.0 - 63.1	29	41.8	39.8 - 43.9	141	48.9	47.1 - 50.7	197
e. Obesity	55.6	50.7 - 60.3	27	48.3	43.6 - 52.9	29	33.1	31.2 - 35.1	141	38.6	36.9 - 40.4	197
f. Hypertension/high blood pressure	66.7	62.0 - 71.1	27	55.2	50.5 - 59.7	29	36.7	34.7 - 38.8	141	43.8	42.0 - 45.5	197

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provided parents and families with information about how to communicate with their child about sex	33.3	28.9 - 38.0	27	31.0	26.9 - 35.5	29	4.3	3.6 - 5.3	140	12.6	11.5 - 13.9	196
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	48.1	43.4 - 53.0	27	72.4	68.1 - 76.4	29	40.1	38.0 - 42.2	140	46.5	44.7 - 48.3	196
c. Involved parents as school volunteers in the delivery of health education activities and services	37.0	32.5 - 41.8	27	42.9	38.2 - 47.6	28	19.3	17.6 - 21.0	140	25.4	23.9 - 27.0	195
d. Linked parents and families to health services and programs in the community	66.7	62.0 - 71.1	27	86.2	82.7 - 89.1	29	62.0	59.9 - 64.0	140	66.6	64.9 - 68.3	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
74.1	69.6 - 78.1	27	82.8	79.0 - 86.0	29	56.4	54.3 - 58.5	140	63.1	61.3 - 64.8	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
44.4	39.7 - 49.3	27	27.6	23.6 - 31.9	29	13.8	12.4 - 15.4	140	20.2	18.8 - 21.7	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
74.1	69.6 - 78.1	27	55.2	50.5 - 59.7	29	46.9	44.8 - 49.0	140	51.9	50.1 - 53.7	196

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.9	85.5 - 91.6	27	55.2	50.5 - 59.7	29	62.5	60.4 - 64.5	141	64.8	63.1 - 66.5	197

ALASKA

2014 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
44.4	39.7 - 49.3	27	37.9	33.5 - 42.5	29	33.4	31.4 - 35.4	140	35.6	33.9 - 37.4	196