

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Physical activity	-	-	15	37.5	27.3 - 49.0	27	24.3	19.6 - 29.8	129	28.6	24.3 - 33.4	171
b. Nutrition	-	-	15	33.3	22.7 - 45.8	27	26.3	21.3 - 31.9	127	29.4	24.9 - 34.3	169
c. Tobacco-use prevention	-	-	15	29.9	20.1 - 41.9	27	23.6	19.1 - 28.8	128	26.3	22.2 - 30.9	170
d. Asthma	-	-	15	3.8	1.1 - 12.1	27	9.4	6.6 - 13.2	128	10.3	7.6 - 13.7	170
e. Injury and violence prevention	-	-	14	21.8	13.0 - 34.3	27	21.5	17.1 - 26.7	127	23.7	19.6 - 28.2	168
f. HIV, STD, and teen pregnancy prevention	-	-	15	22.3	13.2 - 34.9	27	15.0	11.5 - 19.4	127	18.1	14.5 - 22.3	169

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Health education	-	-	13	7.9	3.3 - 17.7	25	21.0	17.0 - 25.6	120	19.8	16.3 - 23.8	158
b. Physical education	-	-	13	15.2	8.8 - 25.1	25	25.0	20.7 - 29.9	120	23.1	19.4 - 27.3	158
c. Physical activity	-	-	13	11.5	5.6 - 22.3	25	21.2	17.3 - 25.6	119	19.9	16.4 - 23.9	157
d. School meal programs	-	-	13	3.7	1.1 - 11.6	25	20.2	16.0 - 25.2	120	17.1	13.8 - 21.2	158
e. Foods and beverages available at school outside the school meal programs	-	-	13	0.0	†	25	15.2	11.3 - 20.0	120	12.0	9.1 - 15.8	158
f. Health services	-	-	13	12.3	6.0 - 23.7	25	14.7	10.9 - 19.5	119	15.2	11.8 - 19.4	157
g. Counseling, psychological, and social services	-	-	13	24.3	14.4 - 38.2	25	32.1	27.4 - 37.2	120	32.2	27.8 - 37.0	158
h. Physical environment	-	-	13	28.5	17.7 - 42.3	25	32.5	27.7 - 37.6	119	33.1	28.8 - 37.8	157
i. Social and emotional climate	-	-	13	44.5	33.9 - 55.6	25	54.3	49.7 - 58.8	120	55.0	50.9 - 59.0	158
j. Family engagement	-	-	13	48.2	35.6 - 61.0	25	63.1	57.9 - 67.9	120	60.6	55.8 - 65.1	158
k. Community involvement	-	-	13	48.2	35.6 - 61.0	25	63.0	58.1 - 67.7	120	61.3	56.8 - 65.7	158
l. Employee wellness	-	-	15	7.9	3.3 - 17.7	26	22.5	18.6 - 27.0	121	21.3	17.8 - 25.3	162

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	15	45.7	32.7 - 59.2	24	58.9	53.9 - 63.7	118	59.8	55.5 - 64.0	157

*Among schools that engaged in an improvement planning process during the past year.
 - Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	15	92.5	83.2 - 96.9	26	58.3	52.8 - 63.6	129	66.6	62.2 - 70.7	170

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	15	34.5	23.4 - 47.5	26	32.0	27.7 - 36.6	129	35.7	31.7 - 40.0	170

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	-	-	9	-	-	9	79.5	73.7 - 84.2	40	80.7	75.0 - 85.4	58
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	-	-	9	-	-	9	75.3	68.2 - 81.2	41	77.7	71.8 - 82.7	59
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	-	-	9	-	-	9	59.2	50.1 - 67.6	41	63.2	55.5 - 70.3	59
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	-	-	9	-	-	9	84.0	77.5 - 88.9	41	85.8	80.3 - 89.9	59
e. Reviewed health-related curricula or instructional materials	-	-	9	-	-	9	72.9	63.7 - 80.5	40	78.5	71.2 - 84.4	58
f. Assessed the availability of physical activity opportunities for students	-	-	9	-	-	9	66.1	55.6 - 75.3	41	73.0	64.8 - 79.9	59
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	-	-	9	-	-	9	26.7	19.5 - 35.6	40	27.1	21.0 - 34.2	58

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	46.6	36.3 - 57.1	26	26.2	21.8 - 31.2	125	33.9	29.9 - 38.2	165

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	-	-	14	77.2	65.2 - 85.9	26	80.9	76.1 - 85.0	124	80.1	76.1 - 83.7	164
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	-	-	14	49.6	38.5 - 60.7	24	53.9	48.7 - 59.1	119	53.1	48.8 - 57.4	157

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	32.6	21.8 - 45.6	25	21.4	17.4 - 26.1	125	26.2	22.5 - 30.3	164

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	-	-	14	60.5	49.1 - 70.8	25	39.3	34.5 - 44.2	119	47.5	43.4 - 51.7	158
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	-	-	14	84.3	72.5 - 91.7	25	84.1	80.2 - 87.4	123	85.7	82.4 - 88.5	162
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	-	-	14	60.1	47.7 - 71.4	25	61.1	55.5 - 66.5	120	62.8	58.1 - 67.3	159
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	-	-	14	36.2	25.2 - 49.0	25	43.2	37.5 - 49.0	120	44.2	39.4 - 49.2	159
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	-	-	14	40.3	30.4 - 51.2	25	51.4	45.5 - 57.2	120	51.7	46.8 - 56.6	159

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	95.9	87.0 - 98.8	25	85.3	81.1 - 88.7	125	88.4	85.1 - 91.0	164

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	85.0	73.6 - 92.0	26	84.4	80.1 - 87.9	125	84.7	81.0 - 87.8	165

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N
-	-	14	88.5	77.9 - 94.4	26	75.1	69.6 - 79.9	120	79.2	74.8 - 83.0	160

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Sixth grade	§	§	§	-	-	18	88.8	84.5 - 92.1	116	90.4	86.7 - 93.1	134
b. Seventh grade	§	§	§	96.3	88.1 - 98.9	25	93.2	89.7 - 95.6	118	93.8	90.8 - 95.8	143
c. Eighth grade	§	§	§	96.3	88.1 - 98.9	25	91.6	88.3 - 94.1	119	92.4	89.6 - 94.6	144
d. Ninth grade	-	-	14	-	-	0	91.8	88.1 - 94.4	120	92.1	88.7 - 94.5	134
e. Tenth grade	-	-	12	§	§	§	86.2	81.6 - 89.9	120	84.9	80.3 - 88.6	132
f. Eleventh grade	-	-	11	§	§	§	86.0	81.2 - 89.7	114	83.7	78.9 - 87.6	125
g. Twelfth grade	-	-	11	§	§	§	84.1	79.1 - 88.0	113	82.0	77.0 - 86.1	124

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	85.1	75.4 - 91.4	26	23.8	19.5 - 28.7	121	39.4	35.5 - 43.5	161

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Goals, objectives, and expected outcomes for physical education	-	-	14	96.5	88.8 - 99.0	26	63.2	57.9 - 68.1	117	72.0	67.9 - 75.7	157
b. A chart describing the annual scope and sequence of instruction for physical education	-	-	14	92.3	82.9 - 96.7	25	39.2	34.0 - 44.7	116	51.3	46.8 - 55.8	155
c. Plans for how to assess student performance in physical education	-	-	13	88.6	78.1 - 94.4	26	49.6	44.4 - 54.8	116	58.9	54.5 - 63.2	155
d. A written physical education curriculum	-	-	14	96.5	88.8 - 99.0	26	56.3	51.1 - 61.3	117	66.3	62.2 - 70.2	157
e. Resources for fitness testing	-	-	14	92.5	83.2 - 96.9	26	56.7	51.8 - 61.5	114	66.0	61.9 - 69.9	154
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	-	-	14	76.7	66.3 - 84.7	26	23.7	19.4 - 28.6	117	36.3	32.4 - 40.4	157

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	71.5	62.1 - 79.4	25	85.7	81.6 - 89.0	119	77.4	73.6 - 80.8	158

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	13	81.0	68.8 - 89.2	26	83.4	79.3 - 86.9	121	80.3	76.6 - 83.6	160

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	13	93.0	84.6 - 96.9	26	78.8	74.7 - 82.4	120	81.8	78.4 - 84.8	159

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	61.7	48.7 - 73.2	26	55.3	49.4 - 61.1	122	56.6	51.5 - 61.7	162

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	76.7	63.5 - 86.2	26	63.6	58.2 - 68.6	121	68.6	64.1 - 72.9	161

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
-	-	14	96.5	88.8 - 99.0	26	96.7	94.0 - 98.2	123	97.0	94.9 - 98.2	163

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	100.0	†	14	96.5	88.8 - 99.0	26	95.8	92.9 - 97.6	121	96.3	94.1 - 97.8	161
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	14	96.4	88.7 - 98.9	25	95.8	93.0 - 97.6	122	96.3	94.1 - 97.8	161
c. Cigars	94.1	81.8 - 98.3	14	96.4	88.7 - 98.9	25	90.1	86.5 - 92.9	122	91.5	88.6 - 93.7	161
d. Pipes	94.1	81.8 - 98.3	14	96.4	88.7 - 98.9	25	90.1	86.5 - 92.9	122	91.5	88.6 - 93.7	161
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	100.0	†	14	96.4	88.7 - 98.9	25	84.7	80.5 - 88.1	122	88.0	84.9 - 90.6	161

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	100.0	†	14	96.5	88.8 - 99.0	26	90.8	87.0 - 93.6	122	92.7	89.7 - 94.8	162
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	14	96.4	88.7 - 98.9	25	90.0	86.1 - 93.0	122	92.0	89.0 - 94.3	161
c. Cigars	94.1	81.8 - 98.3	14	96.4	88.7 - 98.9	25	85.9	81.6 - 89.3	122	88.4	85.0 - 91.1	161
d. Pipes	94.1	81.8 - 98.3	14	96.4	88.7 - 98.9	25	86.9	82.9 - 90.2	122	89.1	85.9 - 91.7	161
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	94.1	81.8 - 98.3	14	96.4	88.7 - 98.9	25	78.7	73.7 - 82.9	121	83.1	79.2 - 86.3	160

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	100.0	†	14	96.5	88.8 - 99.0	26	91.7	87.9 - 94.3	122	93.3	90.4 - 95.3	162
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	14	96.4	88.7 - 98.9	25	90.1	86.1 - 93.0	122	92.1	89.0 - 94.3	161
c. Cigars	94.1	81.8 - 98.3	14	96.4	88.7 - 98.9	25	87.5	83.4 - 90.7	122	89.6	86.4 - 92.1	161
d. Pipes	94.1	81.8 - 98.3	14	96.4	88.7 - 98.9	25	87.8	83.8 - 90.9	122	89.8	86.6 - 92.2	161
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	94.1	81.8 - 98.3	14	96.4	88.7 - 98.9	25	77.3	72.4 - 81.5	122	82.0	78.2 - 85.3	161

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	100.0	†	13	96.5	88.8 - 99.0	26	95.8	92.9 - 97.6	121	96.3	94.0 - 97.7	160
b. During non-school hours	83.8	65.5 - 93.4	13	83.4	71.2 - 91.1	24	79.5	75.1 - 83.2	119	80.5	76.6 - 83.9	156

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	100.0	†	13	96.5	88.8 - 99.0	26	89.9	86.2 - 92.7	120	91.9	89.1 - 94.1	159
b. During non-school hours	67.6	53.8 - 78.9	13	77.6	63.4 - 87.4	22	70.5	65.4 - 75.2	121	71.3	66.8 - 75.3	156

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	100.0	†	13	92.5	83.2 - 96.9	26	89.2	85.4 - 92.1	121	90.8	87.7 - 93.1	160
b. During non-school hours	83.8	66.1 - 93.2	13	83.8	71.8 - 91.3	24	73.4	68.7 - 77.6	121	76.0	71.9 - 79.6	158

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	14	96.5	88.8 - 99.0	26	96.6	93.9 - 98.1	121	96.9	94.8 - 98.2	161
b. Outside on school grounds, including parking lots and playing fields	94.1	81.5 - 98.3	14	96.3	88.4 - 98.9	25	95.6	92.5 - 97.4	121	95.6	93.1 - 97.2	160
c. On school buses or other vehicles used to transport students	100.0	†	14	96.5	88.8 - 99.0	26	94.2	91.0 - 96.3	121	95.2	92.7 - 96.8	161
d. At off-campus, school-sponsored events	91.9	76.4 - 97.5	13	92.9	83.9 - 97.0	26	87.7	83.3 - 91.1	121	89.0	85.4 - 91.8	160

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	14	96.5	88.8 - 99.0	26	95.8	92.9 - 97.6	121	96.3	94.1 - 97.8	161
b. Outside on school grounds, including parking lots and playing fields	94.1	81.5 - 98.3	14	96.5	88.8 - 99.0	26	92.4	89.2 - 94.7	121	93.2	90.6 - 95.1	161
c. On school buses or other vehicles used to transport students	100.0	†	14	96.5	88.8 - 99.0	26	92.6	89.1 - 95.1	121	94.0	91.3 - 95.9	161
d. At off-campus, school-sponsored events	77.5	64.8 - 86.5	13	92.6	83.3 - 96.9	25	79.3	74.3 - 83.5	118	81.3	77.3 - 84.7	156

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	13	96.5	88.8 - 99.0	26	95.8	92.9 - 97.6	121	96.3	94.0 - 97.7	160
b. Outside on school grounds, including parking lots and playing fields	93.6	80.0 - 98.2	13	96.5	88.8 - 99.0	26	92.4	89.2 - 94.7	121	93.2	90.5 - 95.1	160
c. On school buses or other vehicles used to transport students	91.9	76.4 - 97.5	13	96.5	88.8 - 99.0	26	91.8	88.1 - 94.4	121	92.6	89.6 - 94.8	160
d. At off-campus, school-sponsored events	77.5	64.8 - 86.5	13	81.0	72.1 - 87.6	26	62.1	56.6 - 67.4	121	66.7	62.2 - 70.9	160

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
46.8	36.8 - 57.1	13	61.1	48.9 - 72.0	23	42.5	36.9 - 48.3	117	45.7	41.0 - 50.5	153

*Responses to question 23 (a, b, c, and d), question 24 (a and b), and question 25 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	87.7	76.9 - 93.8	25	80.0	75.6 - 83.8	116	82.6	78.9 - 85.7	155

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Faculty and staff	-	-	14	20.2	11.7 - 32.7	24	19.7	15.9 - 24.0	121	20.0	16.6 - 24.1	159
b. Students	-	-	14	37.7	28.8 - 47.5	24	22.3	18.5 - 26.7	121	27.7	24.1 - 31.6	159

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Faculty and staff	-	-	14	33.1	23.1 - 44.9	24	37.1	32.2 - 42.3	121	37.6	33.3 - 42.1	159
b. Students	-	-	14	29.2	18.5 - 42.8	24	42.4	37.4 - 47.5	120	42.6	38.0 - 47.3	158

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	28.7	20.0 - 39.3	24	35.7	30.7 - 41.0	120	36.8	32.7 - 41.0	158

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	-	-	14	0.0	†	26	0.0	†	122	0.0	†	162
b. Never	-	-	14	0.0	†	26	3.1	1.7 - 5.7	122	3.1	1.8 - 5.2	162
c. Rarely	-	-	14	15.4	8.2 - 26.9	26	13.3	9.8 - 17.8	122	12.3	9.4 - 16.0	162
d. Sometimes	-	-	14	54.2	42.8 - 65.2	26	37.5	32.2 - 43.2	122	40.8	36.2 - 45.7	162
e. Always or almost always	-	-	14	30.4	21.0 - 41.8	26	46.0	41.0 - 51.2	122	43.8	39.3 - 48.4	162

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
13.4	5.4 - 29.6	14	11.4	5.6 - 22.0	26	1.9	0.8 - 4.3	119	4.6	2.9 - 7.2	159

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	50.9	40.6 - 61.2	26	19.2	15.6 - 23.4	119	31.3	27.8 - 35.0	159

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Chocolate candy	5.9	1.7 - 18.5	14	4.0	1.2 - 12.5	26	9.5	6.8 - 13.1	118	8.2	6.0 - 11.1	158
b. Other kinds of candy	5.9	1.7 - 18.5	14	4.0	1.2 - 12.5	26	9.5	6.8 - 13.1	118	8.2	6.0 - 11.1	158
c. Salty snacks that are not low in fat (e.g., regular potato chips)	13.4	5.4 - 29.6	14	7.5	3.1 - 16.8	26	11.3	8.2 - 15.3	118	10.9	8.2 - 14.3	158
d. Low sodium or "no added salt" pretzels, crackers, or chips	58.3	44.3 - 71.0	14	35.1	24.0 - 48.2	26	12.4	9.5 - 16.0	118	20.8	17.7 - 24.4	158
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	20.9	9.7 - 39.2	14	7.9	3.3 - 17.7	26	6.5	4.1 - 10.1	117	8.2	5.8 - 11.5	157
f. Ice cream or frozen yogurt that is not low in fat	7.5	2.3 - 21.9	14	0.0	†	26	2.1	0.9 - 4.8	118	2.3	1.1 - 4.5	158
g. 2% or whole milk (plain or flavored)	20.9	9.7 - 39.2	14	11.9	5.8 - 22.7	26	4.0	2.2 - 7.2	118	7.0	4.8 - 10.2	158
h. Nonfat or 1% (low-fat) milk (plain)	28.3	17.9 - 41.7	14	15.8	8.5 - 27.6	26	1.0	0.3 - 3.4	118	6.3	4.4 - 8.9	158
i. Water ices or frozen slushes that do not contain juice	0.0	†	14	7.9	3.3 - 17.7	26	5.4	3.3 - 8.8	117	5.3	3.4 - 8.0	157
j. Soda pop or fruit drinks that are not 100% juice	28.3	14.4 - 48.2	14	11.9	5.8 - 22.7	26	9.8	7.0 - 13.5	117	12.0	9.1 - 15.7	157
k. Sports drinks (e.g., Gatorade)	49.2	30.9 - 67.7	14	31.2	22.7 - 41.1	26	13.9	10.8 - 17.6	117	20.4	17.1 - 24.1	157

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	0.0	†	14	0.0	†	26	1.1	0.3 - 3.4	117	0.8	0.2 - 2.5	157
m. Bottled water	86.6	70.7 - 94.6	14	47.4	38.1 - 57.0	26	15.3	11.9 - 19.5	118	27.9	24.6 - 31.5	158
n. 100% fruit or vegetable juice	71.7	52.4 - 85.3	14	31.2	21.0 - 43.6	26	11.5	8.4 - 15.7	118	21.0	17.5 - 24.9	158
o. Foods or beverages containing caffeine	43.3	27.8 - 60.2	14	7.9	3.3 - 17.7	26	8.0	5.7 - 11.2	118	11.6	9.0 - 14.8	158
p. Fruits (not fruit juice)	20.9	9.7 - 39.2	14	23.3	13.8 - 36.4	26	5.0	2.9 - 8.5	118	9.7	7.0 - 13.3	158
q. Non-fried vegetables (not vegetable juice)	13.4	5.4 - 29.6	14	15.8	8.4 - 27.6	26	1.9	0.8 - 4.3	118	5.4	3.5 - 8.2	158

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	-	-	14	4.0	1.2 - 12.5	26	11.3	8.3 - 15.2	115	9.6	7.2 - 12.8	155
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	-	-	14	35.1	25.5 - 46.1	26	29.8	24.5 - 35.6	115	31.9	27.4 - 36.9	155
c. Provided information to students or families on the nutrition and caloric content of foods available	-	-	14	48.1	36.4 - 60.1	25	41.2	35.7 - 46.8	113	44.9	40.1 - 49.9	152
d. Conducted taste tests to determine food preferences for nutritious items	-	-	13	16.5	10.6 - 24.7	25	8.0	5.3 - 11.8	115	10.2	7.9 - 13.1	153
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	-	-	14	8.2	3.4 - 18.3	24	20.7	16.5 - 25.7	112	16.4	13.2 - 20.3	150
f. Served locally or regionally grown foods in the cafeteria or classrooms	-	-	13	68.8	58.9 - 77.3	26	58.3	52.6 - 63.8	115	61.8	57.0 - 66.4	154
g. Planted a school food or vegetable garden	-	-	13	15.2	8.3 - 26.2	25	26.1	21.9 - 30.8	113	25.5	21.8 - 29.6	151
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	-	-	14	64.8	53.7 - 74.6	25	30.0	24.7 - 35.9	112	41.9	37.4 - 46.5	151

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	-	-	13	54.3	41.0 - 67.1	24	23.4	18.7 - 28.9	111	33.1	28.7 - 37.8	148
j. Offered a self-serve salad bar to students	-	-	14	44.7	32.3 - 57.8	25	17.3	13.4 - 22.1	112	26.1	22.1 - 30.6	151
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	-	-	13	16.7	8.9 - 29.3	24	11.1	7.8 - 15.4	111	13.3	10.3 - 17.1	148
l. Encouraged students to drink plain water	-	-	14	77.4	64.5 - 86.6	26	82.6	77.8 - 86.6	113	82.8	78.6 - 86.2	153
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	-	-	14	26.9	18.0 - 38.2	26	20.7	16.6 - 25.6	112	24.4	20.5 - 28.7	152
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	-	-	13	48.0	36.2 - 60.1	25	21.4	17.1 - 26.5	113	25.4	21.4 - 29.9	151

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	-	-	14	66.0	52.1 - 77.6	26	69.0	63.1 - 74.3	114	69.4	64.5 - 73.9	154
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	-	-	14	62.0	49.3 - 73.3	26	69.0	63.1 - 74.3	114	66.3	61.5 - 70.9	154
c. On school buses or other vehicles used to transport students	-	-	14	66.0	52.1 - 77.6	26	68.7	62.8 - 74.1	113	68.4	63.3 - 73.1	153
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	-	-	14	66.0	52.1 - 77.6	26	60.6	54.9 - 66.1	114	61.7	56.7 - 66.5	154
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	-	-	14	62.0	49.4 - 73.2	26	58.7	52.8 - 64.4	114	59.7	54.6 - 64.6	154

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	-	-	14	72.8	64.1 - 80.0	26	79.6	75.1 - 83.5	119	78.4	74.5 - 81.9	159
b. Yes, in certain locations	-	-	14	27.2	20.0 - 35.9	26	17.7	14.3 - 21.9	119	19.6	16.4 - 23.3	159
c. No	-	-	14	0.0	†	26	2.7	1.3 - 5.2	119	1.9	1.0 - 3.9	159

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	100.0	†	26	97.3	94.8 - 98.7	119	98.1	96.1 - 99.0	159

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cafeteria during breakfast	-	-	14	87.1	75.4 - 93.7	23	95.0	91.5 - 97.1	101	94.2	91.2 - 96.2	138
b. Cafeteria during lunch	-	-	14	91.5	81.1 - 96.5	23	95.0	91.5 - 97.1	101	95.0	92.1 - 96.8	138
c. Gymnasium or other indoor physical activity facilities	-	-	14	96.4	88.5 - 98.9	26	94.6	91.3 - 96.7	112	95.5	92.9 - 97.1	152
d. Outdoor physical activity facilities and sports fields	-	-	11	34.6	25.9 - 44.4	23	48.8	41.5 - 56.2	75	46.7	41.2 - 52.3	109
e. Hallways throughout the school	-	-	14	96.0	87.5 - 98.8	26	87.6	83.1 - 91.1	112	90.4	87.0 - 93.0	152

*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	55.3	48.2 - 62.2	26	2.9	1.4 - 5.7	120	15.0	12.6 - 17.7	160

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	22.5	13.6 - 34.8	26	17.4	13.8 - 21.7	120	21.8	18.0 - 26.0	160

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	23.4	13.9 - 36.6	26	3.4	1.9 - 6.2	120	9.2	6.7 - 12.6	160

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	-	-	14	0.0	†	26	0.0	†	120	0.0	†	160
b. HIV treatment (ongoing medical care for persons living with HIV)	-	-	14	0.0	†	26	0.0	†	120	0.0	†	160
c. STD testing	-	-	14	0.0	†	26	0.8	0.2 - 2.6	120	1.3	0.6 - 3.1	160
d. STD treatment	-	-	14	0.0	†	26	0.8	0.2 - 2.6	120	1.3	0.6 - 3.1	160
e. Pregnancy testing	-	-	14	0.0	†	26	0.8	0.2 - 2.6	120	1.3	0.6 - 3.1	160
f. Provision of condoms	-	-	13	0.0	†	26	0.0	†	120	0.8	0.2 - 2.5	159
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	-	-	14	0.0	†	26	0.0	†	120	0.0	†	160
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	-	-	14	0.0	†	26	0.0	†	119	0.0	†	159
i. Prenatal care	-	-	14	0.0	†	26	0.8	0.2 - 2.6	120	0.6	0.2 - 1.9	160
j. Human papillomavirus (HPV) vaccine administration	-	-	14	4.0	1.2 - 12.5	26	2.4	1.2 - 4.7	120	3.1	1.8 - 5.3	160

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	-	-	8	15.7	8.5 - 26.9	25	16.9	12.3 - 22.6	94	21.1	17.1 - 25.7	127
b. HIV treatment (ongoing medical care for persons living with HIV)	-	-	13	19.0	12.3 - 28.2	26	29.8	25.1 - 35.0	113	33.2	29.2 - 37.5	152
c. nPEP (non-occupational post-exposure prophylaxis for HIV--a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	-	-	13	19.0	12.3 - 28.2	26	27.0	22.6 - 31.8	114	30.4	26.5 - 34.6	153
d. STD testing	-	-	8	15.7	8.5 - 26.9	25	18.2	13.4 - 24.2	94	22.0	17.9 - 26.8	127
e. STD treatment	-	-	7	15.7	8.5 - 26.9	25	18.2	13.4 - 24.2	94	21.3	17.0 - 26.2	126
f. Pregnancy testing	-	-	9	15.7	8.5 - 26.9	25	18.4	13.6 - 24.4	93	22.0	17.9 - 26.7	127
g. Provision of condoms	-	-	7	15.7	8.5 - 26.9	25	16.9	12.4 - 22.6	94	20.3	16.2 - 25.1	126
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	-	-	7	15.7	8.5 - 26.9	25	16.5	12.1 - 22.2	96	20.0	16.0 - 24.8	128
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	-	-	7	15.7	8.5 - 26.9	25	16.7	12.2 - 22.4	95	20.1	16.1 - 25.0	127
j. Prenatal care	-	-	7	15.7	8.5 - 26.9	25	16.7	12.2 - 22.4	95	20.1	16.1 - 25.0	127
k. Human papillomavirus (HPV) vaccine administration	-	-	13	26.9	19.7 - 35.5	26	30.4	25.5 - 35.6	114	35.0	30.9 - 39.3	153

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	13	49.8	40.5 - 59.1	26	41.3	36.2 - 46.6	117	43.9	39.5 - 48.4	156

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	-	-	13	100.0	†	25	74.3	69.7 - 78.4	114	81.1	77.6 - 84.1	152
b. Food allergies	-	-	13	100.0	†	25	76.0	71.1 - 80.2	114	82.3	78.7 - 85.5	152
c. Diabetes	-	-	13	100.0	†	25	70.0	65.5 - 74.2	114	78.0	74.5 - 81.1	152
d. Epilepsy or seizure disorder	-	-	13	100.0	†	26	68.1	63.0 - 72.9	114	76.7	72.8 - 80.2	153
e. Obesity	-	-	13	35.8	24.8 - 48.5	25	23.3	18.6 - 28.7	113	26.9	22.6 - 31.7	151
f. Hypertension/high blood pressure	-	-	13	51.8	38.9 - 64.4	25	46.8	41.2 - 52.5	111	49.9	44.9 - 55.0	149

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	-	-	13	39.4	29.9 - 49.9	25	42.4	37.2 - 47.7	114	45.2	40.8 - 49.6	152
b. Food allergies	-	-	13	41.8	31.7 - 52.7	26	41.9	36.8 - 47.2	113	45.2	40.9 - 49.6	152
c. Diabetes	-	-	13	39.4	29.9 - 49.9	25	41.5	36.5 - 46.8	114	44.6	40.3 - 48.9	152
d. Epilepsy or seizure disorder	-	-	13	41.8	31.7 - 52.7	26	41.6	36.4 - 46.9	114	45.0	40.6 - 49.4	153
e. Obesity	-	-	13	31.6	22.4 - 42.4	25	30.6	25.9 - 35.7	112	33.0	28.9 - 37.4	150
f. Hypertension/high blood pressure	-	-	13	31.6	22.4 - 42.4	25	34.9	30.4 - 39.7	110	38.5	34.5 - 42.5	148

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval		N	95% Confidence Interval		N	95% Confidence Interval		N	95% Confidence Interval		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. This school does not provide any sexual or reproductive health services	-	-	13	81.0	72.7 - 87.2	26	81.0	76.2 - 85.0	120	81.3	77.2 - 84.7	159
b. Parental consent is required before any sexual or reproductive health services are provided	-	-	13	15.0	8.2 - 25.9	26	14.5	10.9 - 19.2	120	14.0	10.9 - 17.9	159
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	-	-	13	0.0	†	26	1.0	0.3 - 3.4	120	1.5	0.7 - 3.5	159
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	-	-	13	0.0	†	26	1.0	0.3 - 3.4	120	0.8	0.2 - 2.5	159
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	-	-	13	4.0	1.2 - 12.5	26	2.4	1.2 - 4.8	120	2.4	1.3 - 4.4	159
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	-	-	13	0.0	†	26	0.0	†	120	0.0	†	159

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. This school does not refer any sexual or reproductive health services	-	-	8	67.3	55.8 - 77.1	24	72.2	66.6 - 77.2	91	66.6	61.8 - 71.1	123
b. Parental consent is required before any sexual or reproductive health services are referred	-	-	8	20.1	11.6 - 32.6	24	20.5	16.5 - 25.1	91	20.8	17.0 - 25.1	123
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	-	-	8	0.0	†	24	2.4	1.0 - 5.6	91	3.7	2.1 - 6.6	123
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	-	-	8	12.5	6.2 - 23.5	24	3.8	1.9 - 7.4	91	7.2	4.7 - 10.8	123
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	-	-	8	0.0	†	24	0.0	†	91	0.0	†	123
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	-	-	8	0.0	†	24	1.1	0.3 - 3.4	91	1.8	0.7 - 4.1	123

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Provided parents and families with information about how to communicate with their child about sex	-	-	14	19.4	11.0 - 31.9	26	6.4	4.5 - 9.2	118	10.8	8.2 - 14.2	158
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	-	-	14	42.4	30.7 - 55.0	26	33.6	28.7 - 38.8	118	36.2	31.9 - 40.8	158
c. Involved parents as school volunteers in the delivery of health education activities and services	-	-	14	42.1	30.9 - 54.1	24	25.5	21.7 - 29.7	118	27.4	23.8 - 31.4	156
d. Linked parents and families to health services and programs in the community	-	-	14	58.6	49.8 - 66.9	24	52.0	47.0 - 56.8	118	55.0	50.7 - 59.3	156

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	88.5	77.9 - 94.4	26	57.0	51.5 - 62.3	119	65.1	60.6 - 69.3	159

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	50.6	36.9 - 64.2	26	12.7	9.4 - 16.9	119	21.9	18.1 - 26.4	159

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	50.3	40.0 - 60.6	26	46.8	41.6 - 52.0	117	52.1	47.8 - 56.4	157

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	69.5	55.7 - 80.5	26	58.8	53.6 - 63.7	112	63.6	59.0 - 67.9	152

ALASKA

2016 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	14	43.1	31.4 - 55.7	26	27.0	22.7 - 31.7	115	29.9	25.8 - 34.3	155

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations