

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Alaska Statewide: Traditional HS 2011 Compared to United States National: HS 2011

### Graph Report For Risk Behaviors

If you need any other information or encounter material on our website that you are unable to access and need assistance, please contact:

Kate Oliver, Research Analyst  
[Kathleen.Oliver@Alaska.gov](mailto:Kathleen.Oliver@Alaska.gov)  
(907) 269-8495

or

Wendy Hamilton, School Health/YRBS Program Manager  
[Wendy.Hamilton@Alaska.gov](mailto:Wendy.Hamilton@Alaska.gov)  
(907) 465-2768

with the:

Section of Chronic Disease Prevention and Health Promotion  
Alaska Department of Health and Social Services

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Alaska Traditional High School Survey

### Sample Description:

**School Level - All regular public schools containing grades 9, 10, 11, or 12 with enrollments of ten or more were included in the sampling frame. Schools were selected systematically with probability proportional to enrollment in grades 9 through 12 using a random start. 43 schools were sampled. One of the sampled schools was ineligible.**

### Response Rates:

**Class Level - All classes meeting during a particular period of the day were included in the sampling frame. Systematic equal probability sampling with a random start was used to select classes from each school that participated in the survey.**

### Response Rates:

**Schools - 95% 40 of 42 sampled schools participated**  
**Students - 65% 1,331 of the 2,031 sampled students submitted questionnaires.**  
**1,327 questionnaires were usable after data editing.**  
**Overall response rate -  $95\% * 65\% = 62\%$**

### Special Note:

**Because the overall response rate equaled or exceeded the 60% threshold, the data were weighted and are representative of the entire student body.**

# 2011 YOUTH RISK BEHAVIOR SURVEY

## U.S. Traditional High School Survey

### Sample Description:

**Primary Sampling Units (PSUs)** - From 1,276 PSUs, consisting of counties, subareas of large counties, or groups of smaller, adjacent counties, 57 were sampled with probability proportional to overall school enrollment size for the PSU.

**School Level** - Schools with any of grades 9-12 were sampled with probability

**Class Level** - Included a random sampling from each of grades 9-12, one or two classrooms from either a required subject (e.g., English or social studies) or a required period (e.g., homeroom or second period).

### Response Rates:

**Schools** - 81% 158 of 194 sampled schools participated

**Students** - 87% 15,503 of approximately 17,820 eligible students submitted questionnaires.  
15,425 questionnaires were usable after data editing.


**Overall response rate** -  $81\% * 87\% = 71\%$

### Special Note:

Because the overall response rate equaled or exceeded the 60% threshold, the data were weighted and are representative of the entire student body.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are underweight (i.e., below the 5th percentile for body mass index, by age and sex)




Question: 001-002 & 006-007 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1273 and 14272

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are not of a healthy weight (i.e., at or above the 5th percentile to less than the 85th percentile for body mass index, by age and sex)




Question: 001-002 & 006-007 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1273 and 14272

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)




Question: 001-002 & 006-007 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1273 and 14285

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are obese (i.e., at or above the 95th percentile for body mass index, by age and sex)




Question: 001-002 & 006-007 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1273 and 14285

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are overweight or obese (i.e., at or above the 85th percentile for body mass index, by age and sex)



Question: 001-002 & 006-007 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1273 and 14272

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who received grades of mostly Ds and Fs during the past 12 months




Question: 008 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1240 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet




Question: 009 Responses weighted by combined enrollments of sex within grade.

Valid cases = 975 and 9526

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else




Question: 010 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1315 and 14940

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol




Question: 011 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1327 and 14908

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol




Question: 012 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1296 and 15090

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days




Question: 013 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1288 and 15024

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who carried a gun on one or more of the past 30 days




Question: 014 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1313 and 14507

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days



Question: 015 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1315 and 14926

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school




Question: 016 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1327 and 15320

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months




Question: 017 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1327 and 15344

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were in a physical fight one or more times during the past 12 months




Question: 018 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1302 and 15106

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse




Question: 019 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 14570

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were in a physical fight on school property one or more times during the past 12 months




Question: 020 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1309 and 15182

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months




Question: 021 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1323 and 15270

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to




Question: 022 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1317 and 15199

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ever been bullied on school property during the past 12 months



Question: 023 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1322 and 14695

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were electronically bullied during the past 12 months




Question: 024 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1324 and 13877

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months




Question: 025 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1297 and 15269

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who seriously considered attempting suicide during the past 12 months




Question: 026 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1324 and 15293

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who made a plan about how they would attempt suicide during the past 12 months




Question: 027 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1323 and 15278

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who actually attempted suicide one or more times during the past 12 months




Question: 028 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1132 and 13514

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse




Question: 029 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1134 and 12959

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ever tried cigarette smoking, even one or two puffs




Question: 030 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1240 and 13359

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked a whole cigarette for the first time before age 13 years



Question: 031 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1217 and 14845

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigarettes on 20 or more of the past 30 days




Question: 032 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1240 and 14743

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigarettes on one or more of the past 30 days




Question: 032 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1240 and 14743

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days




Question: 033 Responses weighted by combined enrollments of sex within grade.

Valid cases = 154 and 2390

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who currently smoke and were less than 18 years of age, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days




Question: 034 Responses weighted by combined enrollments of sex within grade.

Valid cases = 128 and 1835

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigarettes on school property on one or more of the past 30 days




Question: 035 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1290 and 14488

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days




Question: 036 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1263 and 13940

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current cigarette use, the percentage who had not ever tried to quit smoking cigarettes during the past 12 months




Question: 037 Responses weighted by combined enrollments of sex within grade.

Valid cases = 152 and 2428

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days



Question: 038 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1319 and 14967

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days




Question: 039 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1319 and 13912

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days




Question: 040 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1322 and 14566

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days




Question: 032 & 038 & 040 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1232 and 13890

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were in the same room with someone who was smoking in the past week




Question: 041 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1322 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think smoking one or more packs of cigarettes per day is no or slight risk




Question: 042 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1313 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think smoking one or more packs of cigarettes per day is no risk




Question: 042 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1313 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had at least one drink of alcohol on one or more days during their life




Question: 043 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1270 and 14168

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had their first drink of alcohol other than a few sips before age 13 years



Question: 044 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1296 and 15094

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had at least one drink of alcohol on one or more of the past 30 days




Question: 045 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1201 and 13943

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days




Question: 046 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1295 and 14956

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by buying it in a store during the past 30 days




Question: 047 Responses weighted by combined enrollments of sex within grade.

Valid cases = 360 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from an adult (21 or over), a family member (21 or over), or by giving someone else money to buy it for them.




Question: 047 Responses weighted by combined enrollments of sex within grade.

Valid cases = 360 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by giving someone money to buy it




Question: 047 Responses weighted by combined enrollments of sex within grade.

Valid cases = 360 and 5237

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by taking it from a family member




Question: 047 Responses weighted by combined enrollments of sex within grade.

Valid cases = 360 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone under 21




Question: 047 Responses weighted by combined enrollments of sex within grade.

Valid cases = 360 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from a family member over 21



Question: 047 Responses weighted by combined enrollments of sex within grade.


Valid cases = 360 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from a non-family member over 21




Question: 047 Responses weighted by combined enrollments of sex within grade.

Valid cases = 360 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank some other way




Question: 047 Responses weighted by combined enrollments of sex within grade.

Valid cases = 360 and 5237

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY


Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days



Question: 048 Responses weighted by combined enrollments of sex within grade.  
Valid cases = 1307 and 15033

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think one or two drinks of alcohol nearly every day is no or slight risk




Question: 049 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1313 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think one or two drinks of alcohol nearly every day is no risk




Question: 049 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1313 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used marijuana one or more times during their life




Question: 050 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1279 and 14925

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who tried marijuana for the first time before age 13 years




Question: 051 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1295 and 15031

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used marijuana one or more times during the past 30 days



Question: 052 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1286 and 14970

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used marijuana on school property one or more times during the past 30 days




Question: 053 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1304 and 14638

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think smoking marijuana regularly is no or slight risk




Question: 054 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1314 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Percentage of students who think smoking marijuana regularly is no risk




Question: 054 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1314 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life




Question: 055 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1287 and 15138

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days




Question: 056 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1305 and 14435

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life




Question: 057 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1313 and 14556

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Percentage of students who used heroin one or more times during their life




Question: 058 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1314 and 14069

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used methamphetamines one or more times during their life



Question: 059 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1312 and 14933

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used ecstasy one or more times during their life




Question: 060 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 14270

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who have taken a prescription drug without a prescription from a doctor one or more times during their life




Question: 061 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1304 and 14011

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who have ever used marijuana, cocaine, solvents, heroin, methamphetamines, ecstasy, or unprescribed drugs




Question: 050 & 055 & 057-061 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1243 and 13026

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used unprescribed drugs one or more times during the past 30 days




Question: 062 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1312 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who currently use marijuana, cocaine, or unprescribed drugs




Question: 052 & 056 & 062 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1275 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life




Question: 063 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 14062

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months




Question: 064 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1303 and 15146

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Percentage of students who ever had sexual intercourse



Question: 065 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1213 and 14344

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had sexual intercourse for the first time before age 13 years




Question: 066 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1213 and 14335

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had sexual intercourse with four or more people during their life




Question: 067 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1210 and 14284

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who have ever had sexual intercourse who had sexual intercourse during the past three months




Question: 068 Responses weighted by combined enrollments of sex within grade.

Valid cases = 454 and 7211

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had sexual intercourse with one or more people during the past three months




Question: 068 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1217 and 14296

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse




Question: 069 Responses weighted by combined enrollments of sex within grade.

Valid cases = 303 and 5110

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who did not use a condom during last sexual intercourse




Question: 070 Responses weighted by combined enrollments of sex within grade.

Valid cases = 292 and 5035

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who did not use birth control pills to prevent pregnancy before last sexual intercourse




Question: 071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 296 and 4922

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who used a method other than birth control pills or Depo-Provera (etc.) to prevent pregnancy before last sexual intercourse



Question: 068 & 071 Responses weighted by combined enrollments of sex within grade.


Valid cases = 284 and 4922

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who used a method other than Depo-Provera, Nuva Ring, Implanon, or any IUD to prevent pregnancy before last sexual intercourse




Question: 068 & 071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 284 and 4922

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who did not use both a condom during last sexual intercourse and birth control pills or Depo-Provera (etc.) to prevent pregnancy before last sexual intercourse




Question: 068 & 070-071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 130 and 4898

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who have had sexual intercourse, had sexual intercourse in the past 3 months, and did not use a condom the last time they had sexual intercourse




Question: 068 & 070-071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1194 and 14057

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Percentage of students who described themselves as slightly or very overweight




Question: 072 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1312 and 15140

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Percentage of students who were trying to lose weight




Question: 073 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 15184

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not drink 100% fruit juices one or more times during the past seven days




Question: 074 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1312 and 14748

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat fruit one or more times during the past seven days




Question: 075 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 14699

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat fruits or drink 100% fruit juice two or more times per day during the past seven days



Question: 074 & 075 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1310 and 14654

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat green salad one or more times during the past seven days




Question: 076 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1310 and 14761

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat potatoes one or more times during the past seven days




Question: 077 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 14512

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat carrots one or more times during the past seven days




Question: 078 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1313 and 14511

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat other vegetables one or more times during the past seven days




Question: 079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1301 and 14724

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat vegetables three or more times per day during the past seven days




Question: 076-079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1290 and 14441

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat fruits and vegetables five or more times per day during the past seven days




Question: 074-079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1286 and 14317

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat fruits two or more times and did not eat vegetables three or more times per day during the past 7 days




Question: 074-079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1286 and 14317

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days



Question: 080 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1315 and 14304

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a sugar-sweetened drink one or more times per day during the past seven days




Question: 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank soda or another sugar-sweetened drink one or more times per day during the past seven days




Question: 080 & 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1309 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were physically active for a total of at least 60 minutes per day on none of the past seven days




Question: 082 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 15048

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were physically active for a total of at least 60 minutes per day on less than seven of the past seven days




Question: 082 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 15048

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were physically active for a total of at least 60 minutes per day on less than five of the past seven days




Question: 082 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 15048

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who watched three or more hours per day of TV on an average school day




Question: 083 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1311 and 15010

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day




Question: 084 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1308 and 14997

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who watched TV, videos, or used the computer for three or more hours per day that was not school work on an average school day



Question: 083 & 084 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1303 and 14949

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not attend physical education (PE) classes on one or more days in an average week when they were in school




Question: 085 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1302 and 14896

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not attend physical education (PE) classes daily in an average week when they were in school




Question: 085 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1302 and 14896

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Of students enrolled in physical education (PE) class, the percentage who did not exercise or play sports more than 20 minutes during an average physical education class




Question: 086 Responses weighted by combined enrollments of sex within grade.

Valid cases = 662 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not spend more than 20 minutes actually exercising or playing sports during an average physical education (PE) class




Question: 086 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1307 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not play on one or more sports teams during the past 12 months




Question: 087 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1295 and 14891

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had never been taught in school about AIDS or HIV infection




Question: 088 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1297 and 14497

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ever been told by a doctor or nurse that they had asthma




Question: 089 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1296 and 14340

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma



Question: 090 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1292 and 14186

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not go to school one or more times because they were sick during the past 30 days




Question: 091 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1279 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who missed classes or school without permission during the past 30 days




Question: 092 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1303 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not respond that about every day one of their parents talked with them about what they were doing in school




Question: 093 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1302 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who disagree or strongly disagree that their teachers really care about them and give them a lot of encouragement




Question: 094 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1293 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who would not feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life




Question: 095 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1299 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who would not feel comfortable seeking help from three or more adults besides their parents if they had an important question affecting their life




Question: 095 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1299 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not spend one or more hours helping or volunteering at school or in the community during an average week




Question: 096 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1296 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not spend three or more hours helping or volunteering at school or in the community during an average week



Question: 096 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1296 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not take part in organized after school, evening, or weekend activities on one or more days during an average week




Question: 097 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1284 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not take part in organized after school, evening, or weekend activities on two or more days during an average week




Question: 097 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1284 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who agree or strongly agree that they feel alone in their life




Question: 098 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1288 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who disagree or strongly disagree that in their community they feel like they matter to people




Question: 099 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1284 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who disagree or strongly disagree that their school has clear rules and consequences for behavior




Question: 100 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1285 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents consider it not wrong at all for them to smoke marijuana




Question: 101 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1286 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents consider it not wrong at all for them to drink alcohol regularly




Question: 102 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1284 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents consider it not at all wrong for them to smoke cigarettes



Question: 103 Responses weighted by combined enrollments of sex within grade.


Valid cases = 1286 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is very good or pretty good chance of smoking cigarettes as being seen as cool




Question: 104 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1288 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is very good or pretty good chance of drinking alcohol regularly as being seen as cool




Question: 105 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1287 and 0

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is very good or pretty good chance of smoking marijuana as being seen as cool



Question: 106 Responses weighted by combined enrollments of sex within grade.

Valid cases = 1277 and 0


Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Injury Prevention Measures

□ Alaska Statewide: Traditional HS 2011

■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Violence Prevention Measures (part 1 of 2)

□ Alaska Statewide: Traditional HS 2011

■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Violence Prevention Measures (part 2 of 2)

□ Alaska Statewide: Traditional HS 2011

■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Suicide Measures

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Tobacco Use Measures (part 1 of 2)

□ Alaska Statewide: Traditional HS 2011  
■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

## Tobacco Use Measures (part 2 of 2)

Alaska Statewide: Traditional HS 2011  
 United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Alcohol Use Measures (part 1 of 2)

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Alcohol Use Measures (part 2 of 2)

□ Alaska Statewide: Traditional HS 2011

■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Drug Use Measures (part 1 of 2)

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Drug Use Measures (part 2 of 2)

□ Alaska Statewide: Traditional HS 2011  
■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Sexual Behavior Measures (Part 1 of 2)

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Sexual Behavior Measures (Part 1 of 2)

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Weight Behavior Measures

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

## Dietary Behavior Measures (part 1 of 2)

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Dietary Behavior Measures (part 1 of 2)

Alaska Statewide: Traditional HS 2011  
 United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Physical Activity Measures

□ Alaska Statewide: Traditional HS 2011

■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Physical Activity Measures

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## HIV and Asthma Measures

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Risk Behavior Measures Before the Age of 13

□ Alaska Statewide: Traditional HS 2011  
 ■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Activities on School Property Measures

□ Alaska Statewide: Traditional HS 2011  
■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Connectedness Measures (part 1 of 2)

□ Alaska Statewide: Traditional HS 2011

■ United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.



# 2011 YOUTH RISK BEHAVIOR SURVEY

## Connectedness Measures (part 2 of 2)

Alaska Statewide: Traditional HS 2011  
 United States National: HS 2011




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

# 2011 YOUTH RISK BEHAVIOR SURVEY

## Perceptions of Harm and Acceptance Measures

- Alaska Statewide: Traditional HS 2011
- United States National: HS 2011



Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.