

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Injury and Violence | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|----------------------------|--------------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change |
| 90.7 | 89.0 | 86.6 | 87.5 | | | | | | | | | | | | |
| QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else) | | | | | | | | | | | | | No linear change | Not available | No change |
| 13.6 | 11.5 | 12.9 | 10.9 | | | | | | | | | | | | |
| QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| 29.9 | 28.1 | 20.5 | 21.5 | | | | | | | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Total
Injury and Violence**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|----------------------------|--|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | |
| QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change | | |
| | | | | | | 12.3 | | | | | 10.5 | | | | | | |
| QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | | |
| | | | | | | 38.8 | | | | | 38.8 | | | | | | |
| QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | Increased | | |
| | | | | | | | | 10.6 | | 9.4 | | 9.2 | | 13.0 | | | |
| QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | | |
| | | | | | | | | 7.3 | | 6.6 | | 8.8 | | 8.3 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Injury and Violence | | | | | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|----------------------|----------------------------|-----------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) | | | | | | | | | | | | | 45.7 | 43.5 | 35.1 | 29.8 | Decreased, 2009-2015 | Not available [§] | Decreased |
| QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse) | | | | | | | | | | | | | 6.2 | 5.7 | 4.7 | 5.8 | No linear change | Not available | No change |
| QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to) | | | | | | | | | | | | | 20.3 | 17.7 | 15.8 | 18.9 | No linear change | Not available | No change |
| QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) | | | | | | | | | | | | | | | 14.7 | 17.0 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Total
Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 10.6 | 13.5 | No linear change | Not available [§] | No change |
| QN24: Percentage of students who were bullied on school property (during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | 14.8 | 16.8 | 16.1 | 20.4 | | | Increased, 2009-2015 | Not available | Increased |
| QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | | 20.3 | 20.2 | 19.8 | No linear change | Not available | No change |
| QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | 37.5 | 37.9 | 39.8 | 44.6 | | | Increased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Injury and Violence | | | | | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|----------------------|----------------------------|-----------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) | | | | | | | | | | | | | 18.1 | 21.2 | 24.8 | 28.0 | Increased, 2009-2015 | Not available [§] | No change |
| QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) | | | | | | | | | | | | | 14.1 | 17.0 | 18.7 | 22.4 | Increased, 2009-2015 | Not available | No change |
| QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey) | | | | | | | | | | | | | 11.3 | 13.2 | 14.8 | 19.7 | Increased, 2009-2015 | Not available | Increased |
| QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey) | | | | | | | | | | | | | 4.4 | 5.2 | 5.5 | 7.1 | Increased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Total
Tobacco Use**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | Decreased | |
| | | | | | | 86.7 | 82.7 | 82.1 | 77.1 | | | | | | | |
| QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 32.1 | 32.8 | 26.8 | 25.8 | | | | | | | |
| QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 58.0 | 47.7 | 49.5 | 45.3 | | | | | | | |
| QNFRSIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased | |
| | | | | | | 34.3 | 29.3 | 27.1 | 21.7 | | | | | | | |
| QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 25.0 | 22.8 | 19.5 | 15.7 | | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Total
Tobacco Use**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked) | | | | | | | | | | | | | No linear change | Not available [§] | No change | |
| | | | | | | 7.4 | 10.5 | 9.7 | 7.1 | | | | | | | |
| QN35: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 7.4 | 7.4 | 5.5 | 3.8 | | | | | | | |
| QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 61.8 | 68.9 | 65.9 | 60.4 | | | | | | | |
| QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 18.2 | 17.4 | 18.0 | 18.3 | | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Total
Tobacco Use**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | Decreased | |
| | | | | | | 27.6 | 21.1 | 24.0 | 19.5 | | | | | | | |
| QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 65.5 | 55.3 | 57.0 | 55.0 | | | | | | | |
| QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 62.7 | 52.8 | 53.8 | 49.5 | | | | | | | |
| QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change | |
| | | | | | | 37.9 | 47.9 | 45.0 | 48.9 | | | | | | | |
| QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change | |
| | | | | | | 39.4 | 49.3 | 47.9 | 53.1 | | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

| Total | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------------|----------------------------|--------------------------------|
| Alcohol and Other Drug Use | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change |
| | | | | | | | | | 88.1 | 82.4 | 79.7 | 77.1 | | | |
| QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 31.3 | 32.7 | 27.1 | 25.6 | | | |
| QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 57.0 | 49.1 | 46.1 | 41.8 | | | |
| QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased |
| | | | | | | | | | 42.7 | 37.9 | 34.8 | 27.7 | | | |
| QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 32.8 | 35.9 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|--------------------------|--------------------------------|------|----------------------|----------------------------|-----------|
| Alcohol and Other Drug Use | | | | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN47: Percentage of students who ever used marijuana (one or more times during their life) | | | | | | | | | | | | | 80.2 | 77.6 | 79.1 | 78.7 | No linear change | Not available [§] | No change |
| QN48: Percentage of students who tried marijuana before age 13 years (for the first time) | | | | | | | | | | | | | 34.7 | 31.4 | 31.9 | 29.8 | No linear change | Not available | No change |
| QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) | | | | | | | | | | | | | 50.5 | 47.6 | 49.5 | 49.7 | No linear change | Not available | No change |
| QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life) | | | | | | | | | | | | | 28.5 | 25.1 | 22.1 | 21.8 | Decreased, 2009-2015 | Not available | No change |
| QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life) | | | | | | | | | | | | | 20.0 | 18.4 | 14.0 | 15.2 | Decreased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total | | | | | | | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|----------------------------|--------------------------------|
| Alcohol and Other Drug Use | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased |
| QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Sexual Behaviors | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|---|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------|----------------------|----------------------------|-----------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | | 2015 |
| QN60: Percentage of students who ever had sexual intercourse | | | | | | | | | | 82.2 | 80.4 | 78.4 | 75.3 | Decreased, 2009-2015 | Not available [§] | No change |
| QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time) | | | | | | | | | | 11.5 | 12.7 | 10.6 | 13.5 | No linear change | Not available | No change |
| QN62: Percentage of students who had sexual intercourse with four or more persons (during their life) | | | | | | | | | | 42.9 | 43.6 | 40.4 | 37.2 | Decreased, 2009-2015 | Not available | No change |
| QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey) | | | | | | | | | | 65.5 | 61.3 | 58.0 | 54.6 | Decreased, 2009-2015 | Not available | No change |
| QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active) | | | | | | | | | | 27.7 | 30.3 | 29.3 | 28.6 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Sexual Behaviors | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|----------------------------|--------------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change |
| QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | Increased, 2013-2015 | Not available | Increased |
| QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Sexual Behaviors | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|-------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | | | | | | 37.0 | 41.0 | | | |
| QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 8.2 | 8.6 | | | |
| QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 17.7 | 17.7 | 20.9 | 17.1 | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total | | | | | | | | | | | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|----------------------------|--------------------------------|------|--|--|--|
| Weight Management and Dietary Behaviors | | | | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QNOWT: Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart [§]) | | | | | | | | | | | | | No linear change | Not available [¶] | Increased | | | | |
| | | | | | | | | | | | | | 18.3 | 15.8 | 15.7 | 19.8 | | | |
| QNOBESE: Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart [§]) | | | | | | | | | | | | | No linear change | Not available | No change | | | | |
| | | | | | | | | | | | | | 19.0 | 18.1 | 22.3 | 22.7 | | | |
| QN69: Percentage of students who described themselves as slightly or very overweight | | | | | | | | | | | | | No linear change | Not available | No change | | | | |
| | | | | | | | | | | | | | 38.2 | 35.9 | 39.2 | 38.4 | | | |
| QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change | | | | |
| | | | | | | | | | | | | | 21.1 | 22.1 | 26.4 | 24.7 | | | |
| QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | | | | |
| | | | | | | | | | | | | | 13.3 | 16.1 | 13.8 | 14.2 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

¶Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total | | | | | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|-----------------------|--------------------------|--------------------------------|----------------------------|-----------|------|--|--|--|
| Weight Management and Dietary Behaviors | | | | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change | | | | |
| | | | | | | | | | | | | | 5.8 | 7.0 | 6.4 | 7.5 | | | |
| QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | | | | |
| | | | | | | | | | | | | | 55.7 | 55.0 | 55.7 | 54.3 | | | |
| QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | | | | |
| | | | | | | | | | | | | | 25.6 | 26.8 | 24.6 | 23.9 | | | |
| QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | | | | |
| | | | | | | | | | | | | | 17.3 | 18.4 | 14.4 | 15.9 | | | |
| QN73: Percentage of students who did not eat salad (during the 7 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change | | | | |
| | | | | | | | | | | | | | 35.4 | 37.8 | 38.5 | 42.3 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Weight Management and Dietary Behaviors | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|----------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN75: Percentage of students who did not eat carrots (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total | | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|-----------------------|--------------------------|--------------------------------|------|----------------------|----------------------------|-----------|
| Weight Management and Dietary Behaviors | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | 57.7 | 63.3 | 61.0 | 58.6 | No linear change | Not available [§] | No change |
| QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | 27.0 | 29.3 | 29.2 | 24.4 | No linear change | Not available | Decreased |
| QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | 14.5 | 17.1 | 14.8 | 11.8 | Decreased, 2009-2015 | Not available | No change |
| QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | 15.4 | 15.9 | 17.0 | 20.0 | Increased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

| Total | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------------|----------------------------|--------------------------------|
| Weight Management and Dietary Behaviors | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 30.7 | 30.6 | 29.4 | 22.1 | Decreased, 2009-2015 | Not available [§] | Decreased |
| QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 22.9 | 21.4 | 22.1 | 15.6 | Decreased, 2009-2015 | Not available | Decreased |
| QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 15.4 | 13.5 | 11.9 | 8.6 | Decreased, 2009-2015 | Not available | Decreased |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

| Total Physical Activity | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | |
|--|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------|----------------------|----------------------------|---------------|-----------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | | 2015 | |
| QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 35.6 | 34.5 | 34.4 | No linear change | Not available [§] | No change | |
| QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 19.1 | 17.4 | 18.0 | No linear change | Not available | No change | |
| QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey) | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 20.8 | 17.2 | 15.9 | Decreased, 2011-2015 | Not available | No change | |
| QN81: Percentage of students who watched television 3 or more hours per day (on an average school day) | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 26.2 | 29.1 | 30.6 | 23.2 | No linear change | Not available | Decreased |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Physical Activity | Health Risk Behavior and Percentages | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|--------------------------------------|------|------|------|------|------|------|------|------|------|------|----------------|----------------------|----------------------------|-----------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | | | | 2013 |
| QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day) | | | | | | | | | | | | | | | |
| | | | | | | | | | 24.7 | 30.2 | 38.2 | 35.9 | Increased, 2009-2015 | Not available [§] | No change |
| QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school) | | | | | | | | | | | | | | | |
| | | | | | | | | | 29.5 | 38.3 | 37.4 | 36.7 | Increased, 2009-2015 | Not available | No change |
| QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school) | | | | | | | | | | | | | | | |
| | | | | | | | | | 13.0 | 16.5 | 15.9 | 18.0 | Increased, 2009-2015 | Not available | No change |
| QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 26.5 | 29.7 | 27.9 | 28.9 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

| Total Other | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | |
| QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma | | | | | | | | | | | | | | | |
| | | | | | | | | | 26.1 | 24.8 | 27.4 | 24.7 | No linear change | Not available [§] | No change |
| QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 39.4 | 40.4 | 46.2 | 43.5 | Increased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Site-Added | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | |
| QN91: Percentage of students who used chewing tobacco, snuff, or dip on school property (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 11.1 | 8.9 | 10.0 | 12.0 | No linear change | Not available [§] | No change |
| QN92: Percentage of students who used Iqmik or blackbull (on at least 1 day during the past 30 days) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 4.8 | 9.6 | Increased, 2013-2015 | Not available | Increased |
| QN93: Percentage of students who used Iqmik or blackbull on school property (on at least 1 day during the past 30 days) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 2.7 | 6.0 | Increased, 2013-2015 | Not available | Increased |
| QN94: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least 1 day during the past 7 days) | | | | | | | | | | | | | | | |
| | | | | | | | | | 70.5 | 65.0 | 58.7 | 58.9 | Decreased, 2009-2015 | Not available | No change |
| QN95: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day | | | | | | | | | | | | | | | |
| | | | | | | | | | 57.7 | 53.9 | 51.6 | 50.4 | Decreased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

| Total Site-Added | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|----------------------------|-----------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | | 2015 |
| QN96: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they have five or more drinks of an alcoholic beverage once or twice a week | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 28.9 | 26.2 | No linear change | Not available [§] | No change | |
| QN98: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they smoke marijuana once or twice a week | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 5.4 | 6.2 | No linear change | Not available | No change | |
| QN99: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey) | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 21.6 | 21.6 | 19.8 | No linear change | Not available | No change |
| QN109: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 50.6 | 44.4 | 45.2 | Decreased, 2011-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Site-Added | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|---|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|----------------------------|-----------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | | 2015 |
| QN110: Percentage of students who do not have one of their parents talk with them about what they are doing in school about every day | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 72.5 | 74.5 | 72.3 | 76.3 | No linear change | Not available [§] | No change |
| QN111: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 72.4 | 72.3 | 74.2 | 73.3 | No linear change | Not available | No change |
| QN112: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 84.2 | 85.6 | 84.4 | 83.8 | No linear change | Not available | No change |
| QN113: Percentage of students who do not spend any hours helping or volunteering at school or in the community (such as helping elders or neighbors; watching young children; teaching or tutoring; peer helping; mentoring; or helping out at local programs, health clinics, faith organizations, tribal organizations, or environmental organizations, during an average week) | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 58.1 | 59.0 | 52.9 | 56.7 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

| Total Site-Added | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | | |
|---|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|------|------------------|----------------------------|-----------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | | 2015 | | | | |
| QN114: Percentage of students who do not take part in organized after school, evening, or weekend activities on any days (such as school clubs; community center groups; music, art, or dance lessons; drama; church; or cultural or other supervised activities, during an average week) | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 68.6 | 64.9 | 65.8 | 64.1 | No linear change | Not available [§] | No change |
| QN115: Percentage of students who disagree or strongly disagree that they feel alone in their life | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 53.6 | 49.4 | 51.9 | 48.0 | No linear change | Not available | No change |
| QN116: Percentage of students who strongly agree or agree that in their community they feel like they matter to people | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 47.8 | 46.0 | 47.4 | 41.8 | No linear change | Not available | Decreased |
| QN117: Percentage of students who strongly agree or agree that their school has clear rules and consequences for behavior | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 74.6 | 74.3 | 77.1 | 76.9 | No linear change | Not available | No change |
| QN118: Percentage of students who think their parents feel it would be wrong or very wrong for them to smoke marijuana | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 53.1 | 49.5 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Total Site-Added | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | |
| QN119: Percentage of students who think their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 65.5 | 71.6 | Increased, 2013-2015 | Not available [§] | Increased |
| QN120: Percentage of students who think their parents feel it would be wrong or very wrong for them to smoke cigarettes | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 66.4 | 71.4 | No linear change | Not available | Increased |
| QN122: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they smoked cigarettes | | | | | | | | | | | | | | | |
| | | | | | | | | | | 18.8 | 15.7 | 14.3 | Decreased, 2011-2015 | Not available | No change |
| QN123: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they began drinking alcoholic beverages regularly | | | | | | | | | | | | | | | |
| | | | | | | | | | | 26.2 | 22.5 | 20.1 | Decreased, 2011-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

| Total Site-Added | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|---|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|----------------------------|-----------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | | 2015 |
| QN124: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they smoked marijuana | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 33.9 | 36.9 | 34.9 | No linear change | Not available [§] | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|----------------------------|--------------------------------|
| Injury and Violence | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change |
| QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|----------------------------|--------------------------------|------|--|--|--|
| Injury and Violence | | | | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change | | | | |
| | | | | | | | | | | | | | 39.6 | 41.3 | | | | | |
| QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | | | | |
| | | | | | | | | | | | | | 14.9 | 13.0 | 12.3 | 13.7 | | | |
| QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | | | | |
| | | | | | | | | | | | | | 7.6 | 5.3 | 9.0 | 6.7 | | | |
| QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | | | | |
| | | | | | | | | | | | | | 52.0 | 46.2 | 33.1 | 34.1 | | | |
| QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse) | | | | | | | | | | | | | No linear change | Not available | No change | | | | |
| | | | | | | | | | | | | | 8.5 | 6.5 | 6.3 | 6.3 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male Injury and Violence | | | | | | | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|----------------------------|------------------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change |
| | | | | | | | | | 11.3 | 12.7 | 8.1 | 7.7 | | | |
| QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 9.7 | 11.8 | | | |
| QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 7.5 | 7.8 | | | |
| QN24: Percentage of students who were bullied on school property (during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 12.2 | 14.5 | 13.7 | 15.6 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male Injury and Violence | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|----------------------------|------------------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | 14.1 | | 13.2 | | 12.3 | | | | | |
| QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 28.3 | | 31.4 | | 29.3 | | 31.0 | | | |
| QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | 14.2 | | 18.3 | | 18.7 | | 19.8 | | | |
| QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 12.7 | | 14.2 | | 13.7 | | 16.1 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

Male
Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male Tobacco Use | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | Decreased |
| | | | | | | 84.7 | 83.6 | 82.7 | 73.0 | | | | | | |
| QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 33.3 | 33.8 | 20.5 | 21.3 | | | | | | |
| QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 58.7 | 49.7 | 46.9 | 43.1 | | | | | | |
| QNFRSIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 34.6 | 32.1 | 24.8 | 20.0 | | | | | | |
| QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 25.7 | 26.1 | 18.0 | 13.6 | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Male
Tobacco Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | | | | 9.1 | 11.9 | 10.5 | 7.2 | | | |
| QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | Decreased |
| | | | | | | | | | 61.0 | 66.3 | 64.7 | 53.8 | | | |
| QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 30.3 | 26.2 | 22.5 | 19.6 | | | |
| QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased |
| | | | | | | | | | 37.4 | 25.7 | 27.5 | 21.3 | | | |
| QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 69.5 | 58.2 | 56.5 | 53.4 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male Tobacco Use | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change |
| | | | | | | | | | 66.1 | 54.9 | 52.3 | 48.0 | | | |
| QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 35.1 | 45.7 | 46.2 | 51.7 | | | |
| QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 37.0 | 47.5 | 50.2 | 55.4 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|-----------------------|--------------------------|--------------------------------|------|------|------|----------------------|----------------------------|-----------|
| Alcohol and Other Drug Use | | | | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life) | | | | | | | | | | | | | 86.8 | 81.1 | 75.4 | 75.7 | Decreased, 2009-2015 | Not available [§] | No change |
| QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips) | | | | | | | | | | | | | 33.1 | 34.4 | 25.6 | 26.1 | Decreased, 2009-2015 | Not available | No change |
| QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | 58.8 | 49.5 | 41.2 | 39.6 | Decreased, 2009-2015 | Not available | No change |
| QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | 42.5 | 39.2 | 30.9 | 24.9 | Decreased, 2009-2015 | Not available | No change |
| QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol) | | | | | | | | | | | | | 24.2 | 30.9 | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|------|------|----------------------|----------------------------|-----------|
| Alcohol and Other Drug Use | | | | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN47: Percentage of students who ever used marijuana (one or more times during their life) | | | | | | | | | | | | | 78.3 | 77.3 | 77.7 | 75.0 | No linear change | Not available [§] | No change |
| QN48: Percentage of students who tried marijuana before age 13 years (for the first time) | | | | | | | | | | | | | 38.1 | 30.7 | 30.7 | 28.6 | Decreased, 2009-2015 | Not available | No change |
| QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) | | | | | | | | | | | | | 49.7 | 50.8 | 49.0 | 48.2 | No linear change | Not available | No change |
| QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life) | | | | | | | | | | | | | 28.2 | 26.3 | 21.2 | 20.4 | Decreased, 2009-2015 | Not available | No change |
| QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life) | | | | | | | | | | | | | 19.0 | 17.9 | 14.3 | 14.9 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|------|------|----------------------|--|----------------------------|--|-----------|--|
| Alcohol and Other Drug Use | | | | | | | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | | | | |
| QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life) | | | | | | | | | | | | | 13.6 | 12.0 | 9.0 | 10.6 | No linear change | | Not available [§] | | No change | |
| QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life) | | | | | | | | | | | | | 15.3 | 13.4 | 13.0 | 14.2 | No linear change | | Not available | | No change | |
| QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life) | | | | | | | | | | | | | 30.1 | 30.2 | 24.9 | 21.9 | Decreased, 2009-2015 | | Not available | | No change | |
| QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life) | | | | | | | | | | | | | 45.5 | 42.7 | 37.6 | 35.4 | Decreased, 2009-2015 | | Not available | | No change | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male Sexual Behaviors | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN60: Percentage of students who ever had sexual intercourse | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | 77.3 | 77.9 | 76.3 | 71.8 | | | | | | |
| QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 14.9 | 15.6 | 11.4 | 14.8 | | | | | | |
| QN62: Percentage of students who had sexual intercourse with four or more persons (during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 39.9 | 42.1 | 34.0 | 33.1 | | | | | | |
| QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 59.0 | 56.3 | 51.7 | 47.1 | | | | | | |
| QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 36.7 | 35.0 | 31.5 | 30.8 | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male Sexual Behaviors | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change |
| QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |
| QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |
| QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male Sexual Behaviors | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|-------------------------|------|--|--|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | |
| QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available [§] | No change | | | |
| | | | | | | | | | | | | | 31.6 | 30.9 | | | | |
| QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change | | | |
| | | | | | | | | | | | | | 4.9 | 4.2 | | | | |
| QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | Decreased | | | |
| | | | | | | | | | | | | | 12.1 | 13.1 | 18.4 | 10.2 | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|------|-----------------------|--------------------------|--------------------------------|------|------------------|----------------------------|-----------|
| Weight Management and Dietary Behaviors | | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | |
| QNOWT: Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart [§]) | | | | | | | | | | | 17.5 | 12.0 | 11.7 | 14.8 | No linear change | Not available [¶] | No change |
| QNOBESE: Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart [§]) | | | | | | | | | | | 20.7 | 18.9 | 25.0 | 24.9 | No linear change | Not available | No change |
| QN69: Percentage of students who described themselves as slightly or very overweight | | | | | | | | | | | 30.1 | 28.9 | 30.5 | 31.1 | No linear change | Not available | No change |
| QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey) | | | | | | | | | | | 22.7 | 21.4 | 30.1 | 25.3 | No linear change | Not available | No change |
| QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey) | | | | | | | | | | | 16.2 | 14.7 | 15.9 | 17.4 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

¶Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|-----------------------|--------------------------|--------------------------------|-----------|
| Weight Management and Dietary Behaviors | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 7.4 | 6.9 | 7.8 | 8.5 | No linear change | Not available [§] | No change |
| QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 57.5 | 55.0 | 54.8 | 56.8 | No linear change | Not available | No change |
| QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 26.7 | 27.4 | 28.4 | 26.2 | No linear change | Not available | No change |
| QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 18.7 | 19.6 | 15.7 | 17.9 | No linear change | Not available | No change |
| QN73: Percentage of students who did not eat salad (during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 38.0 | 40.3 | 42.9 | 46.2 | Increased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|----------------------------|-----------|
| Weight Management and Dietary Behaviors | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN75: Percentage of students who did not eat carrots (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

| Male | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------------|----------------------------|--------------------------------|
| Weight Management and Dietary Behaviors | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 59.5 | 64.1 | 58.9 | 58.6 | No linear change | Not available [§] | No change |
| QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 30.9 | 28.3 | 31.9 | 23.8 | No linear change | Not available | Decreased |
| QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 15.7 | 16.8 | 17.4 | 12.0 | No linear change | Not available | Decreased |
| QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 14.4 | 16.0 | 16.2 | 17.5 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

Male

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | Decreased |
| | | | | | | 35.4 | 30.6 | 33.9 | 23.4 | | | | | | |
| QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased |
| | | | | | | 28.3 | 21.2 | 26.1 | 18.1 | | | | | | |
| QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 19.7 | 13.0 | 14.3 | 10.9 | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male | | | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|-----------------------|--------------------------|--------------------------------|------------------|----------------------------|---------------|-----------|
| Physical Activity | | | | | | | | | | | | | | | | |
| Health Risk Behavior and Percentages | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | | | | | | | | | 43.4 | 40.1 | 42.5 | No linear change | Not available [§] | No change | |
| QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | | | | | | | | | 13.3 | 14.9 | 16.2 | No linear change | Not available | No change | |
| QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey) | | | | | | | | | | 27.3 | 21.8 | 21.6 | No linear change | Not available | No change | |
| QN81: Percentage of students who watched television 3 or more hours per day (on an average school day) | | | | | | | | | | 23.6 | 28.9 | 31.6 | 23.6 | No linear change | Not available | Decreased |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Male
Physical Activity

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day) | | | | | | | | | | | | | Increased, 2009-2015 | Not available [§] | No change |
| | | | | | | | | | 31.4 | 34.8 | 42.3 | 38.5 | | | |
| QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 32.3 | 41.2 | 40.2 | 40.2 | | | |
| QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 14.1 | 19.6 | 18.6 | 19.7 | | | |
| QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 34.8 | 34.5 | 30.1 | 32.4 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

| Male Other | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------|----------------------|----------------------------|-----------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | | 2015 |
| QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 26.6 | 23.4 | 27.2 | 22.4 | No linear change | Not available [§] | No change |
| QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey) | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 31.8 | 33.8 | 43.9 | 38.1 | Increased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Male
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN91: Percentage of students who used chewing tobacco, snuff, or dip on school property (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change |
| | | | | | | | 18.6 | 13.6 | 14.4 | 12.0 | | | | | |
| QN92: Percentage of students who used Iqmik or blackbull (on at least 1 day during the past 30 days) | | | | | | | | | | | | | Increased, 2013-2015 | Not available | No change |
| | | | | | | | | | | | 5.6 | 8.6 | | | |
| QN93: Percentage of students who used Iqmik or blackbull on school property (on at least 1 day during the past 30 days) | | | | | | | | | | | | | Increased, 2013-2015 | Not available | No change |
| | | | | | | | | | | | 3.1 | 5.5 | | | |
| QN94: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least 1 day during the past 7 days) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | 71.1 | 62.4 | 55.0 | 55.8 | | | | | |
| QN95: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | 53.4 | 48.8 | 46.0 | 51.0 | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

| Male Site-Added | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|----------------------------|
| Health Risk Behavior and Percentages | | | | | | | | | | | | | | | |
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN96: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they have five or more drinks of an alcoholic beverage once or twice a week | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | | | | | | 24.8 | 22.2 | | | |
| QN98: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they smoke marijuana once or twice a week | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 4.8 | 6.3 | | | |
| QN99: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 24.3 | 20.3 | 18.0 | | |
| QN109: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 51.7 | 45.0 | 45.2 | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

**Male
Site-Added**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN110: Percentage of students who do not have one of their parents talk with them about what they are doing in school about every day | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN111: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement | | | | | | | | | | | | | No linear change | Not available | No change |
| QN112: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life | | | | | | | | | | | | | No linear change | Not available | No change |
| QN113: Percentage of students who do not spend any hours helping or volunteering at school or in the community (such as helping elders or neighbors; watching young children; teaching or tutoring; peer helping; mentoring; or helping out at local programs, health clinics, faith organizations, tribal organizations, or environmental organizations, during an average week) | | | | | | | | | | | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

Male
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN114: Percentage of students who do not take part in organized after school, evening, or weekend activities on any days (such as school clubs; community center groups; music, art, or dance lessons; drama; church; or cultural or other supervised activities, during an average week) | | | | | | | | | | | | | 68.2 | 66.3 | 67.6 | 65.9 | No linear change | Not available [§] | No change |
| QN115: Percentage of students who disagree or strongly disagree that they feel alone in their life | | | | | | | | | | | | | 53.6 | 48.1 | 56.8 | 49.3 | No linear change | Not available | Decreased |
| QN116: Percentage of students who strongly agree or agree that in their community they feel like they matter to people | | | | | | | | | | | | | 54.2 | 47.2 | 52.5 | 46.3 | No linear change | Not available | No change |
| QN117: Percentage of students who strongly agree or agree that their school has clear rules and consequences for behavior | | | | | | | | | | | | | 75.3 | 72.2 | 73.7 | 79.2 | No linear change | Not available | No change |
| QN118: Percentage of students who think their parents feel it would be wrong or very wrong for them to smoke marijuana | | | | | | | | | | | | | | | 54.1 | 50.9 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

**Male
Site-Added**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN119: Percentage of students who think their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 62.6 | 69.5 | Increased, 2013-2015 | Not available [§] | Increased |
| QN120: Percentage of students who think their parents feel it would be wrong or very wrong for them to smoke cigarettes | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 67.3 | 69.9 | No linear change | Not available | No change |
| QN122: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they smoked cigarettes | | | | | | | | | | | | | | | |
| | | | | | | | | | | 17.4 | 16.6 | 14.2 | No linear change | Not available | No change |
| QN123: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they began drinking alcoholic beverages regularly | | | | | | | | | | | | | | | |
| | | | | | | | | | | 22.1 | 22.3 | 19.1 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

Male
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN124: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they smoked marijuana | | | | | | | | | | | | | | | |
| | | | | | | | | | | 28.3 | 36.1 | 34.9 | Increased, 2011-2015 | Not available [§] | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Injury and Violence**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|----------------------------|------|------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey) | | | | | | | | | | | | | 89.2 | 88.6 | 87.0 | 88.2 | No linear change | Not available [§] | No change |
| QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else) | | | | | | | | | | | | | 10.9 | 9.2 | 10.0 | 9.3 | No linear change | Not available | No change |
| QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey) | | | | | | | | | | | | | 29.6 | 29.2 | 20.3 | 26.1 | No linear change | Not available | No change |
| QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | | | | | | | | | | | | 8.0 | 9.3 | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Female
Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|------|------|------|------|------|------|------|------|------|------|------|----------------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 37.8 | 34.5 | | | No linear change | Not available [§] | No change |
| QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | 6.3 | 5.5 | 5.5 | 11.8 | | | Increased, 2009-2015 | Not available | Increased |
| QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | 6.5 | 7.6 | 8.3 | 9.2 | | | No linear change | Not available | No change |
| QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | 39.7 | 40.5 | 37.3 | 24.9 | | | Decreased, 2009-2015 | Not available | Decreased |
| QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse) | | | | | | | | | | | | | | | |
| | | | | | | | 4.0 | 4.9 | 2.7 | 5.0 | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Injury and Violence**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | | | | 29.1 | 22.7 | 24.9 | 30.6 | | | |
| QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 20.0 | 21.6 | | | |
| QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 13.8 | 18.0 | | | |
| QN24: Percentage of students who were bullied on school property (during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | Increased |
| | | | | | | | | | 17.4 | 19.2 | 19.0 | 25.8 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Female
Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | 26.8 | 28.7 | 27.8 | | | | | | | |
| QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | 46.8 | 44.4 | 52.3 | 59.6 | | | | | | |
| QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | 22.1 | 23.9 | 31.7 | 37.1 | | | | | | |
| QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | 15.6 | 19.6 | 24.3 | 29.6 | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

Female
Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 12.9 | 13.8 | 19.2 | 28.4 | Increased, 2009-2015 | Not available [§] | Increased |
| QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 5.2 | 6.1 | 7.3 | 11.0 | Increased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Tobacco Use**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change | |
| | | | | | | 88.7 | 81.6 | 81.4 | 81.7 | | | | | | | |
| QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 30.8 | 31.5 | 33.6 | 30.4 | | | | | | | |
| QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 57.5 | 45.5 | 52.3 | 47.5 | | | | | | | |
| QNFRSIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 34.1 | 26.3 | 29.8 | 23.8 | | | | | | | |
| QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 24.3 | 19.5 | 21.3 | 18.2 | | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Tobacco Use**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | 5.8 | | 9.0 | | 9.0 | | 7.0 | | | |
| QN35: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 2.5 | | 5.1 | | 1.6 | | 2.2 | | | |
| QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 62.5 | | 71.9 | | 67.5 | | 66.8 | | | |
| QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | 6.7 | | 8.4 | | 12.4 | | 15.8 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

**Female
Tobacco Use**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | | | | 18.0 | 16.1 | 19.6 | 16.3 | | | |
| QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 61.6 | 52.1 | 57.3 | 56.0 | | | |
| QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 59.5 | 50.5 | 55.5 | 50.5 | | | |
| QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 40.3 | 50.2 | 43.9 | 46.1 | | | |
| QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 41.5 | 51.2 | 45.6 | 50.9 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Female

Alcohol and Other Drug Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life) | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | Decreased | |
| | | | | | | | 89.4 | 83.7 | 84.5 | 78.4 | | | | | |
| QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips) | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | | 29.5 | 30.7 | 28.8 | 24.9 | | | | | |
| QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | | 55.4 | 48.6 | 51.3 | 43.9 | | | | | |
| QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased | |
| | | | | | | | 42.9 | 36.3 | 39.1 | 30.3 | | | | | |
| QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol) | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | | | | 40.3 | 40.2 | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

Female

Alcohol and Other Drug Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN47: Percentage of students who ever used marijuana (one or more times during their life) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN48: Percentage of students who tried marijuana before age 13 years (for the first time) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

Female

Alcohol and Other Drug Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased |
| QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Sexual Behaviors**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|----------------------------|------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN60: Percentage of students who ever had sexual intercourse | | | | | | | | | | | | | 86.7 | 82.9 | 80.6 | 79.3 | Decreased, 2009-2015 | Not available [§] | No change |
| QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time) | | | | | | | | | | | | | 8.1 | 9.9 | 9.7 | 11.6 | No linear change | Not available | No change |
| QN62: Percentage of students who had sexual intercourse with four or more persons (during their life) | | | | | | | | | | | | | 45.6 | 45.1 | 47.1 | 41.7 | No linear change | Not available | No change |
| QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey) | | | | | | | | | | | | | 71.7 | 66.1 | 64.7 | 62.8 | Decreased, 2009-2015 | Not available | No change |
| QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active) | | | | | | | | | | | | | 20.8 | 26.4 | 27.0 | 26.7 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Sexual Behaviors**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | Increased, 2013-2015 | Not available | Increased |
| QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Sexual Behaviors**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------------------|------------------|----------------------------|----------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | | | | | | 41.7 | 48.9 | | | |
| QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 11.2 | 12.3 | | | |
| | | | | | | | | 21.6 | 21.5 | 23.3 | 22.7 | No linear change | Not available | No change | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

Female

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | |
| QNOWT: Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart [§]) | | | | | | | | | | | | 19.1 | 19.7 | 20.7 | 25.4 | Increased, 2009-2015 | Not available [¶] | No change |
| QNOBESE: Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart [§]) | | | | | | | | | | | | 17.4 | 17.4 | 19.0 | 20.2 | No linear change | Not available | No change |
| QN69: Percentage of students who described themselves as slightly or very overweight | | | | | | | | | | | | 46.1 | 42.9 | 49.9 | 46.9 | No linear change | Not available | No change |
| QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey) | | | | | | | | | | | | 19.7 | 22.7 | 22.1 | 23.9 | No linear change | Not available | No change |
| QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey) | | | | | | | | | | | | 10.6 | 17.2 | 11.4 | 10.7 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

¶Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

Female

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey) | | | | | | | | | | | | | 4.3 | 6.9 | 4.8 | 6.5 | No linear change | Not available [§] | No change |
| QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | 53.7 | 55.0 | 56.6 | 50.9 | No linear change | Not available | No change |
| QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | 24.5 | 26.1 | 19.9 | 20.5 | Decreased, 2009-2015 | Not available | No change |
| QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | 15.9 | 17.2 | 12.5 | 13.0 | No linear change | Not available | No change |
| QN73: Percentage of students who did not eat salad (during the 7 days before the survey) | | | | | | | | | | | | | 33.1 | 35.1 | 33.5 | 38.1 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

Female

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | 38.4 | 33.6 | 32.2 | 37.5 | | | | | | |
| QN75: Percentage of students who did not eat carrots (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 43.7 | 46.7 | 40.3 | 43.0 | | | | | | |
| QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 19.0 | 18.3 | 14.7 | 17.2 | | | | | | |
| QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 7.7 | 5.9 | 4.3 | 6.0 | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

Female

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | 55.7 | 62.6 | 63.2 | 58.3 | No linear change | Not available [§] | No change |
| QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | 23.2 | 30.3 | 25.7 | 24.7 | No linear change | Not available | No change |
| QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | 13.3 | 17.5 | 11.5 | 10.9 | Decreased, 2009-2015 | Not available | No change |
| QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | 16.2 | 15.9 | 18.1 | 23.2 | Increased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

Female

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | |
|---|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|--|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | Decreased, 2009-2015 | Not available [§] | No change | | |
| 26.2 | 30.4 | | 23.7 | 20.0 | | | | | | | | | | | | |
| QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | | |
| 17.8 | 21.3 | | 17.4 | 12.9 | | | | | | | | | | | | |
| QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | | |
| 11.3 | 13.7 | | 9.1 | 6.2 | | | | | | | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

**Female
Physical Activity**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|-------------------------|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available [§] | No change | |
| | | | | | | | | | | | 27.6 | 28.0 | 25.9 | | | |
| QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | | | | | | 24.8 | 20.5 | 19.7 | | | |
| QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | | | | | | 14.2 | 11.9 | 9.6 | | | |
| QN81: Percentage of students who watched television 3 or more hours per day (on an average school day) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | | | | | | 28.9 | 29.0 | 29.4 | 23.1 | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Physical Activity**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|----------------------------|------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day) | | | | | | | | | | | | | 18.1 | 25.2 | 33.4 | 32.6 | Increased, 2009-2015 | Not available [§] | No change |
| QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school) | | | | | | | | | | | | | 26.8 | 35.5 | 33.7 | 31.9 | No linear change | Not available | No change |
| QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school) | | | | | | | | | | | | | 12.1 | 13.5 | 12.8 | 16.0 | No linear change | Not available | No change |
| QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey) | | | | | | | | | | | | | 18.3 | 24.9 | 25.2 | 24.2 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

Female
Other

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma | | | | | | | | | | | | | | | |
| | | | | | | | | | 25.6 | 26.0 | 27.8 | 26.7 | No linear change | Not available [§] | No change |
| QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 46.9 | 47.2 | 48.8 | 49.7 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Female
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------|-------------------|-------------------------|------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN91: Percentage of students who used chewing tobacco, snuff, or dip on school property (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | 3.9 | 4.0 | 4.5 | 11.2 | Increased, 2009-2015 | Not available [§] | Increased |
| QN92: Percentage of students who used Iqmik or blackbull (on at least 1 day during the past 30 days) | | | | | | | | | | | | | | | 3.9 | 9.7 | Increased, 2013-2015 | Not available | Increased |
| QN93: Percentage of students who used Iqmik or blackbull on school property (on at least 1 day during the past 30 days) | | | | | | | | | | | | | | | 2.2 | 5.6 | No linear change | Not available | Increased |
| QN94: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least 1 day during the past 7 days) | | | | | | | | | | | | | 70.3 | 67.5 | 62.8 | 61.8 | Decreased, 2009-2015 | Not available | No change |
| QN95: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day | | | | | | | | | | | | | 62.1 | 59.2 | 58.0 | 50.3 | Decreased, 2009-2015 | Not available | Decreased |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Site-Added**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|----------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN96: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they have five or more drinks of an alcoholic beverage once or twice a week | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | 34.0 | | | | | 30.8 | | | | |
| QN98: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they smoke marijuana once or twice a week | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 6.3 | | | | | 5.8 | | | | |
| QN99: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 18.7 | | | | | 23.2 | 20.8 | | | |
| QN109: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 49.2 | | | | | 43.9 | 44.7 | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Site-Added**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN110: Percentage of students who do not have one of their parents talk with them about what they are doing in school about every day | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN111: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement | | | | | | | | | | | | | No linear change | Not available | No change |
| QN112: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life | | | | | | | | | | | | | No linear change | Not available | No change |
| QN113: Percentage of students who do not spend any hours helping or volunteering at school or in the community (such as helping elders or neighbors; watching young children; teaching or tutoring; peer helping; mentoring; or helping out at local programs, health clinics, faith organizations, tribal organizations, or environmental organizations, during an average week) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

Female
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN114: Percentage of students who do not take part in organized after school, evening, or weekend activities on any days (such as school clubs; community center groups; music, art, or dance lessons; drama; church; or cultural or other supervised activities, during an average week) | | | | | | | | | | | | | | | |
| | | | | | | | | | 68.9 | 63.3 | 63.4 | 63.3 | No linear change | Not available [§] | No change |
| QN115: Percentage of students who disagree or strongly disagree that they feel alone in their life | | | | | | | | | | | | | | | |
| | | | | | | | | | 53.6 | 50.8 | 46.4 | 47.3 | Decreased, 2009-2015 | Not available | No change |
| QN116: Percentage of students who strongly agree or agree that in their community they feel like they matter to people | | | | | | | | | | | | | | | |
| | | | | | | | | | 41.4 | 44.5 | 41.1 | 36.8 | No linear change | Not available | No change |
| QN117: Percentage of students who strongly agree or agree that their school has clear rules and consequences for behavior | | | | | | | | | | | | | | | |
| | | | | | | | | | 74.2 | 76.6 | 81.5 | 74.8 | No linear change | Not available | Decreased |
| QN118: Percentage of students who think their parents feel it would be wrong or very wrong for them to smoke marijuana | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 51.8 | 48.4 | No linear change | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**Female
Site-Added**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|----------------------------|----------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN119: Percentage of students who think their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| QN120: Percentage of students who think their parents feel it would be wrong or very wrong for them to smoke cigarettes | | | | | | | | | | | | | Increased, 2013-2015 | Not available | Increased |
| QN122: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they smoked cigarettes | | | | | | | | | | | | | Decreased, 2011-2015 | Not available | No change |
| QN123: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they began drinking alcoholic beverages regularly | | | | | | | | | | | | | Decreased, 2011-2015 | Not available | No change |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

Female
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change* | Quadratic Change* | Change from 2013-2015 † |
|---|------|------|------|------|------|------|------|------|------|------|------|------|------------------|----------------------------|-------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN124: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they smoked marijuana | | | | | | | | | | | | | No linear change | Not available [§] | No change |
| | | | | | | 39.4 | 37.2 | 34.6 | | | | | | | |

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*
Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [¶] | No change |
| | | | | | | | | | 90.2 | 89.6 | 84.3 | 83.8 | | | |
| QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 15.5 | 11.3 | 9.6 | 8.7 | | | |
| QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 31.4 | 31.3 | 26.1 | 24.0 | | | |
| QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 15.5 | 9.1 | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse) | | | | | | | | | | | | | No linear change | Not available | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [¶] | No change |
| | | | | | | | | | 23.6 | 18.1 | 16.3 | 17.4 | | | |
| QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 15.7 | 14.6 | | | |
| QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 10.8 | 11.4 | | | |
| QN24: Percentage of students who were bullied on school property (during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 16.9 | 16.3 | 20.2 | 21.4 | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

White*
Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| | | | | | | 21.3 | 22.7 | 20.3 | | | | | | | |
| QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 38.1 | 37.7 | 39.8 | 42.3 | | | | | | |
| QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | 19.7 | 20.7 | 26.3 | 30.7 | | | | | | |
| QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | 15.0 | 16.1 | 19.1 | 22.4 | | | | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

White*
Injury and Violence

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available [¶] | No change |
| QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**White*
Tobacco Use**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [¶] | No change |
| | | | | | | 86.4 | 83.3 | 79.9 | 76.1 | | | | | | |
| QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 31.2 | 33.3 | 24.2 | 21.0 | | | | | | |
| QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 59.5 | 50.2 | 48.6 | 42.3 | | | | | | |
| QNFRSIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 37.7 | 32.5 | 26.9 | 21.3 | | | | | | |
| QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 27.9 | 25.4 | 21.1 | 15.1 | | | | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*
Tobacco Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked) | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| | | | | | | 12.1 | 14.5 | 13.1 | 8.9 | | | | | | |
| QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 58.1 | 66.0 | 60.0 | 53.3 | | | | | | |
| QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 19.8 | 19.1 | 13.9 | 15.1 | | | | | | |
| QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 31.4 | 22.9 | 24.9 | 22.0 | | | | | | |
| QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 67.5 | 57.2 | 55.5 | 50.8 | | | | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

White*
Tobacco Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [¶] | No change |
| | | | | | | | | | 64.8 | 55.1 | 53.2 | 47.6 | | | |
| QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 36.8 | 45.2 | 46.7 | 53.0 | | | |
| QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 37.7 | 46.5 | 48.9 | 55.0 | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Alcohol and Other Drug Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [¶] | No change |
| | | | | | | | | | 90.7 | 84.4 | 84.7 | 80.9 | | | |
| QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 33.8 | 34.9 | 31.2 | 27.2 | | | |
| QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 60.8 | 55.5 | 53.9 | 46.2 | | | |
| QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased |
| | | | | | | | | | 47.5 | 43.3 | 40.6 | 32.6 | | | |
| QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | | | 35.6 | 35.2 | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Alcohol and Other Drug Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] | |
|--|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN47: Percentage of students who ever used marijuana (one or more times during their life) | | | | | | | | | | | | Decreased, 2009-2015 | Not available [¶] | No change | |
| | | | | | | 82.4 | 78.5 | 78.1 | 74.4 | | | | | | |
| QN48: Percentage of students who tried marijuana before age 13 years (for the first time) | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 35.3 | 31.9 | 31.6 | 25.3 | | | | | | |
| QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 54.7 | 49.6 | 51.1 | 53.6 | | | | | | |
| QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life) | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 35.1 | 30.1 | 24.4 | 23.6 | | | | | | |
| QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life) | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change | |
| | | | | | | 22.9 | 22.6 | 15.4 | 18.9 | | | | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Alcohol and Other Drug Use

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life) | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life) | | | | | | | | | | | | | No linear change | Not available | No change |
| QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey

Trend Analysis Report

White*
Sexual Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN60: Percentage of students who ever had sexual intercourse | | | | | | | | | | | | | 83.4 | 80.8 | 81.6 | 75.8 | Decreased, 2009-2015 | Not available [¶] | No change |
| QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time) | | | | | | | | | | | | | 11.2 | 12.0 | 10.0 | 11.4 | No linear change | Not available | No change |
| QN62: Percentage of students who had sexual intercourse with four or more persons (during their life) | | | | | | | | | | | | | 46.0 | 45.7 | 40.7 | 36.2 | Decreased, 2009-2015 | Not available | No change |
| QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey) | | | | | | | | | | | | | 67.3 | 63.3 | 60.4 | 53.9 | Decreased, 2009-2015 | Not available | No change |
| QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active) | | | | | | | | | | | | | 27.3 | 31.2 | 32.2 | 31.8 | No linear change | Not available | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Sexual Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|------|----------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | 46.1 | 43.7 | 34.0 | 41.0 | No linear change | Not available [¶] | No change |
| QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | 22.7 | 19.0 | 18.7 | 13.6 | Decreased, 2009-2015 | Not available | No change |
| QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | 12.2 | 18.9 | | | No linear change | Not available | No change |
| QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | 9.8 | 18.0 | | | Increased, 2013-2015 | Not available | Increased |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report**

**White*
Sexual Behaviors**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 40.7 | 50.5 | Increased, 2013-2015 | Not available [¶] | No change |
| QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 8.6 | 11.8 | No linear change | Not available | No change |
| QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active) | | | | | | | | | | | | | | | |
| | | | | | | | | | 16.0 | 14.8 | 18.8 | 9.5 | No linear change | Not available | Decreased |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|--|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | |
| QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart [¶]) | | | | | | | | | | | | | No linear change | Not available** | No change | |
| | | | | | | 16.0 | 14.9 | 14.6 | 17.1 | | | | | | | |
| QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart [¶]) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 17.6 | 14.7 | 21.1 | 21.3 | | | | | | | |
| QN69: Percentage of students who described themselves as slightly or very overweight | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 37.8 | 35.3 | 39.6 | 36.6 | | | | | | | |
| QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 22.7 | 21.5 | 25.1 | 22.6 | | | | | | | |
| QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change | |
| | | | | | | 12.9 | 18.1 | 13.9 | 17.5 | | | | | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

**Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| | | | | | | | | | 5.4 | 7.9 | 6.3 | 8.3 | | | |
| QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 54.9 | 53.1 | 56.9 | 49.7 | | | |
| QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 23.7 | 22.5 | 23.9 | 18.8 | | | |
| QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 15.7 | 14.0 | 11.4 | 11.3 | | | |
| QN73: Percentage of students who did not eat salad (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | Increased |
| | | | | | | | | | 35.9 | 35.7 | 33.5 | 42.4 | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| | | | | | | 35.4 | 29.6 | 33.9 | 33.1 | | | | | | |
| QN75: Percentage of students who did not eat carrots (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 45.6 | 45.9 | 43.7 | 46.5 | | | | | | |
| QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 20.6 | 18.1 | 16.0 | 17.4 | | | | | | |
| QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 6.9 | 4.9 | 5.4 | 6.2 | | | | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|------|------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | 56.1 | 63.8 | 63.9 | 57.9 | No linear change | Not available [¶] | No change |
| QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | 25.8 | 27.4 | 28.7 | 22.0 | No linear change | Not available | Decreased |
| QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | | | | | | | | | | | | 13.0 | 13.6 | 13.1 | 9.4 | No linear change | Not available | No change |
| QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | 17.2 | 18.8 | 18.3 | 19.5 | No linear change | Not available | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Weight Management and Dietary Behaviors

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [¶] | Decreased |
| | | | | | | 30.5 | 29.2 | 25.7 | 18.9 | | | | | | |
| QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | Decreased |
| | | | | | | 22.2 | 20.0 | 19.4 | 13.0 | | | | | | |
| QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | 13.9 | 10.4 | 10.5 | 7.6 | | | | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Physical Activity

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey) | | | | | | | | | | | | | Decreased, 2011-2015 | Not available | No change |
| QN81: Percentage of students who watched television 3 or more hours per day (on an average school day) | | | | | | | | | | | | | No linear change | Not available | Decreased |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*

Physical Activity

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day) | | | | | | | | | | | | | Increased, 2009-2015 | Not available [¶] | No change |
| | | | | | | | | | 25.3 | 28.7 | 41.0 | 35.6 | | | |
| QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school) | | | | | | | | | | | | | Increased, 2009-2015 | Not available | No change |
| | | | | | | | | | 27.7 | 32.9 | 34.5 | 34.2 | | | |
| QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 14.4 | 16.2 | 18.0 | 17.5 | | | |
| QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 24.7 | 26.7 | 23.1 | 24.7 | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

| White* Other | Health Risk Behavior and Percentages | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| | 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | | | |
| QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma | | | | | | | | | | | | | | | |
| | | | | | | | | | 25.1 | 23.8 | 25.0 | 24.3 | No linear change | Not available [¶] | No change |
| QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey) | | | | | | | | | | | | | | | |
| | | | | | | | | | 43.3 | 43.9 | 50.4 | 45.0 | No linear change | Not available | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**White*
Site-Added**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN91: Percentage of students who used chewing tobacco, snuff, or dip on school property (on at least 1 day during the 30 days before the survey) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available [¶] | No change |
| | | | | | | | | | 13.8 | 9.6 | 7.8 | 8.1 | | | |
| QN92: Percentage of students who used Iqmik or blackbull (on at least 1 day during the past 30 days) | | | | | | | | | | | | | No linear change | Not available | Increased |
| | | | | | | | | | | | 1.7 | 4.2 | | | |
| QN93: Percentage of students who used Iqmik or blackbull on school property (on at least 1 day during the past 30 days) | | | | | | | | | | | | | No linear change | Not available | Increased |
| | | | | | | | | | | | 0.8 | 2.7 | | | |
| QN94: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least 1 day during the past 7 days) | | | | | | | | | | | | | Decreased, 2009-2015 | Not available | No change |
| | | | | | | | | | 76.1 | 74.5 | 63.6 | 68.0 | | | |
| QN95: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | | | | 58.6 | 55.1 | 58.7 | 57.2 | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**White*
Site-Added**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|--|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN96: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they have five or more drinks of an alcoholic beverage once or twice a week | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| | | | | | | 27.9 | | | | | 22.8 | | | | |
| QN98: Percentage of students who think people greatly risk harming themselves (physically or in other ways) if they smoke marijuana once or twice a week | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 5.6 | | | | | 5.7 | | | | |
| QN99: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 25.5 | | | | | 25.3 | | | 20.9 | |
| QN109: Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 51.4 | | | | | 43.3 | | | 46.1 | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN110: Percentage of students who do not have one of their parents talk with them about what they are doing in school about every day | | | | | | | | | | | | | No linear change | Not available [¶] | Increased |
| QN111: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement | | | | | | | | | | | | | No linear change | Not available | No change |
| QN112: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life | | | | | | | | | | | | | No linear change | Not available | No change |
| QN113: Percentage of students who do not spend any hours helping or volunteering at school or in the community (such as helping elders or neighbors; watching young children; teaching or tutoring; peer helping; mentoring; or helping out at local programs, health clinics, faith organizations, tribal organizations, or environmental organizations, during an average week) | | | | | | | | | | | | | No linear change | Not available | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

White*
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|------|------------------|----------------------------|-----------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | | | | | |
| QN114: Percentage of students who do not take part in organized after school, evening, or weekend activities on any days (such as school clubs; community center groups; music, art, or dance lessons; drama; church; or cultural or other supervised activities, during an average week) | | | | | | | | | | | | | 69.8 | 69.3 | 66.5 | 65.7 | No linear change | Not available [¶] | No change |
| QN115: Percentage of students who disagree or strongly disagree that they feel alone in their life | | | | | | | | | | | | | 51.9 | 49.4 | 50.8 | 46.4 | No linear change | Not available | No change |
| QN116: Percentage of students who strongly agree or agree that in their community they feel like they matter to people | | | | | | | | | | | | | 46.2 | 44.6 | 45.3 | 42.4 | No linear change | Not available | No change |
| QN117: Percentage of students who strongly agree or agree that their school has clear rules and consequences for behavior | | | | | | | | | | | | | 75.8 | 75.4 | 81.0 | 78.3 | No linear change | Not available | No change |
| QN118: Percentage of students who think their parents feel it would be wrong or very wrong for them to smoke marijuana | | | | | | | | | | | | | 48.3 | 45.8 | | | No linear change | Not available | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey Trend Analysis Report

**White*
Site-Added**

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|---------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN119: Percentage of students who think their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day | | | | | | | | | | | | | No linear change | Not available [¶] | No change |
| | | | | | | 63.0 | | | | | 65.8 | | | | |
| QN120: Percentage of students who think their parents feel it would be wrong or very wrong for them to smoke cigarettes | | | | | | | | | | | | | No linear change | Not available | No change |
| | | | | | | 69.0 | | | | | 73.3 | | | | |
| QN122: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they smoked cigarettes | | | | | | | | | | | | | Decreased, 2011-2015 | Not available | No change |
| | | | | | | 21.5 | | | | | 17.3 | 14.9 | | | |
| QN123: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they began drinking alcoholic beverages regularly | | | | | | | | | | | | | Decreased, 2011-2015 | Not available | Decreased |
| | | | | | | 29.2 | | | | | 28.1 | 21.6 | | | |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Alaska (Recoded Race) Alternative High School Survey
Trend Analysis Report

White*
Site-Added

| Health Risk Behavior and Percentages | | | | | | | | | | | | | Linear Change [†] | Quadratic Change [†] | Change from 2013-2015 [§] |
|---|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|-------------------------------|------------------------------------|
| 1991 | 1993 | 1995 | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 | 2011 | 2013 | 2015 | | | |
| QN124: Percentage of students who think there is some chance, pretty good chance, or very good chance they would be seen as cool if they smoked marijuana | | | | | | | | | | | | | No linear change | Not available [¶] | No change |

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

[¶]Not enough years of data to calculate.