

2013 YOUTH RISK BEHAVIOR SURVEY

**Alaska Statewide: Alternative HS 2013
Compared to
Alaska Statewide: Traditional HS 2013
Final Graph Report
For
Risk Behaviors**

**If you need any other information or encounter material on our website
that you are unable to access and need assistance, please contact:**

Kate Oliver, Research Analyst

Kathleen.Oliver@Alaska.gov

(907) 269-8495

or

Gail Stolz, YRBS Program Coordinator

Gail.Stolz@Alaska.gov

(907) 269-8034

with the:

Section of Chronic Disease Prevention and Health Promotion
Alaska Department of Health and Social Services

2013 YOUTH RISK BEHAVIOR SURVEY

Alaska Statewide Alternative High School Survey

Sample Description:

School Level - There were 16 alternative schools selected for the statewide alternative sample. These schools were selected based on criteria that they served students who were disproportionately at risk youth who have been unsuccessful in traditional school settings.

Class Level - All classes in the eligible schools were surveyed.

Response Rates:

Schools - 100% 16 of 16 sampled schools participated.

Students - 61% 818 of the 1332 sampled students submitted questionnaires.

Overall response rate - $100\% * 61\% = 61\%$

Note:

Because the overall response rate equaled or exceeded the 50% threshold established for schools that administer surveys to all of their students, the data were weighted and are representative of the entire student body. Confidence intervals are generated for weighted data where the number of responses is greater than or equal to 30 and collected from more than a single classroom unit.

District	School	Surveys	Class Enrollment	Response Rate
SUMMARY		818	1332	61%
Anchorage	AVAIL School	43	81	53%
Anchorage	Benson	92	201	46%
Anchorage	Crossroads School	7	26	27%
Anchorage	S.A.V.E. High School	97	150	65%
Delta/Greely	New Horizons High	16	19	84%
Juneau Borough	Yaakoosge Daakahidi	51	74	69%
Kenai Peninsula Borough	Homer Flex School	25	41	61%
Kenai Peninsula Borough	Kenai Alternative High	44	69	64%
Ketchikan Gateway	Revilla Jr/Sr High School	76	91	84%
Lower Kuskokwim	Kuskokwim Learning	37	43	86%
North Slope Borough	Kiita Learning	43	68	63%
Mat-Su Borough	American Charter	39	54	72%
Mat-Su Borough	Burchell High School	93	192	48%
Mat-Su Borough	Mat-Su Day School	7	13	54%
Mat-Su Borough	Valley Pathways	122	176	69%
Sitka	Pacific High School	26	34	76%

2013 YOUTH RISK BEHAVIOR SURVEY

Alaska Traditional High School Survey

Sample Description:

School Level - All regular public schools containing grades 9, 10, 11, or 12 with enrollments of ten or more were included in the sampling frame. Schools were selected systematically with probability proportional to enrollment in grades 9 through 12 using a random start. 43 schools were sampled.

Class Level - All classes meeting during a particular period of the day were included in the sampling frame. Systematic equal probability sampling with a random start was used to select classes from each school that participated in the survey.

Response Rates:


Schools - 100% 43 of 43 sampled schools participated
Students - 63% 1,247 of the 1,992 sampled students submitted questionnaires.
1,235 questionnaires were usable after data editing.
Overall response rate - $100\% * 63\% = 63\%$

Special Note:

Because the overall response rate equaled or exceeded the 60% threshold, the data were weighted and are representative of the entire student body.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are underweight (i.e., below the 5th percentile for body mass index, by age and sex)




Question: 001-002 & 006-007 Responses weighted by combined enrollments of sex within grade.

Valid cases = 769 and 1167

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)




Question: 001-002 & 006-009 Responses weighted by combined enrollments of sex within grade.

Valid cases = 769 and 1167

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are obese (i.e., at or above the 95th percentile for body mass index, by age and sex)




Question: 001-002 & 006-010 Responses weighted by combined enrollments of sex within grade.

Valid cases = 769 and 1167

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are overweight or obese (i.e., at or above the 85th percentile for body mass index, by age and sex)




Question: 001-002 & 006-011 Responses weighted by combined enrollments of sex within grade.

Valid cases = 769 and 1167

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who are are underweight, overweight or obese (i.e., below the 5th percentile or above the 85th percentile for body mass index, by age and sex for body mass index, by age and sex)




Question: 001-002 & 006-008 Responses weighted by combined enrollments of sex within grade.

Valid cases = 769 and 1167

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who received grades of mostly Ds and Fs during the past 12 months




Question: 008 Responses weighted by combined enrollments of sex within grade.

Valid cases = 801 and 1222

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who rode a bicycle during the past 12 months, the percentage who rarely or never wore a bicycle helmet




Question: 009 Responses weighted by combined enrollments of sex within grade.

Valid cases = 486 and 873

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who rode a bicycle during the past 12 months, the percentage who never wore a bicycle helmet




Question: 009 Responses weighted by combined enrollments of sex within grade.

Valid cases = 486 and 873

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who rarely or never wore a seat belt when riding in a car driven by someone else




Question: 010 Responses weighted by combined enrollments of sex within grade.

Valid cases = 807 and 1220

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who never wore a seat belt when riding in a car driven by someone else




Question: 010 Responses weighted by combined enrollments of sex within grade.

Valid cases = 807 and 1220

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol




Question: 011 Responses weighted by combined enrollments of sex within grade.

Valid cases = 812 and 1230

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol




Question: 012 Responses weighted by combined enrollments of sex within grade.

Valid cases = 719 and 1116

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among the students who drove a car or other vehicle during the past 30 days, the percentage who drove one or more times when they had been drinking alcohol




Question: 012 Responses weighted by combined enrollments of sex within grade.

Valid cases = 426 and 678

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving




Question: 013 Responses weighted by combined enrollments of sex within grade.

Valid cases = 444 and 698

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who carried a weapon such as a gun, knife, or club on at least one of the past 30 days




Question: 014 Responses weighted by combined enrollments of sex within grade.

Valid cases = 781 and 1191

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who carried a gun on one or more of the past 30 days




Question: 015 Responses weighted by combined enrollments of sex within grade.

Valid cases = 791 and 1201

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who carried a weapon such as a gun, knife, or club on school property on at least one of the past 30 days




Question: 016 Responses weighted by combined enrollments of sex within grade.

Valid cases = 792 and 1219

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not go to school on at least one of the past 30 days because they felt they would be unsafe at school or on their way to or from school




Question: 017 Responses weighted by combined enrollments of sex within grade.

Valid cases = 808 and 1231

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were in a physical fight one or more times during the past 12 months




Question: 018 Responses weighted by combined enrollments of sex within grade.

Valid cases = 797 and 1224

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse




Question: 019 Responses weighted by combined enrollments of sex within grade.

Valid cases = 785 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to




Question: 020 Responses weighted by combined enrollments of sex within grade.

Valid cases = 800 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out to do sexual things that they did not want to one or more times during the past 12 months




Question: 022 Responses weighted by combined enrollments of sex within grade.

Valid cases = 587 and 770

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

The percentage of students who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months




Question: 021 Responses weighted by combined enrollments of sex within grade.

Valid cases = 763 and 1192

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had been bullied on school property during the past 12 months




Question: 023 Responses weighted by combined enrollments of sex within grade.

Valid cases = 797 and 1222

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were electronically bullied during the past 12 months




Question: 024 Responses weighted by combined enrollments of sex within grade.

Valid cases = 802 and 1219

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months




Question: 025 Responses weighted by combined enrollments of sex within grade.

Valid cases = 787 and 1194

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had seriously considered attempting suicide during the past 12 months




Question: 026 Responses weighted by combined enrollments of sex within grade.

Valid cases = 802 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who made a plan about how they would attempt suicide during the past 12 months




Question: 027 Responses weighted by combined enrollments of sex within grade.

Valid cases = 797 and 1222

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who actually attempted suicide one or more times during the past 12 months




Question: 028 Responses weighted by combined enrollments of sex within grade.

Valid cases = 705 and 1080

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse




Question: 029 Responses weighted by combined enrollments of sex within grade.

Valid cases = 701 and 1070

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ever tried cigarette smoking, even one or two puffs




Question: 030 Responses weighted by combined enrollments of sex within grade.

Valid cases = 773 and 1161

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked a whole cigarette for the first time before age 13 years




Question: 031 Responses weighted by combined enrollments of sex within grade.

Valid cases = 755 and 1151

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigarettes on at least one of the past 30 days (current cigarette use)




Question: 032 Responses weighted by combined enrollments of sex within grade.

Valid cases = 741 and 1164

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigarettes on 20 or more of the past 30 days




Question: 032 Responses weighted by combined enrollments of sex within grade.

Valid cases = 741 and 1164

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days




Question: 033 Responses weighted by combined enrollments of sex within grade.

Valid cases = 348 and 108

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days




Question: 001 & 034 Responses weighted by combined enrollments of sex within grade.

Valid cases = 210 and 87

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigarettes on school property on at least one of the past 30 days




Question: 035 Responses weighted by combined enrollments of sex within grade.

Valid cases = 784 and 1201

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days




Question: 036 Responses weighted by combined enrollments of sex within grade.

Valid cases = 779 and 1166

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current cigarette use, the percentage who had not tried to quit smoking cigarettes during the past 12 months




Question: 032 & 037 Responses weighted by combined enrollments of sex within grade.

Valid cases = 339 and 102

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used chewing tobacco, snuff, or dip on at least one of the past 30 days




Question: 038 Responses weighted by combined enrollments of sex within grade.

Valid cases = 808 and 1229

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used chewing tobacco, snuff, or dip on school property on at least one of the past 30 days




Question: 039 Responses weighted by combined enrollments of sex within grade.

Valid cases = 808 and 1231

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used Iqmik or Blackbull on one or more of the past 30 days




Question: 040 Responses weighted by combined enrollments of sex within grade.

Valid cases = 787 and 1217

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used Iqmik or Blackbull on school property in the past 30 days




Question: 041 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigars, cigarillos, or little cigars on at least one of the past 30 days




Question: 042 Responses weighted by combined enrollments of sex within grade.

Valid cases = 800 and 1229

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who smoked cigarettes, or cigars, or cigarillos or little cigars, or used chewing tobacco, snuff or dip on at least one of the past 30 days




Question: 032, 038 & 042 Responses weighted by combined enrollments of sex within grade.

Valid cases = 735 and 1161

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were in the same room with someone who was smoking in the past week




Question: 043 Responses weighted by combined enrollments of sex within grade.

Valid cases = 798 and 1224

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think smoking one or more packs of cigarettes per day has slight risk or no risk of harm




Question: 044 Responses weighted by combined enrollments of sex within grade.

Valid cases = 799 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think smoking one or more packs of cigarettes per day has no risk of harm




Question: 044 Responses weighted by combined enrollments of sex within grade.

Valid cases = 799 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had at least one drink of alcohol on at least one day during their life




Question: 045 Responses weighted by combined enrollments of sex within grade.

Valid cases = 772 and 1188

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had their first drink of alcohol other than a few sips before age 13 years




Question: 046 Responses weighted by combined enrollments of sex within grade.

Valid cases = 798 and 1210

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had at least one drink of alcohol on at least one of the past 30 days (current alcohol use)




Question: 047 Responses weighted by combined enrollments of sex within grade.

Valid cases = 691 and 1110

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had five or more drinks of alcohol in a row within a couple of hours, on at least one of the past 30 days




Question: 048 Responses weighted by combined enrollments of sex within grade.

Valid cases = 745 and 1182

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days




Question: 049 Responses weighted by combined enrollments of sex within grade.

Valid cases = 712 and 1135

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by buying it during the past 30 days




Question: 047 & 050 Responses weighted by combined enrollments of sex within grade.

Valid cases = 312 and 252

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months




Question: 021 Responses weighted by combined enrollments of sex within grade.

Valid cases = 590 and 769

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by having someone buy it for them during the past 30 days




Question: 047 & 050 Responses weighted by combined enrollments of sex within grade.

Valid cases = 312 and 252

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by someone giving it to them during the past 30 days




Question: 047 & 050 Responses weighted by combined enrollments of sex within grade.

Valid cases = 312 and 252

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think drinking one or two alcoholic beverages nearly every day has slight risk or no risk of harm




Question: 051 Responses weighted by combined enrollments of sex within grade.

Valid cases = 796 and 1220

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think drinking one or two alcoholic beverages nearly every day has no risk of harm




Question: 051 Responses weighted by combined enrollments of sex within grade.

Valid cases = 796 and 1220

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think drinking five or more alcoholic beverages once or twice a week has slight risk or no risk of harm




Question: 052 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1211

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think drinking five or more alcoholic beverages once or twice a week has no risk of harm




Question: 052 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1211

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had used marijuana one or more times during their life




Question: 053 Responses weighted by combined enrollments of sex within grade.

Valid cases = 765 and 1185

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had tried marijuana for the first time before age 13 years




Question: 054 Responses weighted by combined enrollments of sex within grade.

Valid cases = 773 and 1194

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had used marijuana one or more times during the past 30 days




Question: 055 Responses weighted by combined enrollments of sex within grade.

Valid cases = 769 and 1189

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think smoking marijuana once or twice a week has slight risk or no risk of harm




Question: 056 Responses weighted by combined enrollments of sex within grade.

Valid cases = 794 and 1218

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think smoking marijuana once or twice a week has no risk of harm




Question: 056 Responses weighted by combined enrollments of sex within grade.

Valid cases = 794 and 1218

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had used any form of cocaine, including powder, crack, or freebase one or more times during their life




Question: 057 Responses weighted by combined enrollments of sex within grade.

Valid cases = 806 and 1221

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life




Question: 058 Responses weighted by combined enrollments of sex within grade.

Valid cases = 802 and 1220

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had used heroin one or more times during their life




Question: 059 Responses weighted by combined enrollments of sex within grade.

Valid cases = 803 and 1219

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had used methamphetamines one or more times during their life




Question: 060 Responses weighted by combined enrollments of sex within grade.

Valid cases = 804 and 1219

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had used ecstasy one or more times during their life




Question: 061 Responses weighted by combined enrollments of sex within grade.

Valid cases = 797 and 1213

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who have ever taken a prescription drug without a prescription from a doctor during their life




Question: 062 Responses weighted by combined enrollments of sex within grade.

Valid cases = 802 and 1225

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who took a prescription drug without a prescription from a doctor one or more times during the past 30 days




Question: 063 Responses weighted by combined enrollments of sex within grade.

Valid cases = 803 and 1223

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who used marijuana or a prescribed drug without a prescription in the past 30 days




Question: 053 & 063 Responses weighted by combined enrollments of sex within grade.

Valid cases = 763 and 1186

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who have ever used marijuana, cocaine, solvents, heroin, methamphetamines, ecstasy, or unprescribed drugs




Question: 055 & 057-062 Responses weighted by combined enrollments of sex within grade.

Valid cases = 749 and 1168

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had used a needle to inject any illegal drug into their body one or more times during their life




Question: 064 Responses weighted by combined enrollments of sex within grade.

Valid cases = 792 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ever had sexual intercourse




Question: 065 Responses weighted by combined enrollments of sex within grade.

Valid cases = 706 and 1103

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had sexual intercourse for the first time before age 13 years




Question: 066 Responses weighted by combined enrollments of sex within grade.

Valid cases = 707 and 1102

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who have had sexual intercourse with four or more people during their life




Question: 067 Responses weighted by combined enrollments of sex within grade.

Valid cases = 690 and 1094

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who have ever had sexual intercourse the percentage who had sexual intercourse with at least one person during the past three months




Question: 068 Responses weighted by combined enrollments of sex within grade.

Valid cases = 535 and 419

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who have had sexual intercourse with at least one person during the past 3 months




Question: 068 Responses weighted by combined enrollments of sex within grade.

Valid cases = 707 and 1106

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse




Question: 068 & 069 Responses weighted by combined enrollments of sex within grade.

Valid cases = 389 and 268

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who did not use a condom during last sexual intercourse




Question: 068 & 070 Responses weighted by combined enrollments of sex within grade.

Valid cases = 383 and 267

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who have ever had sexual intercourse the percentage who did not use a condom the last time they had sexual intercourse




Question: 065 & 070 Responses weighted by combined enrollments of sex within grade.

Valid cases = 690 and 1090

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who did not use birth control pills to prevent pregnancy before last sexual intercourse




Question: 068 & 071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 380 and 264

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who did not use an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse




Question: 068 & 071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 380 and 264

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who did not use birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse




Question: 068 & 071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 380 and 264

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who did not use both a condom during last sexual intercourse and birth control pills or IUD (etc.) to prevent pregnancy before last sexual intercourse




Question: 068, 070 & 071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 378 and 261

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last intercourse




Question: 068 & 071 Responses weighted by combined enrollments of sex within grade.

Valid cases = 380 and 264

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who described themselves as slightly or very overweight




Question: 072 Responses weighted by combined enrollments of sex within grade.

Valid cases = 797 and 1220

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were trying to lose weight




Question: 073 Responses weighted by combined enrollments of sex within grade.

Valid cases = 793 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not drink 100% fruit juices one or more times during the past 7 days




Question: 074 Responses weighted by combined enrollments of sex within grade.

Valid cases = 796 and 1221

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat fruit one or more times during the past 7 days




Question: 075 Responses weighted by combined enrollments of sex within grade.

Valid cases = 794 and 1217

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat any fruit or drink any 100% fruit juice during the past 7 days




Question: 074 & 075 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ate fruit or drank 100% fruit juice less often than one time per day during the past 7 days




Question: 074 & 075 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ate fruit or drank 100% fruit juice less than two times per day during the past 7 days




Question: 074 & 075 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ate fruit or drank 100% fruit juice less than three times per day during the past 7 days




Question: 074 & 075 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat green salad one or more times during the past 7 days




Question: 076 Responses weighted by combined enrollments of sex within grade.

Valid cases = 798 and 1221

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat potatoes one or more times during the past 7 days




Question: 077 Responses weighted by combined enrollments of sex within grade.

Valid cases = 799 and 1222

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat carrots one or more times during the past 7 days




Question: 078 Responses weighted by combined enrollments of sex within grade.

Valid cases = 798 and 1222

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat other vegetables one or more times per day during the past 7 days




Question: 079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 796 and 1211

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not eat any vegetables during the past 7 days




Question: 076 - 079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1207

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ate vegetables less often than one time per day during the past 7 days




Question: 076 - 079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1207

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ate vegetables less than two times per day during the past 7 days




Question: 076 - 079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1207

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ate vegetables less than three times per day during the past 7 days




Question: 076 - 079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1207

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ate eat fruits and vegetables less than five times per day during the past 7 days




Question: 075 - 079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 778 and 1196

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who ate fruits less than two times and vegetables less than three times per day during the past 7 days




Question: 075 - 079 Responses weighted by combined enrollments of sex within grade.

Valid cases = 778 and 1196

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a can, bottle, or glass of soda or pop one or more times during the past 7 days




Question: 080 Responses weighted by combined enrollments of sex within grade.

Valid cases = 800 and 1221

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past 7 days




Question: 080 Responses weighted by combined enrollments of sex within grade.

Valid cases = 800 and 1221

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past 7 days




Question: 080 Responses weighted by combined enrollments of sex within grade.

Valid cases = 800 and 1221

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past 7 days




Question: 080 Responses weighted by combined enrollments of sex within grade.

Valid cases = 800 and 1221

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a sugar-sweetened drink one or more times during the past 7 days




Question: 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 795 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a sugar-sweetened drink one or more times per day during the past 7 days




Question: 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 795 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a sugar-sweetened drink two or more times per day during the past 7 days




Question: 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 795 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank a sugar-sweetened drink three or more times per day during the past 7 days




Question: 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 795 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank soda or another sugar-sweetened drink one or more times during the past 7 days




Question: 080 & 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 794 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank soda or another sugar-sweetened drink one or more times per day during the past 7 days




Question: 080 & 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 794 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank soda or another sugar-sweetened drink two or more times per day during the past 7 days




Question: 080 & 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 794 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who drank soda or another sugar-sweetened drink three or more times per day during the past 7 days




Question: 080 & 081 Responses weighted by combined enrollments of sex within grade.

Valid cases = 779 and 1186

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who physically active for a total of at least 60 minutes per day on zero of the past 7 days




Question: 082 Responses weighted by combined enrollments of sex within grade.

Valid cases = 792 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were physically active for a total of at least 60 minutes per day on fewer than five of the past 7 days




Question: 082 Responses weighted by combined enrollments of sex within grade.

Valid cases = 792 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who were physically active for a total of at least 60 minutes per day on fewer than seven of the past 7 days




Question: 82 Responses weighted by combined enrollments of sex within grade.

Valid cases = 792 and 1215

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who watched television three or more hours per day on an average school day




Question: 83 Responses weighted by combined enrollments of sex within grade.

Valid cases = 794 and 1216

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who played video or computer games or used a computer for something other than school work for three or more hours per day on an average school day




Question: 84 Responses weighted by combined enrollments of sex within grade.

Valid cases = 790 and 1213

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who, on an average day, watched TV, played videos, or used the computer for reasons other than school work for 3 or more hours per day




Question: 083 & 084 Responses weighted by combined enrollments of sex within grade.

Valid cases = 466 and 762

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who attended physical education (PE) classes on zero days in an average week when they were in school




Question: 85 Responses weighted by combined enrollments of sex within grade.

Valid cases = 786 and 1209

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not attend physical education (PE) classes five days in an average week when they were in school




Question: 85 Responses weighted by combined enrollments of sex within grade.

Valid cases = 786 and 1209

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not play on one or more sports teams during the past 12 months




Question: 86 Responses weighted by combined enrollments of sex within grade.

Valid cases = 787 and 1214

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had never been taught in school about AIDS or HIV infection




Question: 87 Responses weighted by combined enrollments of sex within grade.

Valid cases = 779 and 1210

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who had ever been told by a doctor or nurse that they had asthma




Question: 88 Responses weighted by combined enrollments of sex within grade.

Valid cases = 780 and 1208

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who missed school one or more times because they were sick during the past 30 days




Question: 89 Responses weighted by combined enrollments of sex within grade.

Valid cases = 786 and 1211

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who missed classes or school without permission one or more days during the past 30 days




Question: 90 Responses weighted by combined enrollments of sex within grade.

Valid cases = 784 and 1212

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who did not have at least one parent who talked with them about what they were doing in school about every day




Question: 91 Responses weighted by combined enrollments of sex within grade.

Valid cases = 778 and 1205

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who disagree or strongly disagree that their teachers really care about them and give them a lot of encouragement




Question: 92 Responses weighted by combined enrollments of sex within grade.

Valid cases = 786 and 1208

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who strongly disagree that their teachers really care about them and give them a lot of encouragement




Question: 92 Responses weighted by combined enrollments of sex within grade.

Valid cases = 786 and 1208

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who would not feel comfortable seeking help from at least one adult besides their parents if they had an important question affecting their life




Question: 93 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1211

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who would not feel comfortable seeking help from at least two adults besides their parents if they had an important question affecting their life




Question: 93 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1211

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who would not feel comfortable seeking help from at least three adults besides their parents if they had an important question affecting their life




Question: 93 Responses weighted by combined enrollments of sex within grade.

Valid cases = 789 and 1211

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not spend one or more hours helping or volunteering at school or in the community during an average week




Question: 94 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1202

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not spend two or more hours helping or volunteering at school or in the community during an average week




Question: 94 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1202

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not spend three or more hours helping or volunteering at school or in the community during an average week




Question: 94 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1202

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not take part in organized after school, evening, or weekend activities on one or more days during an average week




Question: 95 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1208

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not take part in organized after school, evening, or weekend activities on two or more days during an average week




Question: 95 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1208

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who do not take part in organized after school, evening, or weekend activities on three or more days during an average week




Question: 95 Responses weighted by combined enrollments of sex within grade.

Valid cases = 788 and 1208

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who agree or strongly agree that they feel alone in their life




Question: 96 Responses weighted by combined enrollments of sex within grade.

Valid cases = 775 and 1189

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who strongly agree that they feel alone in their life




Question: 96 Responses weighted by combined enrollments of sex within grade.

Valid cases = 775 and 1189

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who disagree or strongly disagree that in their community they feel like they matter to people




Question: 97 Responses weighted by combined enrollments of sex within grade.

Valid cases = 777 and 1183

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who strongly disagree that in their community they feel like they matter to people




Question: 97 Responses weighted by combined enrollments of sex within grade.

Valid cases = 777 and 1183

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who disagree or strongly disagree that their school has clear rules and consequences for behavior




Question: 98 Responses weighted by combined enrollments of sex within grade.

Valid cases = 783 and 1195

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who strongly disagree that their school has clear rules and consequences for behavior




Question: 98 Responses weighted by combined enrollments of sex within grade.

Valid cases = 783 and 1195

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents who consider it a little bit wrong or not wrong at all for them to smoke marijuana




Question: 99 Responses weighted by combined enrollments of sex within grade.

Valid cases = 780 and 1192

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents consider it not wrong at all for them to smoke marijuana




Question: 99 Responses weighted by combined enrollments of sex within grade.

Valid cases = 780 and 1192

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents consider it a little bit wrong or not at all wrong for them to have one or two alcoholic drinks per day




Question: 100 Responses weighted by combined enrollments of sex within grade.

Valid cases = 781 and 1191

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents consider it not at all wrong for them to have one or two alcoholic drinks per day




Question: 100 Responses weighted by combined enrollments of sex within grade.

Valid cases = 781 and 1191

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents consider it a little bit wrong or not wrong at all for them to smoke cigarettes




Question: 101 Responses weighted by combined enrollments of sex within grade.

Valid cases = 783 and 1189

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students whose parents consider it not wrong at all for them to smoke cigarettes




Question: 101 Responses weighted by combined enrollments of sex within grade.

Valid cases = 783 and 1189

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is a pretty good chance or a very good chance of being seen as cool if they smoke cigarettes




Question: 102 Responses weighted by combined enrollments of sex within grade.

Valid cases = 778 and 1190

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is a very good chance of being seen as cool if they smoke cigarettes




Question: 102 Responses weighted by combined enrollments of sex within grade.

Valid cases = 778 and 1190

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is a pretty good chance or a very good chance of being seen as cool if they drink alcohol regularly




Question: 103 Responses weighted by combined enrollments of sex within grade.

Valid cases = 781 and 1182

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is a very good chance of being seen as cool if they drink alcohol regularly




Question: 103 Responses weighted by combined enrollments of sex within grade.

Valid cases = 781 and 1182

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is a pretty good chance or a very good chance of being seen as cool if they smoke marijuana




Question: 104 Responses weighted by combined enrollments of sex within grade.

Valid cases = 776 and 1174

Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Percentage of students who think there is a a very good chance of being seen as cool if they smoke marijuana



Question: 104 Responses weighted by combined enrollments of sex within grade.

Valid cases = 776 and 1174


Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Injury Prevention Measures

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Violence Prevention Measures (part 1 of 2)

Alaska Statewide: Alternative HS 2013
 Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Violence Prevention Measures (part 2 of 2)

Alaska Statewide: Alternative HS 2013
 Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Suicide Measures

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Tobacco Use Measures (part 1 of 2)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Tobacco Use Measures (part 2 of 2)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Alcohol Use Measures (part 1 of 2)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Alcohol Use Measures (part 2 of 2)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Drug Use Measures (part 1 of 2)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Drug Use Measures (part 2 of 2)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Sexual Behavior Measures (Part 1 of 2)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Sexual Behavior Measures (Part 1 of 2)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Weight Status Measures

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Dietary Behavior Measures (part 1 of 4)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Dietary Behavior Measures (part 2 of 4)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Dietary Behavior Measures (part 3 of 4)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Dietary Behavior Measures (part 4 of 4)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Physical Activity Measures (part 1 of 2)

□ Alaska Statewide: Alternative HS 2013

■ Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Physical Activity Measures (part 2 of 2)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

HIV and Asthma Measures

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Risk Behavior Measures Before the Age of 13

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Activities on School Property Measures

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Connectedness Measures (part 1 of 3)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Connectedness Measures (part 2 of 3)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Connectedness Measures (part 3 of 3)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Perceptions of Harm and Acceptance Measures (part 1 of 2)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013




Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.

2013 YOUTH RISK BEHAVIOR SURVEY

Perceptions of Harm and Acceptance Measures (part 2 of 2)

- Alaska Statewide: Alternative HS 2013
- Alaska Statewide: Traditional HS 2013



Data statistically unreliable (DSU) indicates less than 100 respondents in the total, sex, or grade subgroups.