

What's New in VacTrAK as of 9/21/2016

VacTrAK has implemented a Forecast update (v5.16.7) that includes the following updates:

1. Added new vaccine (CVX) and manufacturer (MVX) codes

- *Seqirus* (SEQ) new manufacturer
- *Flucelvax*, influenza quadrivalent vaccine (CVX 171)
- *Fluad*, influenza trivalent vaccine (CVX 168)
- [2016-17 Influenza Vaccine Choices in VacTrAK](#) Now available on website!

2. Pneumococcal forecast for patients ≥ 65 years old

Incorrect pneumococcal vaccine type (PCV13 vs PPSV23) was previously forecasting for patients \geq age 65 years. Corrected to evaluate prior pneumococcal doses and correctly forecast specific type of pneumococcal vaccine.

3. Hepatitis B minimum intervals

If Hep B dose 3 is administered prior to 24 weeks of age the series will require administration of a 4th dose with an 8 week interval. Minimum spacing for Hep-B dose 4 was incorrectly calculating from last valid dose 2. Change enforces the calculation minimum interval to be calculated from the invalid dose 3.

4. Yellow Fever and live vaccines

Previously, the 30 day interval between Yellow Fever and other live vaccines (i.e. Varicella, MMR, Measles) was not calculating correctly for Yellow Fever vaccine and has been corrected.

5. Meningococcal (MCV) administered prior to age 11 years

Meningococcal doses administered prior to age 11 years was previously forecasting at high risk intervals. The forecast now follows the recommended adolescent schedule.

6. Known Forecast Issues in VacTrAK:

- **Zoster** is forecasting for adults **over age 60** years regardless of previous doses received at ages 50-59 years. There is not an ACIP recommendation for a second dose of zoster vaccine for anyone and a fix is expected soon.
- **Ixaro, Japanese Encephalitis** IM vaccine, is now manufactured by **Valneva (VAL)** instead of Intercell Biomedical (INT). New Manufacturer code VAL is expected to be added to VacTrAK soon.

Contact VacTrAK Support

| Anchorage: 269-0312 | Toll Free: 866-702-8725 | Email: vactrak@alaska.gov

Website: <http://dhss.alaska.gov/dph/Epi/iz/Pages/vactrak/default.aspx>

