

# CHILD AND ADOLESCENT DEATHS



*"Kittiwakes, St. George"*  
Copyright Rie Munoz, Ltd.

## INTRODUCTION

This chapter provides information on deaths to children and adolescents from 0 to 19 years of age. Deaths and death rates are reported by the following age groups: less than 1 year, 1 to 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, and the total number of child and adolescent deaths. Note that for infants less than 1 year of age, infant

death rates are reported only at the statewide level. The infant death rates reported in this chapter are different than the infant mortality rates reported in Chapter 2. Infant mortality rates are based on the number of live births, while infant death rates are based on the estimated population under 1 year of age.

Statewide child and adolescent deaths and death rates are reported by age group and the sex and race of the child or adolescent. However, due to the low number of reportable events for most areas, child and adolescent deaths by census area, borough, and Native Regional Corporation are only reported by age group. Also, since population estimates for infants less than one year of age are only available at the statewide level, the death rates for this age group are not reported by census area (borough). Infant mortality rates by census area (borough) are available in Chapter 2. Since population estimates are not available by Native Regional Corporation and age group, rates are not reported in Table 13.


Death rates for Alaskan adolescents are traditionally higher than the corresponding U.S. rates in all age groups (Table 10). Unfortunately, national death rates were not available for 2005 at the time of printing. Typically, Alaskan teens in the 15 to 19 age group are more likely to die from suicide compared with U.S. teens. In 2005, the suicide rate for this age group in Alaska was almost two and a half times the 2004 national rate (20.0 per 100,000 vs. 8.2). Also, Alaska has a higher rate of adolescent unintentional injury deaths than the U.S. The 2005 unintentional injury death rate for Alaska was 70.8 percent higher than the 2004 U.S. rate (24.6 per 100,000 vs. 14.4).

**TABLE 10 AGE-SPECIFIC ADOLESCENT DEATH RATES: ALASKA AND THE U.S.\*, 1996–2005**

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
<b>ALASKA</b>										
1–4	52.0	56.0	48.3	45.7	43.5	49.4	45.5	42.1	42.8	39.6
5–9	21.7	25.2	23.4	23.6	19.2	17.3	15.2	17.4	15.0	16.3
10–14	28.4	33.6	32.0	27.8	27.0	27.8	37.0	42.0	44.3	42.4
15–19	120.3	117.4	112.4	106.9	115.0	117.9	108.2	100.0	105.8	105.8
1–19	51.8	54.8	51.6	49.0	49.6	51.8	51.2	50.9	52.8	52.1
<b>U.S.</b>										
1–4	38.0	35.5	34.1	34.2	32.4	33.3	31.2	31.5	29.9	N/A
5–9	19.0	18.0	17.2	16.9	15.8	15.3	15.2	14.7	14.7	N/A
10–14	23.4	22.5	21.5	20.4	20.3	19.2	19.5	19.1	18.7	N/A
15–19	77.5	73.6	69.5	68.6	67.1	66.9	67.8	66.4	66.1	N/A
1–19	39.2	37.2	35.5	34.9	33.9	33.6	33.5	33.0	32.7	N/A

Note: Alaska rates are three-year moving averages. Rates are per 100,000 population.

**FIGURE 11 DEATH RATES FOR ADOLESCENTS AGE 15–19: ALASKA AND THE U.S.\*, 1996–2005**



Note: Alaska rates are three-year moving averages. U.S. rates are single year rates.

\* U.S. rates provided by the Centers for Disease Control and Prevention, National Center for Health Statistics. Compressed Mortality File (CMF) 1996–2004. CDC WONDER On-line Database, compiled from CMF 1989–1998, Series 20, No. 2E 2003 and CMF 1999–2004, Series 20, No. 2J 2007.

**TABLE 11 CHILD AND ADOLESCENT DEATHS BY RACE AND SEX:  
ALASKA, 2005 AND 2003–2005**

RACE /SEX	AGE GROUP											
	<1				1–4				5–9			
	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>
TOTAL DEATHS	60	576.6	200	643.7	9	21.0*	50	39.6	9	17.5*	25	16.3
BY RACE												
ASIAN/PI	9	1224.5*	15	710.9	2	80.8*	5	69.1*	1	33.2*	2	22.4*
BLACK	3	613.5*	15	990.1	0	0.0	1	15.6*	0	0.0	3	39.5*
NATIVE	19	696.7	72	906.0	6	59.4*	26	88.7	4	35.6*	11	32.5
WHITE	29	449.3	98	502.6	1	3.5*	18	21.6	4	11.5*	9	8.7*
BY SEX												
FEMALE	26	511.6	85	562.1	4	19.4*	21	34.5	6	24.0*	11	14.7
MALE	34	638.6	115	721.1	5	22.5*	29	44.3	3	11.3*	14	17.8

RACE /SEX	AGE GROUP											
	10–14				15–19				0–19			
	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>
TOTAL DEATHS	20	36.0	72	42.4	46	83.8	172	105.8	144	66.9	519	80.7
BY RACE												
ASIAN/PI	0	0.0	5	53.3*	4	129.4*	8	87.4*	16	128.8	35	95.1
BLACK	1	45.6*	2	28.9*	0	0.0	5	79.1*	4	42.4*	26	90.3
NATIVE	6	49.4*	20	53.1	25	203.3	84	234.2	60	123.7	213	147.3
WHITE	13	34.2	45	38.9	17	45.5	74	66.5	64	44.2	244	56.4
BY SEX												
FEMALE	8	29.4*	26	31.3	15	56.3	49	62.2	59	56.4	192	61.4
MALE	12	42.4	46	53.1	31	109.7	123	146.7	85	76.9	327	99.0

<sup>1</sup> Rates are per 100,000 total, race-specific, or sex-specific populations ages 0–19, respectively.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

**TABLE 12 CHILD AND ADOLESCENT DEATHS BY CENSUS AREA OR BOROUGH OF RESIDENCE AND AGE GROUP: ALASKA, 2005 AND 2003–2005**

CENSUS AREA/BOROUGH	0–4				5–9				10–14			
	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>
ALASKA	69	129.6	250	158.8	9	17.5*	25	16.3	20	36.0	72	42.4
ALEUTIANS EAST BOROUGH	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ALEUTIANS WEST CENSUS AREA	1	427.4*	2	288.6*	0	0.0	0	0.0	0	0.0	0	0.0
MUNICIPALITY OF ANCHORAGE	31	135.5	84	124.5	3	14.0*	6	9.3*	6	26.5*	28	40.8
BETHEL CENSUS AREA	3	143.8*	19	302.5	0	0.0	2	34.6*	1	52.8*	4	69.6*
BRISTOL BAY BOROUGH	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DENALI BOROUGH	0	0.0	1	322.6*	0	0.0	1	320.5*	0	0.0	2	533.3*
DILLINGHAM CENSUS AREA	0	0.0	1	70.2*	0	0.0	0	0.0	0	0.0	0	0.0
FAIRBANKS NORTH STAR BOROUGH	10	128.2	41	183.8	0	0.0	3	14.8*	2	28.5*	6	28.4*
HAINES BOROUGH	1	980.4*	1	314.5*	0	0.0	0	0.0	0	0.0	0	0.0
JUNEAU BOROUGH	1	49.8*	7	114.3*	0	0.0	0	0.0	0	0.0	2	27.1*
KENAI PENINSULA BOROUGH	5	157.2*	16	164.0	0	0.0	1	9.5*	2	48.1*	6	46.2*
KETCHIKAN GATEWAY BOROUGH	0	0.0	4	150.4*	0	0.0	0	0.0	0	0.0	0	0.0
KODIAK ISLAND BOROUGH	1	88.6*	4	116.8*	1	81.4*	2	54.2*	0	0.0	0	0.0
LAKE AND PENINSULA BOROUGH	0	0.0	0	0.0	3	2238.8*	3	728.2*	0	0.0	0	0.0
MATANUSKA-SUSITNA BOROUGH	7	131.6*	20	132.2	1	17.4*	2	12.1*	3	45.1*	9	46.4*
NOME CENSUS AREA	4	360.7*	17	525.7	1	104.9*	1	35.7*	2	194.4*	3	92.3*
NORTH SLOPE BOROUGH	0	0.0	6	254.9*	0	0.0	1	52.5*	0	0.0	0	0.0
NORTHWEST ARCTIC BOROUGH	0	0.0	7	281.7*	0	0.0	0	0.0	1	122.5*	1	37.5*
PRINCE OF WALES-OUTER KETCHIKAN CENSUS AREA	0	0.0	1	96.1*	0	0.0	0	0.0	0	0.0	0	0.0
SITKA BOROUGH	0	0.0	0	0.0	0	0.0	1	56.2*	0	0.0	1	51.4*
SKAGWAY-HOONAH-ANGOON CENSUS AREA	0	0.0	0	0.0	0	0.0	0	0.0	1	483.1*	1	150.2*
SOUTHEAST FAIRBANKS CENSUS AREA	0	0.0	1	70.2*	0	0.0	0	0.0	0	0.0	1	56.1*
VALDEZ-CORDOVA CENSUS AREA	0	0.0	1	50.9*	0	0.0	0	0.0	1	124.5*	2	80.3*
WADE HAMPTON CENSUS AREA	3	289.0*	8	256.2*	0	0.0	1	34.6*	1	102.0*	4	132.8*
WRANGELL-PETERSBURG CENSUS AREA	1	274.0*	1	89.6*	0	0.0	0	0.0	0	0.0	1	66.0*
YAKUTAT BOROUGH	0	0.0	0	0.0	0	0.0	1	909.1*	0	0.0	0	0.0
YUKON-KOYUKUK CENSUS AREA	1	243.3*	6	417.8*	0	0.0	0	0.0	0	0.0	1	56.0*

Continued ⇒

<sup>1</sup> Rates are per 100,000 population ages 0–19.

\* Rates based on fewer than 10 occurrences are statistically unreliable and should be used with caution.

Note: Population estimates are not available for infants less than one year of age by census area, so deaths and death rates for this age group are not reported separately.

**TABLE 12 CHILD AND ADOLESCENT DEATHS BY CENSUS AREA OR BOROUGH OF RESIDENCE AND AGE GROUP: ALASKA, 2005 AND 2003–2005** (Continued)

CENSUS AREA/BOROUGH	15–19				0–19			
	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>
ALASKA	46	83.8	172	105.8	144	66.9	519	80.7
ALEUTIANS EAST BOROUGH	0	0.0	0	0.0	0	0.0	0	0.0
ALEUTIANS WEST CENSUS AREA	0	0.0	1	151.7*	1	113.4*	3	112.8*
MUNICIPALITY OF ANCHORAGE	9	41.4*	51	79.4	49	55.3	169	63.8
BETHEL CENSUS AREA	3	176.7*	17	346.9	7	91.7*	42	185.0
BRISTOL BAY BOROUGH	0	0.0	0	0.0	0	0.0	0	0.0
DENALI BOROUGH	0	0.0	0	0.0	0	0.0	4	285.5*
DILLINGHAM CENSUS AREA	0	0.0	4	281.5*	0	0.0	5	84.3*
FAIRBANKS NORTH STAR BOROUGH	3	43.6*	12	58.7	15	52.3	62	73.7
HAINES BOROUGH	0	0.0	0	0.0	1	204.5*	1	62.4*
JUNEAU BOROUGH	0	0.0	3	40.6*	1	11.4*	12	44.4
KENAI PENINSULA BOROUGH	3	68.3*	6	44.8*	10	66.1	29	62.2
KETCHIKAN GATEWAY BOROUGH	1	95.1*	4	127.2*	1	26.5*	8	68.6*
KODIAK ISLAND BOROUGH	2	178.1*	5	149.5*	4	84.5*	11	76.5
LAKE AND PENINSULA BOROUGH	1	595.2*	1	199.6*	4	686.1*	4	226.1*
MATANUSKA-SUSITNA BOROUGH	5	75.2*	14	72.7	16	65.6	45	64.0
NOME CENSUS AREA	2	214.1*	11	400.1	9	223.6*	32	265.9
NORTH SLOPE BOROUGH	1	137.0*	4	181.6*	1	35.5*	11	124.5
NORTHWEST ARCTIC BOROUGH	4	463.0*	9	359.4*	5	150.9*	17	169.4
PRINCE OF WALES-OUTER KETCHIKAN CENSUS AREA	1	203.7*	1	68.1*	1	61.3*	2	39.4*
SITKA BOROUGH	1	150.8*	1	50.5*	1	39.9*	3	39.5*
SKAGWAY-HOONAH-ANGOON CENSUS AREA	1	456.6*	2	290.7*	2	266.0*	3	128.5*
SOUTHEAST FAIRBANKS CENSUS AREA	0	0.0	1	60.8*	0	0.0	3	47.4*
VALDEZ-CORDOVA CENSUS AREA	1	112.5*	2	74.5*	2	65.3*	5	53.6*
WADE HAMPTON CENSUS AREA	5	565.0*	17	662.3	9	233.1*	30	258.8
WRANGELL-PETERSBURG CENSUS AREA	0	0.0	1	60.7*	1	55.7*	3	54.5*
YAKUTAT BOROUGH	1	1818.2*	1	537.6*	1	534.8*	2	328.9*
YUKON-KOYUKUK CENSUS AREA	2	316.0*	3	157.2*	3	144.8*	10	153.4

<sup>1</sup> Rates are per 100,000 population ages 0–19.

\* Rates based on fewer than 10 occurrences are statistically unreliable and should be used with caution.

**TABLE 13 CHILD AND ADOLESCENT DEATHS BY NATIVE REGIONAL CORPORATION AND AGE GROUP: ALASKA, 2005 AND 2003–2005**

NATIVE REGIONAL CORPORATION	0–4		5–9		10–14		15–19		0–19	
	2005 DEATHS	03–05 DEATHS								
ALASKA	69	250	9	25	20	72	46	172	144	519
AHTNA CORPORATION	0	0	0	0	1	2	0	1	1	3
ALEUT CORPORATION	1	2	0	0	0	0	0	1	1	3
ARCTIC SLOPE REGIONAL CORPORATION	0	6	0	1	0	0	1	4	1	11
BERING STRAITS NATIVE CORPORATION	4	17	1	1	2	3	2	11	9	32
BRISTOL BAY NATIVE CORPORATION	0	1	0	0	0	0	1	5	1	6
CALISTA CORPORATION	6	27	0	3	2	8	8	34	16	72
CHUGACH ALASKA CORPORATION	0	1	0	0	0	1	1	1	1	3
COOK INLET REGION INCORPORATED	43	120	7	12	11	43	17	71	78	246
DOYON LIMITED	11	49	0	4	2	9	5	16	18	78
KONIAG INCORPORATED	1	4	1	2	0	0	2	5	4	11
NANA REGIONAL CORPORATION	0	7	0	0	1	1	4	9	5	17
SEALASKA CORPORATION	3	14	0	2	1	5	5	13	9	34

Note: Rates are not calculated since population estimates by Native Regional Corporation and age group are not available.

TABLE 14 CHILD AND ADOLESCENT DEATHS BY SELECTED CAUSES OF DEATH AND AGE GROUP: ALASKA, 2005 AND 2003–2005

CAUSE OF DEATH (ICD-10 CODES)	<1				1–4				5–9			
	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>
NATURAL CAUSES (A00–R99)												
INFECTIOUS AND PARASITIC DISEASES (A00–B99)	1	9.6 *	9	29.0 *	0	0.0	6	4.7 *	0	0.0	0	0.0
MALIGNANT NEOPLASMS (C00–C97)	0	0.0	0	0.0	0	0.0	2	1.6 *	2	3.9 *	3	2.0 *
HEART DISEASE (I00–I09,I11,I13,I20–I51)	1	9.6 *	3	9.7 *	0	0.0	0	0.0	0	0.0	0	0.0
CEREBROVASCULAR DISEASE (I60–I69)	0	0.0	0	0.0	0	0.0	1	0.8 *	0	0.0	0	0.0
PNEUMONIA (J12–J18)	0	0.0	4	12.9 *	0	0.0	0	0.0	0	0.0	0	0.0
CHRONIC LOWER RESPIRATORY DISEASE (J40–J47)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
OTHER RESPIRATORY DISEASES (J00–J06,J30–J39,J67,J70–J98)	1	9.6 *	3	9.7 *	1	2.3 *	1	0.8 *	0	0.0	0	0.0
PERINATAL CONDITIONS (P00–P96)	19	182.6	60	193.1	0	0.0	0	0.0	0	0.0	0	0.0
CONGENITAL MALFORMATIONS (Q00–Q99)	14	134.5	40	128.7	2	4.7 *	4	3.2 *	1	1.9 *	2	1.3 *
SIDS (R95)	2	19.2 *	25	80.5	0	0.0	1	0.8 *	0	0.0	0	0.0
ALL OTHER NATURAL CAUSES <sup>2</sup>	6	57.7 *	19	61.2	1	2.3 *	10	7.9	0	0.0	3	2.0 *
TOTAL NATURAL CAUSES	44	422.8	163	524.6	4	9.3 *	25	19.8	3	5.8 *	8	5.2 *
UNINTENTIONAL INJURY (V01–X59,Y85–Y86)												
MOTOR VEHICLE <sup>3</sup>	0	0.0	0	0.0	2	4.7 *	9	7.1 *	1	1.9 *	4	2.6 *
WATER TRANSPORT (V90–V94)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AIR TRANSPORT (V95–V97)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
OTHER TRANSPORT ACCIDENTS <sup>4</sup>	0	0.0	0	0.0	0	0.0	1	0.8 *	0	0.0	0	0.0
FALLS (W00–W19)	0	0.0	1	3.2 *	1	2.3 *	1	0.8 *	0	0.0	0	0.0
ACCIDENTAL DISCHARGE OF FIREARMS (W32–W34)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DROWNING (W65–W74)	0	0.0	0	0.0	0	0.0	3	2.4 *	1	1.9 *	4	2.6 *
EXPOSURE TO SMOKE, FIRE, AND FLAMES (X00–X09)	0	0.0	0	0.0	0	0.0	1	0.8 *	0	0.0	0	0.0
POISONING (X40–X49)	0	0.0	0	0.0	0	0.0	1	0.8 *	0	0.0	1	0.7 *
ALL OTHER UNINTENTIONAL INJURIES (W20–W31,W35–W64,W75–W99,X10–X39,X50–X59,Y86)	13	124.9	25	80.5	1	2.3 *	4	3.2 *	1	1.9 *	1	0.7 *
TOTAL UNINTENTIONAL INJURY	13	124.9	26	83.7	4	9.3 *	20	15.8	3	5.8 *	10	6.5
INTENTIONAL INJURIES (U01–U03,X60–Y09,Y87.0–Y87.1)												
INTENTIONAL SELF-HARM (SUICIDE) (U03,X60–X84,Y87.0)												
SUICIDE BY DISCHARGE OF FIREARMS (X72–X74)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
SUICIDE BY OTHER AND UNSPECIFIED MEANS (U03,X60–X71,X75–X84,Y87.0)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3 *
TOTAL INTENTIONAL SELF-HARM (SUICIDE)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3 *
ASSAULT (U01–U02,X85–Y09,Y87.1)												
ASSAULT BY DISCHARGE OF FIREARMS (U01.4,X93–X95)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ASSAULT BY OTHER AND UNSPECIFIED MEANS (U01.0–U01.3,U01.5–U01.9,U02,X85–X93,X96–Y09,Y87.1)	2	19.2 *	5	16.1 *	0	0.0	3	2.4 *	0	0.0	0	0.0
TOTAL ASSAULT	2	19.2 *	5	16.1 *	0	0.0	3	2.4 *	0	0.0	0	0.0
TOTAL INTENTIONAL INJURIES	2	19.2 *	5	16.1 *	0	0.0	3	2.4 *	0	0.0	2	1.3 *
LEGAL INTERVENTION (Y35,Y89.0)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
UNDETERMINED INTENT (Y10–Y34,Y87.2,Y89.9)												
DISCHARGE OF FIREARMS, UNKNOWN INTENT (Y22–Y24)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
OTHER UNDETERMINED INTENT (Y10–Y21,Y25–Y34,Y87.2)	1	9.6 *	2	6.4 *	0	0.0	0	0.0	0	0.0	1	0.7 *
TOTAL UNDETERMINED INTENT	1	9.6 *	2	6.4 *	0	0.0	0	0.0	0	0.0	1	0.7 *
COMPLICATIONS OF MEDICAL CARE (Y40–Y84,Y88)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL DEATHS	60	576.6	200	643.7	9	21.0 *	50	39.6	9	17.5 *	25	16.3

Continued ⇨

<sup>1</sup> Rates are per 100,000 population ages 0–19.

<sup>2</sup> R00–R94,R96–R99,D65–E07,E15–E34,E65–F99,G04–G12,G23–G25,G31–H93,K00–K22,K29–K31,K50–K66,K71–K72,K75–K76,K83–M99,N13.0–N13.5, N13.7–N13.9,N14,N15.0,N15.8–N15.9,N20–N23,N28–N39,N41–N64,N80–N98

<sup>3</sup> V02–V04,V09.0,V09.2,V12–V14,V19.0–V19.2,V19.4–V19.6,V20–V79,V80.3–V80.5,V81.0–V81.1,V82.0–V82.1,V83–V86,V87.0–V87.8,V88.0–V88.8,V89.0,V89.2

<sup>4</sup> V01,V05–V06,V09.1,V09.3–V09.9,V10–V11,V15–V18,V19.3,V19.8–V19.9,V80.0–V80.2,V80.6–V80.9,V81.2–V81.9,V82.2–V82.9,V87.9,V88.9,V89.1,V89.3,V89.9,V98–V99,Y85

\* Rates based on fewer than 10 occurrences are statistically unreliable and should be used with caution.

TABLE 14 CHILD AND ADOLESCENT DEATHS BY SELECTED CAUSES OF DEATH AND AGE GROUP: ALASKA, 2005 AND 2003–2005 (Continued)

CAUSE OF DEATH (ICD-10 CODES)	10–14				15–19				0–9			
	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>	2005 DEATHS	2005 RATE <sup>1</sup>	03–05 DEATHS	03–05 RATE <sup>1</sup>
<b>NATURAL CAUSES (A00–R99)</b>												
INFECTIOUS AND PARASITIC DISEASES (A00–B99)	0	0.0	1	0.6*	0	0.0	0	0.0	1	0.5*	16	2.5
MALIGNANT NEOPLASMS (C00–C97)	1	1.8*	5	2.9*	3	5.5*	5	3.1*	6	2.8*	15	2.3
HEART DISEASE (I00–I09,I11,I13,I20–I51)	1	1.8*	2	1.2*	1	1.8*	4	2.5*	3	1.4*	9	1.4*
CEREBROVASCULAR DISEASE (I60–I69)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2*
PNEUMONIA (J12–J18)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6*
CHRONIC LOWER RESPIRATORY DISEASE (J40–J47)	0	0.0	1	0.6*	1	1.8*	2	1.2*	1	0.5*	3	0.5*
OTHER RESPIRATORY DISEASES (J00–J06,J30–J39,J67,J70–J98)	0	0.0	1	0.6*	0	0.0	0	0.0	2	0.9*	5	0.8*
PERINATAL CONDITIONS (P00–P96)	0	0.0	0	0.0	0	0.0	0	0.0	19	8.8	60	9.3
CONGENITAL MALFORMATIONS (Q00–Q99)	1	1.8*	2	1.2*	0	0.0	2	1.2*	18	8.4	50	7.8
SIDS (R95)	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9*	26	4.0
ALL OTHER NATURAL CAUSES <sup>2</sup>	3	5.4*	8	4.7*	2	3.6*	14	8.6	12	5.6	54	8.4
TOTAL NATURAL CAUSES	6	10.8*	20	11.8	7	12.8*	27	16.6	64	29.8	243	37.8
<b>UNINTENTIONAL INJURY (V01–X59,Y85–Y86)</b>												
MOTOR VEHICLE <sup>3</sup>	6	10.8*	18	10.6	11	20.0	34	20.9	20	9.3	65	10.1
WATER TRANSPORT (V90–V94)	2	3.6*	3	1.8*	2	3.6*	3	1.8*	4	1.9*	6	0.9*
AIR TRANSPORT (V95–V97)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
OTHER TRANSPORT ACCIDENTS <sup>4</sup>	1	1.8*	1	0.6*	0	0.0	1	0.6*	1	0.5*	3	0.5*
FALLS (W00–W19)	1	1.8*	1	0.6*	0	0.0	0	0.0	2	0.9*	3	0.5*
ACCIDENTAL DISCHARGE OF FIREARMS (W32–W34)	0	0.0	1	0.6*	0	0.0	1	0.6*	0	0.0	2	0.3*
DROWNING (W65–W74)	0	0.0	6	3.5*	3	5.5*	8	4.9*	4	1.9*	21	3.3
EXPOSURE TO SMOKE, FIRE, AND FLAMES (X00–X09)	1	1.8*	1	0.6*	1	1.8*	2	1.2*	2	0.9*	4	0.6*
POISONING (X40–X49)	2	3.6*	5	2.9*	2	3.6*	10	6.2	4	1.9*	17	2.6
ALL OTHER UNINTENTIONAL INJURIES (W20–W31,W35–W64,W75–W99,X10–X39,X50–X59,Y86)	0	0.0	0	0.0	1	1.8*	3	1.8*	16	7.4	33	5.1
TOTAL UNINTENTIONAL INJURY	13	23.4	36	21.2	20	36.4	62	38.1	53	24.6	154	23.9
<b>INTENTIONAL INJURIES (U01–U03,X60–Y09,Y87.0–Y87.1)</b>												
<b>INTENTIONAL SELF-HARM (SUICIDE) (U03,X60–X84,Y87.0)</b>												
SUICIDE BY DISCHARGE OF FIREARMS (X72–X74)	0	0.0	2	1.2*	8	14.6*	34	20.9	8	3.7*	36	5.6
SUICIDE BY OTHER AND UNSPECIFIED MEANS (U03,X60–X71,X75–X84,Y87.0)	0	0.0	5	2.9*	3	5.5*	19	11.7	3	1.4*	26	4.0
TOTAL INTENTIONAL SELF-HARM (SUICIDE)	0	0.0	7	4.1*	11	20.0	53	32.6	11	5.1	62	9.6
<b>ASSAULT (U01–U02,X85–Y09,Y87.1)</b>												
ASSAULT BY DISCHARGE OF FIREARMS (U01.4,X93–X95)	1	1.8*	5	2.9*	3	5.5*	17	10.5	4	1.9*	22	3.4
ASSAULT BY OTHER AND UNSPECIFIED MEANS (U01.0–U01.3,U01.5–U01.9,U02,X85–X93,X96–)	0	0.0	2	1.2*	2	3.6*	4	2.5*	4	1.9*	14	2.2
TOTAL ASSAULT	1	1.8*	7	4.1*	5	9.1*	21	12.9	8	3.7*	36	5.6
TOTAL INTENTIONAL INJURIES	1	1.8*	14	8.3	16	29.2	74	45.5	19	8.8	98	15.2
LEGAL INTERVENTION (Y35,Y89.0)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>UNDETERMINED INTENT (Y10–Y34,Y87.2,Y89.9)</b>												
DISCHARGE OF FIREARMS, UNKNOWN INTENT (Y22–Y24)	0	0.0	1	0.6*	0	0.0	0	0.0	0	0.0	1	0.2*
OTHER UNDETERMINED INTENT (Y10–Y21,Y25–Y34,Y87.2)	0	0.0	1	0.6*	2	3.6*	3	1.8*	3	1.4*	7	1.1*
TOTAL UNDETERMINED INTENT	0	0.0	2	1.2*	3	5.5*	5	3.1*	4	1.9*	10	1.6
COMPLICATIONS OF MEDICAL CARE (Y40–Y84,Y88)	0	0.0	0	0.0	1	1.8*	2	1.2*	1	0.5*	2	0.3*
TOTAL DEATHS	20	36.0	72	42.4	46	83.8	172	105.8	144	66.9	519	80.7

<sup>1</sup> Rates are per 100,000 population ages 0–19.

<sup>2</sup> R00–R94,R96–R99,D65–E07,E15–E34,E65–F99,G04–G12,G23–G25,G31–H93,K00–K22,K29–K31,K50–K66,K71–K72,K75–K76,K83–M99,N13.0–N13.5, N13.7–N13.9,N14,N15.0,N15.8–N15.9,N20–N23,N28–N39,N41–N64,N80–N98

<sup>3</sup> V02–V04,V09.0,V09.2,V12–V14,V19.0–V19.2,V19.4–V19.6,V20–V79,V80.3–V80.5,V81.0–V81.1,V82.0–V82.1,V83–V86,V87.0–V87.8,V88.0–V88.8,V89.0,V89.2

<sup>4</sup> V01,V05–V06,V09.1,V09.3–V09.9,V10–V11,V15–V18,V19.3,V19.8–V19.9,V80.0–V80.2,V80.6–V80.9,V81.2–V81.9,V82.2–V82.9,V87.9,V88.9,V89.1,V89.3,V89.9,V98–V99,Y85

\* Rates based on fewer than 10 occurrences are statistically unreliable and should be used with caution.